

WISSENSEIT

BEER

CATALOGUE 2022/23

BEVCO



CONDIZIONI GENERALI DI VENDITA E GARANZIA

Per consultare le condizioni generali di vendita e garanzia si rinvia all'informativa contenuta nell'apposita sezione del sito web:

www.bevco.eu

Per maggior informazioni potete contattarci a: info@bevco.it

TERMS AND CONDITIONS

For the general conditions of sale and warranty, please refer to the informatios in the section of the website: www.bevco.eu

For further informations you can contact us at: info@bevco.it

SOLIDO GROUP

1990



Nasce WaterLine
Waterline is born

2005



Acquisizione
di AMG Filters
Acquisition of
AMG Filters

2007



Acquisizione
di Brewservice
Acquisition of
Brewservice

2010



Acquisizione di Nuti e,
in seguito alla fusione con
Brewservice, costituzione
di Bevco
*Acquisition of Nuti and, following
the merger with Brewservice, the
establishment of Bevco*

2012



Acquisizione
di Plastik
Acquisition
of Plastik

La storia trentennale di Solido Group vede l'acqua come filo conduttore nella sua evoluzione industriale: ad oggi il Gruppo conta diverse partecipazioni e controlla quattro aziende operanti nei mercati della filtrazione e del trattamento acqua, delle piscine, delle macchine per la refrigerazione e l'erogazione di birra, soft drink, acqua e nelle macchine per il caffè professionali e domestiche.

Nel 2005, con l'acquisizione di AMG da parte di WaterLine, inizia la fase di espansione che porterà alla formazione del gruppo con l'attuale assetto. Nel 2012 WaterLine acquisisce anche Plastik. Le due aziende sono state fuse nel 2022 dando vita a AMG-Plastik, la cui produzione spazia dai filtri a cartuccia alle produzioni di componentistica customizzata per grandi marchi dell'automotive, del beverage e dell'elettronica di consumo.

Il marchio Bevco nasce nel 2010 in seguito all'acquisizione di Brewservice e Nuti. L'azienda propone molteplici soluzioni di impianti di refrigerazione, gasatura ed erogazione di acqua, birra e softdrink. Nel 2017 Bevco incorpora anche CEM Industries per ampliare l'offerta nel mercato dei dispenser, mentre nel 2019 viene acquisita Berbex che entra così a far parte del gruppo. Nel 2018 viene acquisita Grimac, storica azienda di macchine da caffè. Nel 2021 Grimac rilancia il marchio Doge, posizionandolo nella produzione di macchine professionali premium e specialty coffee.

La creazione di una divisione R&D trasversale focalizzata sui filtri, il beverage e le macchine da caffè ha permesso di sviluppare ulteriormente l'area innovazione in tutte le aziende del Gruppo. La visione di Solido Group è quella di una stabile Supply Chain verticale fondata sulla costruzione della componentistica e della produzione di articoli inerenti al mondo dell'acqua, del beverage e del caffè.

The industrial evolution of water has been the common thread in Solido's thirty-year history: today the Group has several holdings and controls four companies operating in the markets of water filtration and treatment, swimming pools, refrigerating machines and the dispensing of beer, soft drinks and in professional and domestic coffee machines.

A phase of expansion began in 2005 with Waterline's acquisition of AMG, leading to the formation of the group with its current structure. In 2012 WaterLine also acquired Plastik. The two companies were merged in 2022, giving rise to AMG-Plastik, whose production ranges from filters to cartridges to the manufacture of customised components for major automotive, beverage and consumer electronics brands.

The Bevco brand was created in 2010 following the acquisition of Brewservice and Nuti. The company offers numerous solutions for refrigeration and carbonation systems, and the dispensing of water, beer and soft drinks. In 2017 Bevco also acquired CEM Industries to extend its offer in the dispenser market, while Berbex was acquired in 2019 to then form part of the group.

Grimac, the historical coffee machine company, was acquired in 2018. In 2021 Grimac launched the Doge brand, associating it with the production of premium and speciality professional coffee machines.

The creation of a cross-cutting R&D division focused on filters and on beverage and coffee machines has made it possible to further develop the innovative approach of all companies of the Group.

Solido Group's vision is that of a stable vertical Supply Chain based on the 100% construction of components for the production of articles linked to the world of water, beverages and coffee.



2017



Bevco acquisisce CEM Industries
Bevco acquires CEM Industries

2018



Acquisizione di Grimac
Acquisition of Grimac

2019



Acquisizione di Berbex
Acquisition of Berbex

2021



Rilancio e riposizionamento del marchio Doge e costituzione di Grimac Group
Relaunch and repositioning of the Doge brand and the establishment of the Grimac Group

2022



Fusione AMG-Plastik
Merger of AMG and Plastik



**DESIGNED
TO FLOW**

È l'intreccio della nostra storia che ci ha reso quelli che siamo: una realtà che detiene il know-how e l'expertise delle aziende che hanno fatto la storia del dispensing italiano e che si propone al mercato mondiale con un'offerta unica per profondità, completezza e qualità.

It is the intertwining of our history that has made us who we are: a reality that holds the know-how and expertise of the companies that have made the history of Italian dispensing and that offers itself to the world market with a unique offer for depth, completeness and quality.



L'AZIENDA
THE COMPANY



Bevco nasce nel 2010 dall'unione di due storiche realtà produttrici di sistemi per il beverage: **BREWSERVICE**, nota per i suoi strumenti di spillatura della birra, e **Nuti**, player storico nel mercato di macchine per l'erogazione di soft drink. Nel 2017 Bevco incorpora **CEM Industries**, realtà industriale con un'esperienza trentennale focalizzata principalmente su macchine per l'erogazione di acqua fredda e gasata. Nel 2018 viene costituita **Bevco Balcani**, nuova unità produttiva con l'obiettivo di garantire una maggiore e più puntuale presenza sui mercati dell'Europa orientale. E' infine del 2020 la partnership con **Berbex**, azienda storica attiva dal 1972 nella produzione di apparecchiature per la refrigerazione, gasatura e erogazione di bevande, a completare l'attuale assetto produttivo e commerciale.

BEVCO was founded in 2010 from the union of two historic manufacturers of beverage systems: **Brewservice**, known for its beer tapping tools, and **Nuti**, a historic player in the soft drink dispensing machine market. In 2017 Bevco incorporated **CEM Industries**, an industrial company with thirty years of experience mainly focused on machines for dispensing cold and sparkling water. In 2018 **Bevco Balcani** was established, a new production unit with the aim of ensuring a greater and more punctual presence on the Eastern European markets. Finally, in 2020 the partnership with **Berbex**, a historic company active since 1972 in the production of equipment for refrigeration, carbonation and beverage dispensing, completes the current production and commercial structure.

OVERVIEW

OVERVIEW

FOCUS ON DISPENSING

FOCUS ON DISPENSING

Il nostro **Dipartimento Ricerca e Sviluppo** è composto da ingegneri e tecnici specializzati con pluriennale esperienza nel settore, per sviluppare soluzioni innovative, legate all'utilizzo di nuovi materiali e nuove tecnologie, anche in base a richieste specifiche e personalizzate. Il nostro **Dipartimento Marketing** è costantemente impegnato nella ricerca di soluzioni estetiche innovative per soddisfare le richieste del mercato e anticipare nuove soluzioni.

Our Research and **Development Department** is made up of engineers and specialized technicians with many years of experience in the sector, to develop innovative solutions, related to the use of new materials and new technologies, also based on specific and customized requests. Our **Marketing Department** is constantly engaged in the search for innovative aesthetic solutions to meet market demands and anticipate new solutions.

SEDI E RETE DISTRIBUTIVA

Abbiamo quattro stabilimenti e un magazzino logistico in Italia e uno stabilimento in Romania.

La nostra rete distributiva si estende nei principali Paesi del mondo e si compone di importatori, distributori e centri assistenza tecnica in grado di garantire anche un servizio post vendita. Negli anni, abbiamo instaurato importanti partnership con alcune delle aziende leader mondiali nella produzione e distribuzione di birra e bevande.

PLANTS AND DISTRIBUTION NETWORK

We have four factories and a logistics warehouse in Italy and a factory in Romania.

Our **distribution network** extends to the main countries of the world and is made up of importers, distributors and technical assistance centers that can also guarantee an after-sales service. Over the years, we have established **important partnerships** with some of the world's leading companies in the production and distribution of beer and beverages.

LE NOSTRE SEDI OUR SITES





MISSIONE MISSION

UN'ECCELLENTE EXPERIENCE

AN EXCELLENT DRINKING EXPERIENCE

Pensiamo che il tempo che tutti noi trascorriamo in bar, ristoranti, pizzerie, birrerie, wine bar e hotel costituisca un momento importante della nostra vita, istanti piacevoli ai quali deve corrispondere una consumer experience adeguata e gratificante

We think that the time we all spend in bars, restaurants, pizzerias, breweries, wine bars and hotels constitutes an important moment in our life, pleasant moments which must be matched by an adequate and gratifying consumer experience.

Noi di **Bevco** siamo totalmente focalizzati sulla fornitura di strumenti per la spillatura e l'erogazione di bevande agli operatori dell'**Ho.Re.Ca. e del Vending** di tutto il mondo. La nostra missione è rendere il loro lavoro più semplice, piacevole e soddisfacente. Vogliamo aiutarli ad **esaltare la loro professionalità**, con soluzioni sempre più **avanzate ed ecosostenibili** per garantire ai loro clienti un'eccellente drinking experience con il minore impatto possibile sull'ambiente.

We at **Bevco** are totally focused on providing tools for tapping and dispensing drinks to **Ho.Re.Ca.** and **vending** operators around the world. Our mission is to make their job easier, more enjoyable and more satisfying. We want to help them enhance their professionalism, with increasingly advanced and eco-sustainable solutions to guarantee their customers an excellent drinking experience with the least possible impact on the environment.




SOSTENIBILITÀ SUSTAINABILITY

CAMBIARE IL MONDO, GOCCIA DOPO GOCCIA CHANGING THE WORLD, DROP BY DROP

Abbiamo una missione: garantire una *drinking experience* a **ridotto impatto ambientale**. Siamo già in grado di produrre strumenti per l'erogazione di bevande gassate che limitano fortemente le **emissioni di CO₂**, ma la nostra ricerca non si ferma qui.

Attraverso il nuovo **sistema di isolamento termico** della vasca riciclabile al 100%, ISOTECH PLUS, in combinazione con i nuovi componenti ad alta efficienza, abbiamo creato una linea di refrigeratori che garantiscono una **resa superiore del 30%** rispetto ai sistemi tradizionali, contribuendo così ad **abbassare anche i consumi energetici dei locali**.

We have a mission: to guarantee a drinking experience with a **reduced environmental impact**. We are already able to produce tools for the dispensing of carbonated drinks that strongly limit **CO₂ emissions**, but our research does not stop there. Through the new **thermal insulation system** of the 100% recyclable tank, ISOTECH PLUS, in combination with the new high efficiency components, we have created a line of chillers that guarantee a **30% higher yield** compared to traditional systems, thus helping to **lower also the energy consumption** of the premises.



BIRRA BEER



COLONNE PREMIX
PREMIX TOWERS
20

		VIA/LINES		GLICOLE GLYCOLE
	1	2	3	MULTIVIA
01 VORTICE	◆			21
02 AGGRESSIVE	◆			22
03 FENICE	◆			23
04 SGANG LUMINOSA	◆			24
05 SETA	◆			25
SETA LUMINOSA	◆			26
06 QUADRA	◆			27
07 TEXAS	◆			28
08 BABY VIPER	◆			29
09 BABY PRINCESS	◆			30
10 MINI TWICE	◆			31
11 TWICE	◆			32
12 ZEN	◆			33
13 RAMSES	◆			34
14 NELSON	◆			35
15 WINDSOR	◆			36
16 SAX	◆			37
17 ALLEGRA		◆		39
18 GRIFONE		◆		40
19 POINT		◆		41
20 ZAR		◆		42
21 SKY		◆		45
22 VIPER		◆		46
23 VIPER PLUS		◆		47
24 PRINCESS		◆		48
PRINCESS ILLUMINATA		◆		49
25 EVOLUTION		◆		50
26 FLAME		◆		51
27 ARKO		◆		52
28 BOTTICELLA		◆		53
29 C ²			◆	55
30 MULTIVIPER			◆	56
31 MONSTER EVOLUTION			◆	57
32 NEW ECO			◆	58
NEW ECO LUMINOSA			◆	59
33 BRAMANTE			◆	60
34 ECLIPSE			◆	61
38 BRIDGE			◆	62
36 W&R GATE			◆	63
37 DRESDA			◆	64
38 PERUGINO			◆	65
39 PIGALLE			◆	66
PIGALLE LUMINOSA			◆	67
40 ATHENA			◆	68
41 TIMONE			◆	69
42 EVOLUTION ICE				◆ 71
43 PRINCESS ICE				◆ 72
44 SETA ICE				◆ 73
45 VIPER ICE				◆ 74
46 FENICE ICE				◆ 75
47 GRIFONE ICE				◆ 76
48 FIESTA M				◆ 77

REFRIGERATORI SOTTOBANCO**UNDER COUNTER COOLERS****78**

01 MIG 13	79
02 FOX 20	80
03 JET 30	81
04 IGLOO 28	82
05 SMART 36 ORIZZONTALE	83
06 SMART 36 VERTICALE	84
07 JET 55	85
08 V100 (FISSO)	86
09 BETA 60	87
10 MIGNOLO 60	88
11 TROPICAL 60	89
12 MIG 60 SUBZERO	90
13 MAGO 90	91
14 TROPICAL 90	92
15 BIG 120	93
16 MONSTER 165	94
17 REVERSIBILE 36	95
18 REVERSIBILE 60	96
19 REVERSIBILE 90	97
20 REVERSIBILE 120	98
21 FOX 20 2.0	99
22 IGLOO 28 2.0	100
23 SMART 36 VERTICALE 2.0	101
24 MIGNOLO 60 2.0	102
25 MAGO 90 2.0	103

REFRIGERATORI MOBILI**MOBILE COUNTER COOLERS****104**

01 PARTY 60 E 90	105
02 UNITA' BANCO	106
03 LUX	107
04 BANCO CICO	108
05 MOBILE BASE	109
06 ELEGANCE LEGNO	110

REFRIGERATORI SOPRABANCO**OVER COUNTER COOLERS****112**

01 JIMMY	113
02 NEPTUN BIRRA	114
03 SILVER	115
04 DRY EASY	116
05 ARTIC MINI	117
06 DRY TOP	118

IMPIANTI GLICOLE BIRRA**GLYCOLE COOLERS****120**




**1 VIE
1 LINES**
**COLONNE
PREMIX**
**PREMIX
TOWERS**



**LED
ILLUMINATION**

01 VORTICE



Medaglioni per Vortice/Badge Holders for Vortice:
MCCR180G
MCCR190G

Medaglioni per Vortice Luminosa/Badge Holders for Vortice Luminated:
MELU82ST (Lente 3D e placche termoformate escluse/
3D lens and lens with flat thermoformed plate excluded)

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox.


Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
VRT1CR 128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
VRT1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
VRT1CR 588L	Ottone Cromato Lucido Polished chrome plated brass	✓	1	5/8"	8	

02 AGGRESSIVE



Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, su richiesta tubi prodotti in acciaio inox in differenti diametri. Medaglione luminoso monofacciale LED integrato. Versione condensata su richiesta. Colori e personalizzazioni (anche per pomello) disponibili su richiesta (lotto minimo 50 pz.). Lente 3D/placca termoformata esclusa.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination included. Available as condensate. Different colours and customization (also for handle) on request (min. order quantity 50 pcs.). 3D Lens/Lens with flat thermoformed plate excluded.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
AGG1W 588	Vitreus		1	5/8"	8	

03 FENICE



Specifiche e Opzioni


Tubo e ricircolo in plastica inclusi. Possibilità di personalizzazione logo. Disponibile in diversi colori su richiesta. Lente e trasformatore inclusi.

Specs and Options

Plastic tube and recirculation included. Available also with branded logo. Colored versions available upon request. Lens and transformer included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
12304	Alluminio nero Black aluminium	✓	1	5/8"	8	

04 SGANG LUMINOSA



Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, su richiesta tubi prodotti in acciaio inox in differenti diametri. Medaglione luminoso monofacciale LED integrato. Versione condensata su richiesta. Colori e personalizzazioni (anche per pomello) disponibili su richiesta (lotto minimo 50 pz.). Lente 3D/placca termoformata esclusa.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination included. Available as condensate. Different colours and customization (also for handle) on request (min. order quantity 50 pcs.). 3D Lens/Lens with flat thermoformed plate excluded.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
SGN1CE 588	Vitreus		1	5/8"	8	

05 SETA



Medagliioni/Badge Holders:

MDCR5880

MDCR5890

MDACR5890

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ST1CR128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
ST1CR588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	

SETA LUMINOSA



Medaglioni/Badge Holders:
MELU82ST

(Lente 3D e placche termoformate escluse/
3D lens and lens with flat thermoformed plate
excluded)

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ST1CR588 LM	Ottone Cromato Lucido Polished chrome plated brass	✓	1	5/8"	8	

06 QUADRA



Accessori/Accessories:
011030 (Tappo cromato/Chromed cap)

Specifiche e Opzioni


Illuminazione a LED. Ricircolo in plastica incluso.
Tubi prodotti in plastica e tubi prodotti in acciaio
inox in differenti diametri su richiesta.

Specs and Options

LED illumination. Plastic recirculation included.
Product lines in plastic or stainless steel in different
diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
QDR1IN 588P	Acciaio inox lucido Polished stainless steel	✓	1	5/8"	8	

07 TEXAS



Medaglioni/Badge Holders:
MECR80D
MECR90D

Specifiche e Opzioni



Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Illuminazione LED su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination available upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
MTX1INST 128 (S)	Acciaio inox satinato Satin-finished stailess steel		1	1/2"	8	
MTX1INST 588 (S)	Acciaio inox satinato Satin-finished stailess steel		1	5/8"	8	
TX1INST 128 (M)	Acciaio inox satinato Satin-finished stailess steel		1	1/2"	8	
TX1INST 588 (M)	Acciaio inox satinato Satin-finished stailess steel		1	5/8"	8	
MXTX1INST 128 (Max)	Acciaio inox satinato Satin-finished stailess steel		1	1/2"	8	
MXTX1INST 588 (Max)	Acciaio inox satinato Satin-finished stailess steel		1	5/8"	8	

08 BABY VIPER



Specifiche e Opzioni


Tubi alimentazione in plastica inclusi. No ricircolo.
Possibilità di personalizzazione logo.

Specs and Options

Plastic tubes included. No recirculation.
Branded logo upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
9067	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	

09 BABY PRINCESS



Specifiche e Opzioni


Tubi e ricircoli in plastica inclusi.

Specs and Options

Plastic tubes and recirculation included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie Nº lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
11433	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	

10 MINI TWICE



Medagliioni e morsetti/Badge holders and clamps:

MDCR5880
MDCR5890 - MDG5880
MDG5890
MDACR5890
MDADR5890 - MRSTCR
MRSTDTR

Specifiche e Opzioni


Tubo ricircolo non incluso. Tubi prodotto in acciaio inox in differenti diametri su richiesta.

Specs and Options

Recirculation tube not included. Recirculation pipe not included. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
MTW1CR 128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
MTW1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
MTW1OT 128	Ottone Dorato Gold plated brass		1	1/2"	8	
MTW1OT 588	Ottone Dorato Gold plated brass		1	5/8"	8	

11 TWICE



Medaglioni/Badge holders:

MDCR5880
MDCR5890
MDG5880
MDG5890
MDACR5890
MDADR5890

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
TW1CR 128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
TW1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
TW1OT 128	Ottone Dorato Gold plated brass		1	1/2"	8	
TW1OT 588	Ottone Dorato Gold plated brass		1	5/8"	8	

12 ZEN



Medagliioni/Badge holders:

MDCR5880
MDCR5890
MDG5880
MDG5890
MDACR5890
MDADR5890

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, tubi prodotto in acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ZN1CR 128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
ZN1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
ZN1ST 128	Ottone Dorato Gold plated brass		1	1/2"	8	
ZN1ST 588	Ottone Dorato Gold plated brass		1	5/8"	8	

13 RAMSES



Medagliioni e morsetti/Badge holders and clamps:
 MDCR5880
 MDCR5890 - MDG5880
 MDG5890
 MDACR5890
 MDADR5890 - MRSTCR
 MRSTDTR

Specifiche e Opzioni


Tubo ricircolo non inlusso. Tubi prodotto in plastica e tubi prodotto acciaio inox in differenti diametri su richiesta.

Specs and Options

Recirculation pipe not included. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
RM1CR 128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
RM1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
RM1OT 128	Ottone Dorato Gold plated brass		1	1/2"	8	
RM1OT 588	Ottone Dorato Gold plated brass		1	5/8"	8	

14 NELSON



Trasformatori/Transformers:
010163 (15W)
010164 (30W)

Specifiche e Opzioni


Illuminazione a led. Tubo ricircolo non incluso. Tubi prodotto in acciaio inox in differenti diametri su richiesta.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
NL1OTG 12L8	Ottone Dorato Gold plated brass	✓	1	1/2"	8	

Specs and Options

Led illumination. Recirculation tube not included. Product lines in plastic or stainless steel in different diameters on demand.

15 WINSOR



Specifiche e Opzioni

Raccogligocce in plastica incluso e pomello in ceramica nero. Fissaggio a morsetto. Manopola in differenti colori su richiesta.

Specs and Options

Plastic drip tray and black porcelain handle included. Clamp on. Handle in different colours upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Ricircolo Recirculation	Prezzi Prices
010662	Ottone Dorato Gold plated brass		1			
010662 W	Ottone Dorato Gold plated brass		1		✓	
0106621	Ottone Cromato Chrome plated brass		1			
0106621 W	Ottone Cromato Chrome plated brass		1		✓	

16 SAX



Specifiche e Opzioni

Tubo e ricircolo in plastica inclusi. Rubinetto dorato incluso.

Specs and Options

Plastic tube and recirculation included. Golden tap included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
3959	Ottone Dorato Gold plated brass		1	5/8"	9,5	




**2 VIE
2 LINES**
**COLONNE
PREMIX**
**PREMIX
TOWERS**



**LED
ILLUMINATION**

17 ALLEGRA



Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o in acciaio inox. Tubi prodotto in plastica, su richiesta tubi prodotti in acciaio inox in differenti diametri. Versione condensata, colori e personalizzazioni (anche per pomello) su richiesta (lotto minimo 50 pz.) Allegra luminosa: medaglione luminoso monofacciale LED integrato (Lente 3D/placca termoformata esclusa).


Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation upon request. Product line in plastic, stainless steel in various diameters upon request. Condensation, colours and customization (also for handle) available upon request (min. order quantity 50 pcs.) Allegra illuminated: LED illuminated badge included (3D Lens/Lens with flat thermoformed plate excluded).

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ALL1VTM 588	Vitreous	✓	1	5/8"	8	
ALL1VT 588	Vitreous		1	5/8"	8	
ALL2VT 588	Vitreous		2	5/8"	8	

18 GRIFONE

COLONNE PREMIX PREMIX TOWERS



Specifiche e Opzioni


Tubi e ricircoli in plastica inclusi. Possibilità di personalizzazione logo e illuminazione a LED. Disponibile versione dorata e nera su richiesta.

Specs and Options

Plastic tubes and recirculation included. Branded and LED illuminated logo upon request. Golden and black version available upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
12868	Ottone Cromato Lucido Polished chrome plated brass	✓	1	5/8"	8	
12940	Ottone Cromato Lucido Polished chrome plated brass	✓	2	5/8"	8	

19 POINT



Trasformatore per Point luminosa/Transformer for Point illuminated: 010710

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica e tubi prodotto in acciaio inox in differenti diametri su richiesta. Point luminosa: illuminazione a LED integrata.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. Point illuminated: Led integrated.

Codice Code	Materiale Material	D ø (mm) D ø (mm)	Luminosa Illuminated	N° vie Nº lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
PN1CR12808	Acciaio inox lucido Polished stainless steel	80		1	1/2"	8	
PN1CR58808	Acciaio inox lucido Polished stainless steel	80		1	5/8"	8	
PN1CR1280L8	Acciaio inox lucido Polished stainless steel	80	✓	1	1/2"	8	
PN1CR5880L8	Acciaio inox lucido Polished stainless steel	80	✓	1	5/8"	8	
PN2CR12808	Acciaio inox lucido Polished stainless steel	80		2	1/2"	8	
PN2CR58808	Acciaio inox lucido Polished stainless steel	80		2	5/8"	8	
PN2CR1280L8	Acciaio inox lucido Polished stainless steel	80	✓	2	1/2"	8	
PN2CR5880L8	Acciaio inox lucido Polished stainless steel	80	✓	2	5/8"	8	
PN1ST12808	Acciaio inox satinato Satin-finished stainless steel	80		1	1/2"	8	
PN1ST58808	Acciaio inox satinato Satin-finished stainless steel	80		1	5/8"	8	
PN1ST1280L8	Acciaio inox satinato Satin-finished stainless steel	80	✓	1	1/2"	8	
PN1ST5880L8	Acciaio inox satinato Satin-finished stainless steel	80	✓	1	5/8"	8	
PN2ST12808	Acciaio inox satinato Satin-finished stainless steel	80		2	1/2"	8	
PN2ST58808	Acciaio inox satinato Satin-finished stainless steel	80		2	5/8"	8	
PN2ST1280L8	Acciaio inox satinato Satin-finished stainless steel	80	✓	2	1/2"	8	
PN2ST5880L8	Acciaio inox satinato Satin-finished stainless steel	80	✓	2	5/8"	8	

20 ZAR



	1 Via 1 Line	2 Vie 2 Lines
L	105	140

Medaglione monofacciale incluso
Badge Holders included


Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica e tubi prodotto in acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	N° vie N° lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
ZR1CR128M	Ottone cromato lucido Polished Chrome plated brass	1	1/2"	8	
ZR1CR588M	Ottone cromato lucido Polished Chrome plated brass	1	5/8"	8	
ZR2CR128M	Ottone cromato lucido Polished Chrome plated brass	2	1/2"	8	
ZR2CR588M	Ottone cromato lucido Polished Chrome plated brass	2	5/8"	8	
ZR1OT128M	Ottone dorato Polished plated brass	1	1/2"	8	
ZR1OT588M	Ottone dorato Polished plated brass	1	5/8"	8	
ZR2OT128M	Ottone dorato Polished plated brass	2	1/2"	8	
ZR2OT588M	Ottone dorato Polished plated brass	2	5/8"	8	





**3 VIE
3 LINES**
**COLONNE
PREMIX**
**PREMIX
TOWERS**



**LED
ILLUMINATION**

21 SKY



Medagliioni/Badge Holders:
MCCR180 - MCCR190

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica e tubi prodotto in acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
SKY3128	Acciaio inox satinato Satin-finished stainless steel		3	1/2"	8	
SKY3588	Acciaio inox satinato Satin-finished stainless steel		3	5/8"	8	

2.2 VIPER



Specifiche e Opzioni

Tubi e ricircoli in plastica inclusi. Possibilità di personalizzazione logo.


Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
8622	Ottone Cromato Chrome plated brass		1	5/8"	8	
8623	Ottone Dorato Gold plated brass		1	5/8"	8	
8629*	Ottone Cromato Chrome plated brass	✓	1	5/8"	8	
8632*	Ottone Dorato Gold plated brass	✓	1	5/8"	8	
10486	Ottone Cromato Chrome plated brass	✓	1	5/8"	8	
8616	Ottone Cromato Chrome plated brass		2	5/8"	8	
8617	Ottone Dorato Gold plated brass		2	5/8"	8	
10487	Ottone Dorato Gold plated brass	✓	2	5/8"	8	
8618	Ottone Cromato Chrome plated brass		3	5/8"	8	
8624	Ottone Dorato Gold plated brass		3	5/8"	8	
10488	Ottone Cromato Chrome plated brass	✓	3	5/8"	8	

*Con cladding luminoso/With luminous cladding.

Specs and Options

Plastic tubes and recirculation included. Branded logo upon request.

23 VIPER PLUS



2 Vie 3 Vie
2 Lines 3 Lines

IN 118 165

Specifiche e Opzioni

Tubi e ricircoli in plastica inclusi. Possibilità di personalizzazione logo.

Specs and Options

Plastic tubes and recirculation included. Branded logo upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
13577	Allumino Cromato Chrome aluminium		1	5/8"	8	
13215	Allumino Cromato Chrome aluminium	✓	1	5/8"	8	
13578	Allumino Cromato Chrome aluminium		2	5/8"	8	
13216	Allumino Cromato Chrome aluminium	✓	2	5/8"	8	
13579	Allumino Cromato Chrome aluminium		3	5/8"	8	
13217	Allumino Cromato Chrome aluminium	✓	3	5/8"	8	

24 PRINCESS

COLONNE PREMIX PREMIX TOWERS




Medaglioni/Badge holders:

MDCR5880
MDCR5890
MDG5880
MDG5890
MDACR5880
MDACR5890

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.

Codice	Materiale	Luminosa Illuminated
Code	Material	
PRS1CR 128	Ottone Cromato Lucido Polished chrome plated brass	
PRS1CR 588	Ottone Cromato Lucido Polished chrome plated brass	
PRS2CR 128	Ottone Cromato Lucido Polished chrome plated brass	
PRS2CR 588	Ottone Cromato Lucido Polished chrome plated brass	
PRS3CR 128	Ottone Cromato Lucido Polished chrome plated brass	
PRS3CR 588	Ottone Cromato Lucido Polished chrome plated brass	
PRS1G 128	Ottone Dorato Gold plated brass	
PRS1G 588	Ottone Dorato Gold plated brass	
PRS2G 128	Ottone Dorato Gold plated brass	
PRS2G 588	Ottone Dorato Gold plated brass	
PRS3G 128	Ottone Dorato Gold plated brass	
PRS3G 588	Ottone Dorato Gold plated brass	







Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

N° vie	Filetto N° lines Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
1	1/2"	8	
1	5/8"	8	
2	1/2"	8	
2	5/8"	8	
3	1/2"	8	
3	5/8"	8	
1	1/2"	8	
1	5/8"	8	
2	1/2"	8	
2	5/8"	8	
3	1/2"	8	
3	5/8"	8	

PRINCESS LUMINOSA



Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Medaglione luminoso bifacciale LED Integrato - Lente 3D/Placche termoformate escluse.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. Integrated LED double-sided illuminated badges (3D lenses / Thermoformed plates not included).

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
PRS1CR 128L	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
PRS1CR 588L	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
PRS2CR 128L	Ottone Cromato Lucido Polished chrome plated brass		2	1/2"	8	
PRS2CR 588L	Ottone Cromato Lucido Polished chrome plated brass		2	5/8"	8	
PRS3CR 128L	Ottone Cromato Lucido Polished chrome plated brass		3	1/2"	8	
PRS3CR 588L	Ottone Cromato Lucido Polished chrome plated brass		3	5/8"	8	
PRS1G 128L	Ottone Dorato Gold plated brass		1	1/2"	8	
PRS1G 588L	Ottone Dorato Gold plated brass		1	5/8"	8	
PRS2G 128L	Ottone Dorato Gold plated brass		2	1/2"	8	
PRS2G 588L	Ottone Dorato Gold plated brass		2	5/8"	8	
PRS3G 128L	Ottone Dorato Gold plated brass		3	1/2"	8	
PRS3G 588L	Ottone Dorato Gold plated brass		3	5/8"	8	

25 EVOLUTION



	1 Via 1 Line	2 Vie 2 Lines	3 Vie 3 Lines
L	65	65	106
L1	88	88	106
LL	83	93	137
LL1	83	83	87
LLIN	68	69	75
H	372	372	393

Tappo cromo/Chrome cap:
010089

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Medaglione luminoso LED opzionale. Finitura ottone dorato lucido su richiesta.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
EV1CR 128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
EV1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
EV2CR 128	Ottone Cromato Lucido Polished chrome plated brass		2	1/2"	8	
EV2CR 588	Ottone Cromato Lucido Polished chrome plated brass		2	5/8"	8	
EV3CR 128	Ottone Cromato Lucido Polished chrome plated brass		3	1/2"	8	
EV3CR 588	Ottone Cromato Lucido Polished chrome plated brass		3	5/8"	8	

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional. Polished gold plated brass finish on request.

26 FLAME



	1 Via 1 Line	2 Vie 2 Lines	3 Vie 3 Lines
L	65	65	106
L1	88	88	106
LL	83	93	137
LL1	83	83	87
LLIN	68	69	75
H	372	372	393



Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Badge luminoso LED integrato. Finitura ottone dorato lucido su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination included. Polished gold plated brass finish on request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
FLM1CR 128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
FLM1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
FLM2CR 128	Ottone Cromato Lucido Polished chrome plated brass		2	1/2"	8	
FLM2CR 588	Ottone Cromato Lucido Polished chrome plated brass		2	5/8"	8	
FLM3CR 128	Ottone Cromato Lucido Polished chrome plated brass		3	1/2"	8	
FLM3CR 588	Ottone Cromato Lucido Polished chrome plated brass		3	5/8"	8	

27 ARKO



Specifiche e Opzioni



Colonna erogazione birra in acciaio inox spazzolato.

Specs and Options

Font dispensing beer in polished chrome plated brass.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ARK2ST 128	Acciaio Inox Spazzolato Brushed stainless steel		2	1/2"	8	
ARK2ST 588	Acciaio Inox Spazzolato Brushed stainless steel		2	5/8"	8	
ARK3ST 128	Acciaio Inox Spazzolato Brushed stainless steel		3	1/2"	8	
ARK3ST 588	Acciaio Inox Spazzolato Brushed stainless steel		3	5/8"	8	
ARK4ST 128	Acciaio Inox Spazzolato Brushed stainless steel		4	1/2"	8	
ARK4ST 588	Acciaio Inox Spazzolato Brushed stainless steel		4	5/8"	8	

28 BOTTICELLA




Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.
Raccogligocce opzionale.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. Drip tray on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
N11947	Legno chiaro Light wood		2	5/8"	8	
N11948	Legno chiaro Light wood		2	5/8"	8	
N28015	Legno chiaro Light wood		2	5/8"	8	



**MULTIVIA
MULTILINES**

**COLONNE
PREMIX**

**PREMIX
TOWERS**



LED
ILLUMINATION



2 Vie 2 Lines	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L 276	376	476	576	676

Medaglioni/Badge Holders:

MELU82ST (Medaglione bifacciale luminoso ottone cromato Ø90 mm/Double-sided illuminated polished chrome plated brass badge Ø90 mm)

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.


Versione 1 e 2 Vie luminosa con medaglioni luminosi bifacciali LED integrati (Lenti 3D/Placche termoformate escluse). Versione 3, 4, 5, 6 Vie luminosa con medaglioni luminosi e lenti esclusi. Finitura in ottone cromato satinato su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. 1 and 2 lines - illuminated version with integrated LED double-sided illuminated badges (3D lenses / Thermoformed plates not included). 3, 4, 5, 6 lines - illuminated version with illuminated badges and lens not included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
CQD1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
CQD1CR 588L	Ottone Cromato Lucido Polished chrome plated brass	✓	1	5/8"	8	
CQD2CR 588	Ottone Cromato Lucido Polished chrome plated brass		2	5/8"	8	
CQD2CR 588L	Ottone Cromato Lucido Polished chrome plated brass	✓	2	5/8"	8	
CQD3CR 588L	Ottone Cromato Lucido Polished chrome plated brass	✓	3	5/8"	8	
CQD4CR 588L	Ottone Cromato Lucido Polished chrome plated brass	✓	4	5/8"	8	
CQD5CR 588L	Ottone Cromato Lucido Polished chrome plated brass	✓	5	5/8"	8	
CQD6CR 588L	Ottone Cromato Lucido Polished chrome plated brass	✓	6	5/8"	8	

30 MULTIVIPER



Specifiche e Opzioni

Tubi e ricircoli in plastica inclusi.Medaglioni luminosi bifacciali inclusi.Possibilità di personalizzazione logo.

Specs and Options

Plastic tubes and recirculation included.Two-sided luminous medallions included.Branded logo upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
12335	Ottone Cromato Chrome plated brass	✓	3	5/8"	8	
12336	Ottone Cromato Chrome plated brass	✓	5	5/8"	8	

31 MONSTER EVOLUTION



Specifiche e Opzioni


Tubi e ricircoli in plastica inclusi.
In fase di ordine specificare lato rubinetti.

Specs and Options

Plastic tubes and recirculation included. Indicate tap side when ordering this font.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
5263	Acciaio inox Stainless steel		4	5/8"	9,5	

32 NEW ECO



	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L	375	375	470	565
H	509	509	509	509
IN	127,5	95	95	95

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o in acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Medaglioni inclusi.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. Medallions included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
NECO3IN 128M	Acciaio Inox Lucido Polished stainless steel		3	1/2"	8	
NECO3IN 588M	Acciaio Inox Lucido Polished stainless steel		3	5/8"	8	
NECO4IN 128M	Acciaio Inox Lucido Polished stainless steel		4	1/2"	8	
NECO4IN 588M	Acciaio Inox Lucido Polished stainless steel		4	5/8"	8	
NECO5IN 128M	Acciaio Inox Lucido Polished stainless steel		5	1/2"	8	
NECO5IN 588M	Acciaio Inox Lucido Polished stainless steel		5	5/8"	8	
NECO6IN 128M	Acciaio Inox Lucido Polished stainless steel		6	1/2"	8	
NECO6IN 588M	Acciaio Inox Lucido Polished stainless steel		6	5/8"	8	

NEW ECO LUMINOSA



	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L	375	375	470	565
H	509	509	509	509
IN	127,5	95	95	95

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o in acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.


Medaglioni luminosi bifacciali LED integrati (Lenti 3D/Placche termoformate escluse).

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. Integrated LED double-sided illuminated badges (3D lenses / Thermoformed plates not included).

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
NECO3IN 128L	Acciaio Inox Lucido Polished stainless steel	✓	3	1/2"	8	
NECO3IN 588L	Acciaio Inox Lucido Polished stainless steel	✓	3	5/8"	8	
NECO4IN 128L	Acciaio Inox Lucido Polished stainless steel	✓	4	1/2"	8	
NECO4IN 588L	Acciaio Inox Lucido Polished stainless steel	✓	4	5/8"	8	
NECO5IN 128L	Acciaio Inox Lucido Polished stainless steel	✓	5	1/2"	8	
NECO5IN 588L	Acciaio Inox Lucido Polished stainless steel	✓	5	5/8"	8	
NECO6IN 128L	Acciaio Inox Lucido Polished stainless steel	✓	6	1/2"	8	
NECO6IN 588L	Acciaio Inox Lucido Polished stainless steel	✓	6	5/8"	8	

33 BRAMANTE



	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L	378	968	978
L1	608	718	828

Medaglioni/Badge Holders:
 MECR80D
 MECR90D
 MEG80D
 MEG90D

Specifiche e Opzioni


Disponibile piede a destra o piede a sinistra. Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Medaglione luminoso LED opzionale. Finiture in acciaio inox lucido e in acciaio inox ramato antico su richiesta.

Specs and Options

Available with right or left leg, to be specified at the moment of order. Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination upon request. Polished stainless steel and old copper stainless steel finishes on request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
BRM4128	Acciaio Inox Satinato Satin-finished stainless steel		4	1/2"	8	
BRM4588	Acciaio Inox Satinato Satin-finished stainless steel		4	5/8"	8	
BRM5128	Acciaio Inox Satinato Satin-finished stainless steel		5	1/2"	8	
BRM5588	Acciaio Inox Satinato Satin-finished stainless steel		5	5/8"	8	
BRM6128	Acciaio Inox Satinato Satin-finished stainless steel		6	1/2"	8	
BRM6588	Acciaio Inox Satinato Satin-finished stainless steel		6	5/8"	8	
BRM4RA 128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		4	1/2"	8	
BRM4RA 588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		4	5/8"	8	
BRM5RA 128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		5	1/2"	8	
BRM5RA 588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		5	5/8"	8	
BRM6RA 128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		6	1/2"	8	
BRM6RA 588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		6	5/8"	8	


34 ECLIPSE



	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines
IN	165	140	113
IN1	110	90	90
IN2	107	90	70

Medaglioni/Badge Holders:

MECR80D
MECR90D
MEG80D
MEG90D



Specifiche e Opzioni


Disponibile con piede a destra o a sinistra.
Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Medaglioni luminosi LED opzionali. Finitura in acciaio inox ramato antico su richiesta.

Specs and Options

Available with right or left leg, to be specified at the moment of order. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional. Antique copper plated stainless steel finishes upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
EC3INST 128	Acciaio Inox Satinato Satin-finished stainless steel	✓	3	1/2"	8	
EC3INST 588	Acciaio Inox Satinato Satin-finished stainless steel	✓	3	5/8"	8	
EC4INST 128	Acciaio Inox Satinato Satin-finished stainless steel	✓	4	1/2"	8	
EC4INST 588	Acciaio Inox Satinato Satin-finished stainless steel	✓	4	5/8"	8	
EC3INRM 128	Acciaio Inox Ramato Copper plated stainless steel	✓	3	1/2"	8	
EC3INRM 588	Acciaio Inox Ramato Copper plated stainless steel	✓	3	5/8"	8	
EC4INRM 128	Acciaio Inox Ramato Copper plated stainless steel	✓	4	1/2"	8	
EC4INRM 588	Acciaio Inox Ramato Copper plated stainless steel	✓	4	5/8"	8	

35 BRIDGE



	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
IN	100	90	72
L	400	450	450
L2	400	450	450
L3	700	750	750

Medagliioni/Badge Holders:
MCCR180G
MCCR190G
MCG180G
MCG190G

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Medaglioni luminosi LED opzionali.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
BD4CR128	Ottone Cromo Lucido Polished chrome plated brass	✓	4	1/2"	8	
BD4CR588	Ottone Cromo Lucido Polished chrome plated brass	✓	4	5/8"	8	
BD5CR128	Ottone Cromo Lucido Polished chrome plated brass	✓	5	1/2"	8	
BD5CR588	Ottone Cromo Lucido Polished chrome plated brass	✓	5	5/8"	8	
BD6CR128	Ottone Cromo Lucido Polished chrome plated brass	✓	6	1/2"	8	
BD6CR588	Ottone Cromo Lucido Polished chrome plated brass	✓	6	5/8"	8	
BD4ST128	Ottone Cromo Satinato Satin-finished chrome plated brass	✓	4	1/2"	8	
BD4ST588	Ottone Cromo Satinato Satin-finished chrome plated brass	✓	4	5/8"	8	
BD5ST128	Ottone Cromo Satinato Satin-finished chrome plated brass	✓	5	1/2"	8	
BD5ST588	Ottone Cromo Satinato Satin-finished chrome plated brass	✓	5	5/8"	8	
BD6ST128	Ottone Cromo Satinato Satin-finished chrome plated brass	✓	6	1/2"	8	
BD6ST588	Ottone Cromo Satinato Satin-finished chrome plated brass	✓	6	5/8"	8	

36 W&R GATE




Led



	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L	795	900	1010
L1	575	680	790

Medaglioni/Badge Holders:

MECR80D
MECR90D
MEG80D
MEG90D




Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o in acciaio inox. Tubi prodotto in plastica, su richiesta tubi prodotto in acciaio inox in differenti diametri. Medaglione luminoso LED opzionale. Finiture in acciaio inox lucido e in acciaio inox ramato antico su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional. Polished stainless steel and old copper stainless steel finishes on request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
WGT4128	Acciaio Inox Satinato Satin-finished stainless steel		4	1/2"	8	
WGT4588	Acciaio Inox Satinato Satin-finished stainless steel		4	5/8"	8	
WGT5128	Acciaio Inox Satinato Satin-finished stainless steel		5	1/2"	8	
WGT5588	Acciaio Inox Satinato Satin-finished stainless steel		5	5/8"	8	
WGT6128	Acciaio Inox Satinato Satin-finished stainless steel		6	1/2"	8	
WGT6588	Acciaio Inox Satinato Satin-finished stainless steel		6	5/8"	8	
RGT4128	Acciaio Inox Ramato Copper plated stainless steel		4	1/2"	8	
RGT4588	Acciaio Inox Ramato Copper plated stainless steel		4	5/8"	8	
RGT5128	Acciaio Inox Ramato Copper plated stainless steel		5	1/2"	8	
RGT5588	Acciaio Inox Ramato Copper plated stainless steel		5	5/8"	8	
RGT6128	Acciaio Inox Ramato Copper plated stainless steel		6	1/2"	8	
RGT6588	Acciaio Inox Ramato Copper plated stainless steel		6	5/8"	8	



Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Medaglioni luminosi LED opzionali. Finiture in acciaio inox lucido e in acciaio inox ramato antico su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional. Polished stainless steel and old copper stainless steel finishes on request.


Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
DR4INST 128	Acciaio Inox Satinato Satin-finished stainless steel		4	1/2"	8	
DR4INST 588	Acciaio Inox Satinato Satin-finished stainless steel		4	5/8"	8	
DR5INST 128	Acciaio Inox Satinato Satin-finished stainless steel		5	1/2"	8	
DR5INST 588	Acciaio Inox Satinato Satin-finished stainless steel		5	5/8"	8	
DR6INST 128	Acciaio Inox Satinato Satin-finished stainless steel		6	1/2"	8	
DR6INST 588	Acciaio Inox Satinato Satin-finished stainless steel		6	5/8"	8	
DR7INST 128	Acciaio Inox Satinato Satin-finished stainless steel		7	1/2"	8	
DR7INST 588	Acciaio Inox Satinato Satin-finished stainless steel		7	5/8"	8	
DR4INRM 128	Acciaio Inox Ramato Copper plated stainless steel		4	1/2"	8	
DR4INRM 588	Acciaio Inox Ramato Copper plated stainless steel		4	5/8"	8	
DR5INRM 128	Acciaio Inox Ramato Copper plated stainless steel		5	1/2"	8	
DR5INRM 588	Acciaio Inox Ramato Copper plated stainless steel		5	5/8"	8	
DR6INRM 128	Acciaio Inox Ramato Copper plated stainless steel		6	1/2"	8	
DR6INRM 588	Acciaio Inox Ramato Copper plated stainless steel		6	5/8"	8	
DR7INRM 128	Acciaio Inox Ramato Copper plated stainless steel		7	1/2"	8	
DR7INRM 588	Acciaio Inox Ramato Copper plated stainless steel		7	5/8"	8	

38 PERUGINO



Medaglioni/Badge Holders:

MECR80D
MECR90D
MEG80D
MEG90D



Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.
Medaglione luminoso LED opzionale. Finiture in acciaio inox lucido e in acciaio inox ramato antico su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. Optional LED illumination. Polished stainless steel and old copper stainless steel finishes upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
PER4128	Acciaio Inox Satinato Satin-finished stainless steel		4	1/2"	8	
PER4588	Acciaio Inox Satinato Satin-finished stainless steel		4	5/8"	8	
PER5128	Acciaio Inox Satinato Satin-finished stainless steel		5	1/2"	8	
PER5588	Acciaio Inox Satinato Satin-finished stainless steel		5	5/8"	8	
PER6128	Acciaio Inox Satinato Satin-finished stainless steel		6	1/2"	8	
PER6588	Acciaio Inox Satinato Satin-finished stainless steel		6	5/8"	8	
PER4RA 128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		4	1/2"	8	
PER4RA 588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		4	5/8"	8	
PER5RA 128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		5	1/2"	8	
PER5RA 588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		5	5/8"	8	
PER6RA 128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		6	1/2"	8	
PER6RA 588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		6	5/8"	8	


39 PIGALLE



3 Vie 3 Lines	5 Vie 5 Lines	7 Vie 7 Lines	
L	445	600	680
IN	165	100	102.5
IN1	-	135	90

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.



Medagliioni/Badge Holders:


MECR80D
MECR90D
MEG80D
MEG90D

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	N° Piedi N° Piedi	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
PG1CR128	Ottone Cromato Lucido Polished chrome plated brass	1	1	1/2"	8	
PG1CR588	Ottone Cromato Lucido Polished chrome plated brass	1	1	5/8"	8	
PG3CR128	Ottone Cromato Lucido Polished chrome plated brass	1	3	1/2"	8	
PG3CR588	Ottone Cromato Lucido Polished chrome plated brass	1	3	5/8"	8	
PG5CR128	Ottone Cromato Lucido Polished chrome plated brass	1	5	1/2"	8	
PG5CR588	Ottone Cromato Lucido Polished chrome plated brass	1	5	5/8"	8	
PG7CR128	Ottone Cromato Lucido Polished chrome plated brass	2	7	1/2"	8	
PG7CR588	Ottone Cromato Lucido Polished chrome plated brass	2	7	5/8"	8	
PG1OT128	Ottone Dorato Gold plated brass	1	1	1/2"	8	
PG1OT588	Ottone Dorato Gold plated brass	1	1	5/8"	8	
PG3OT128	Ottone Dorato Gold plated brass	1	3	1/2"	8	
PG3OT588	Ottone Dorato Gold plated brass	1	3	5/8"	8	
PG5OT128	Ottone Dorato Gold plated brass	1	5	1/2"	8	
PG5OT588	Ottone Dorato Gold plated brass	1	5	5/8"	8	
PG7OT128	Ottone Dorato Gold plated brass	2	7	1/2"	8	
PG7OT588	Ottone Dorato Gold plated brass	2	7	5/8"	8	

PIGALLE LUMINOSA



Medaglioni/Badge Holders:

MECR80D
MECR90D
MEG80D
MEG90D

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.

Medaglioni luminosi bifacciali LED integrati (Lenti 3D/
Placche termoformate escluse).



	3 Vie 3 Lines	5 Vie 5 Lines	7 Vie 7 Lines
L	445	600	680
IN	165	100	102.5
IN1	-	135	90

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination included. (3D Lens/Lens with flat thermoformed plate on demand).

Codice Code	Materiale Material	N° Piedi N° Piedi	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
PG1CR 128L	Ottone Cromato Lucido Polished chrome plated brass	1	1	1/2"	8	
PG1CR 588L	Ottone Cromato Lucido Polished chrome plated brass	1	1	5/8"	8	
PG3CR 128L	Ottone Cromato Lucido Polished chrome plated brass	1	3	1/2"	8	
PG3CR 588L	Ottone Cromato Lucido Polished chrome plated brass	1	3	5/8"	8	
PG5CR 128L	Ottone Cromato Lucido Polished chrome plated brass	1	5	1/2"	8	
PG5CR 588L	Ottone Cromato Lucido Polished chrome plated brass	1	5	5/8"	8	
PG7CR 128L	Ottone Cromato Lucido Polished chrome plated brass	2	7	1/2"	8	
PG7CR 588L	Ottone Cromato Lucido Polished chrome plated brass	2	7	5/8"	8	
PG1OT 128L	Ottone Dorato Gold plated brass	1	1	1/2"	8	
PG1OT 588L	Ottone Dorato Gold plated brass	1	1	5/8"	8	
PG3OT 128L	Ottone Dorato Gold plated brass	1	3	1/2"	8	
PG3OT 588L	Ottone Dorato Gold plated brass	1	3	5/8"	8	
PG5OT 128L	Ottone Dorato Gold plated brass	1	5	1/2"	8	
PG5OT 588L	Ottone Dorato Gold plated brass	1	5	5/8"	8	
PG7OT 128L	Ottone Dorato Gold plated brass	2	7	1/2"	8	
PG7OT 588L	Ottone Dorato Gold plated brass	2	7	5/8"	8	

40 ATHENA



Medaglioni/Badge Holders:
MCCR180
MCCR190

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o in acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Medaglione luminoso led optional senza arco.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional without arch support.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ATH5128	Acciaio Inox Verniciato/ Ottone Cromato Painted stainless steel/ Chrome plated brass		5	1/2"	8	
ATH5588	Acciaio Inox Verniciato/ Ottone Cromato Painted stainless steel/ Chrome plated brass		5	5/8"	8	
ATH7128	Acciaio Inox Verniciato/ Ottone Cromato Painted stainless steel/ Chrome plated brass		7	1/2"	8	
ATH7588	Acciaio Inox Verniciato/ Ottone Cromato Painted stainless steel/ Chrome plated brass		7	5/8"	8	

41 TIMONE



Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Medaglioni in ottone cromato diametro 80 mm inclusi. Medaglioni luminosi LED optional.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation available upon request. Product lines in plastic or stainless steel in different diameters on demand. 80 mm Chrome badge holders included. LED illumination optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. Ø (mm) Prod. line ø (mm)	Prezzi Prices
CTBS128	Acciaio Inox Lucido e Satinato/Alluminio Polished and Satin-finished stainless steel/Aluminium		5	1/2"	8	
CTBS588	Acciaio Inox Lucido e Satinato/Alluminio Polished and Satin-finished stainless steel/Aluminium		5	5/8"	8	



**GLICOLE
GLYCOLE**


**COLONNE
PREMIX**

**PREMIX
TOWERS**



LED
ILLUMINATION

42 EVOLUTION ICE



Medagliioni/Badge Holders:

MEVCR180

MEVCR190

Specifiche e Opzioni


Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Medaglione luminoso LED opzionale.

Specs and Options

Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
EV1CR 588ICE	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	

43 PRINCESS ICE



Medagliioni/Badge Holders:
MDCR5880
MDCR5890
MDACR5890

Specifiche e Opzioni


Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Medaglione luminoso LED optional.

Specs and Options

Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
PRS1CR 588ICE	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	

44 SETA ICE



Medagliioni/Badge Holders:
MCCR180
MCCR190

Specifiche e Opzioni


Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Medaglione luminoso opzionale.

Specs and Options

Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ST1CR 588ICE	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	

45 VIPER ICE



Specifiche e Opzioni

Tubi prodotto in plastica.


Specs and Options

Product lines in plastic.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
008625	Ottone Cromato Chrome plated brass		1	5/8"	8	
010396*	Ottone Cromato Chrome plated brass	✓	1	5/8"	8	

*Include medaglione luminoso, kit inondazione e alimentatore/Double-sided luminous medallion+flooding kit included+power adaptor included.

46 FENICE ICE



Specifiche e Opzioni

Tubo prodotto in plastica. Placca luminosa opzionale.


Specs and Options

Product lines in plastic. Luminous plate optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
COLOO 8414	Alluminio Lucido Polished aluminium		1	5/8"	8	
COLOO 8420*	Alluminio Lucido Polished aluminium	✓	1	5/8"	8	

*Include medaglione luminoso, kit inondazione e alimentatore/Double-sided luminous medallion+flooding kit included+power adaptor included.

47 GRIFONE ICE



Specifiche e Opzioni

Tubo prodotto in plastica. Placche luminose incluse.

Specs and Options

Product lines in plastic. Luminous plates included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
014035*	Ottone Cromato Chrome plated brass	✓	1	5/8"	8	

*Include medaglione luminoso, kit inondazione e alimentatore/Double-sided luminous medallion+flooding kit included+power adaptor included.

48 FIESTA M



Escluso erogatore girevole.
Turning dispenser excluded.



Specifiche e Opzioni

Dispenser da tavolo. Capacità: 2l.
Altezza: 74cm.

Specs and Options

Table dispenser. Capacity: 2l.
Height: 74cm.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
010436	Plastica Plastic		1			



REFRIGERATORI SOTTOBANCO

UNDER COUNTER COOLERS



LED
ILLUMINATION

01 MIG 13



Specifiche e Opzioni

Su richiesta:

- Tensione a 115V per lotti minimi di 50 pz.
- In acciaio inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 23 Kg

Dimensioni (LxAxP): 330x550x500 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 15

Specs and Options

Available upon request:

- 115V voltage version for minimum lots of 50 pcs.
- In stain less steel for minimum lots of 50 pcs.

Single packaging

Weight: 23 Kg


Dimensions (LxHxW): 330x550x500 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 15

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
30.18370	Skin Plate	1/8 HP	13 l	5 kg	27 l/h	-	✓	
30.18371	Skin Plate	1/8 HP	13 l	5 kg	27 l/h	1	✓	
30.18372	Skin Plate	1/8 HP	13 l	5 kg	27 l/h	2	✓	
3.183730	Skin Plate	1/8 HP	13 l	5 kg	27 l/h	3	✓	

02 FOX 20



Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 25 Kg
 Dimensioni (LxAxP): 577x606x372 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 12

Specs and Options

- Isotech
- Rotomoulded technology
- Condenser
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging

Weight: 25 Kg
 Dimensions (LxHxW): 577x606x372 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
FX1420 LPR2	Skin Plate	1/4 HP	23 l	12 kg	75 l/h	-	-	
FX1420L PR21V	Skin Plate	1/4 HP	23 l	12 kg	75 l/h	1	✓	
FX1420L PR22V	Skin Plate	1/4 HP	23 l	12 kg	75 l/h	2	✓	
FX1420L PR23V	Skin Plate	1/4 HP	23 l	12 kg	75 l/h	3	✓	
FX1420L PH20JGR2*	Skin Plate	1/4 HP	23 l	12 kg	75 l/h	-	✓	

*Con condensazione ad acqua/With water condenser.

03 JET 30



Specifiche e Opzioni

Su richiesta:

- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 37 Kg

Dimensioni (LxAxP): 411x721x411 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 12

Specs and Options

Available upon request:

- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 37 Kg


Dimensions (LxHxW): 411x721x411 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
30.18374	Skin Plate	1/4 HP	28 l	12 kg	57 l/h	-	✓	
30.18375	Skin Plate	1/4 HP	28 l	12 kg	57 l/h	1	✓	
30.18376	Skin Plate	1/4 HP	28 l	12 kg	57 l/h	2	✓	
30.18377	Skin Plate	1/4 HP	28 l	12 kg	57 l/h	3	✓	
30.18378	Skin Plate	1/4 HP	28 l	12 kg	57 l/h	4	✓	

04 | IGLOO 28



*702mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 26 Kg

Dimensioni (LxAxP): 417x751x417 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 12

Specs and Options

- Isotech
- Rotomoulded technology
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 26 Kg


Dimensions (LxHxW): 417x751x417 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
IGL2814 PR2	Skin Plate	1/4 HP	24 l	12 kg	75 l/h	-	-	
IGL2814 PR21V	Skin Plate	1/4 HP	24 l	12 kg	75 l/h	1	✓	
IGL2814 PR22V	Skin Plate	1/4 HP	24 l	12 kg	75 l/h	2	✓	
IGL2814 PR23V	Skin Plate	1/4 HP	24 l	12 kg	75 l/h	3	✓	
IGL2814 PR24V	Skin Plate	1/4 HP	24 l	12 kg	75 l/h	4	✓	

05 SMART 36 ORIZZONTALE



*540mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 31 Kg

Dimensioni (LxAxP): 462x662x636 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 8



Specs and Options

- Isotech
- Rotomoulded technology
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 31 Kg


Dimensions (LxHxW): 462x662x636 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
ECO1336 LORPR2	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	-	-	
ECO1336 LORPR21V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	1	✓	
ECO1336 LORPR22V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	2	✓	
ECO1336 LORPR23V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	3	✓	
ECO1336 LORPR24V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	4	✓	
ECO1336 LORPR25V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	5	✓	
ECO1336 LORPR26V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	6	✓	

06 SMART 36 VERTICALE



*690mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 31 Kg
 Dimensioni (LxAxP): 452x452x706 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 12

Specs and Options


- Isotech
- Rotomoulded technology
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 31 Kg
 Dimensions (LxHxW): 452x452x706 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
ECO1336 LPR2	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	-	-	
ECO1336 LPR21V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	1	✓	
ECO1336 LPR22V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	2	✓	
ECO1336 LPR23V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	3	✓	
ECO1336 LPR24V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	4	✓	
ECO1336 LPR25V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	5	✓	
ECO1336 LPR26V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	6	✓	

07 JET 55



Specifiche e Opzioni

• Con Gas Eco-Friendly R290

Su richiesta:

- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 50 Kg

Dimensioni (LxAxP): 531x906x531 mm

Dimensioni pallet: 800x1100 mm

Quantità per pallet: 8

Specs and Options

• With Eco-Friendly R290 Gas

Available upon request:

- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 50 Kg


Dimensions (LxHxW): 531x906x531 mm

Size of pallet: 800x1100 mm

No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
30.18379	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	-	✓	
30.18380	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	1	✓	
30.18381	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	2	✓	
30.18382	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	3	✓	
30.18383	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	5	✓	
30.18384	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	6	✓	
30.18385	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	7	✓	
30.18386	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	8	✓	

08 V100 (FISSO)



Specifiche e Opzioni

• Con Gas Eco-Friendly R290

- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox

Imballo singolo

Peso: 45 Kg

Dimensioni (LxAxP): 487x796x487 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 8

Specs and Options

• With Eco-Friendly R290 Gas

- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets

Single packaging

Weight: 45 Kg


Dimensions (LxAxP): 487x796x487 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
V100F PR2	Acciaio Inox Stainless steel	1/2 HP	50 l	22 kg	150 l/h	4	-	

09 BETA 60



Specifiche e Opzioni

- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.

Imballo singolo

Peso: 40 Kg
 Dimensioni (LxAxP): 462x666x662 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 8

Specs and Options


- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.

Single packaging

Weight: 40 Kg
 Dimensions (LxHxW): 462x666x662 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
BT1260 LPRR2	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	-	-	
BT1260 LPRR21V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	1	✓	
BT1260 LPRR22V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	2	✓	
BT1260 LPRR23V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	3	✓	
BT1260 LPRR24V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	4	✓	
BT1260 LPRR25V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	5	✓	
BT1260 LPRR26V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	6	✓	

10 MIGNOLO 60



*617mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 40 Kg
 Dimensioni (LxAxP): 662x666x462 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 8

Specs and Options

- Isotech
- Rotomoulded technology
- Water condenser
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging

Weight: 40 Kg
 Dimensions (LxHxW): 662x666x462 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MG1260 LPR2	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	-	-	
MG1260 LPR21V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	1	✓	
MG1260 LPR22V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	2	✓	
MG1260 LPR23V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	3	✓	
MG1260 LPR24V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	4	✓	
MG1260 LPR25V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	5	✓	
MG1260 LPR26V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	6	✓	
MG1260LP R2OJGR2*	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	-	-	

*Versione condensata ad acqua/Water condenser version.

TROPICAL 60



*670mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 42 Kg

Dimensioni (LxAxP): 462x726x662 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 8

Specs and Options

- Isotech
- Rotomoulded technology
- Water condenser
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 42 Kg

Dimensions (LxHxW): 462x726x662 mm


Size of pallet: 800x1200 mm

No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MIG5860 LPCUR2*	Skin Plate	5/8 HP	54 l	25 kg	162 l/h	6	-	

*Condensatore Cu-Al/Cu-Al condenser.

12 MIG 60 SUBZERO



Specifiche e Opzioni

- Glicole
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 52 Kg
 Dimensioni (LxAxP): 480x750x680 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 4

Specs and Options


- Glycole
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 52 Kg
 Dimensions (LxHxW): 480x750x680 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 4

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
30.18387	Skin Plate	1/2 HP	60 l	12 kg	200 l/h	2	✓	

13 MAGO 90



*625mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 40 Kg

Dimensioni (LxAxP): 567x681x772 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 4

Specs and Options

- Isotech
- Rotomoulded technology
- Water condenser
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 40 Kg

Dimensions (LxHxW): 567x681x772 mm


Size of pallet: 800x1200 mm

No. of units per pallet: 4

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MG1290 LPR2	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	-	-	
MG1290 LPR21V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	1	✓	
MG1290 LPR22V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	2	✓	
MG1290 LPR23V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	3	✓	
MG1290 LPR24V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	4	✓	
MG1290 LPR25V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	5	✓	
MG1290 LPR26V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	6	✓	
MG1290 LPR27V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	7	✓	
MIG1260 LPR28V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	8	✓	
MIG1260 LP20JGR2*	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	-	-	

*Versione condensata ad acqua/Water condenser version.

14 TROPICAL 90



*625mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 45 Kg
 Dimensioni (LxAxP): 567x681x772 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 4

Specs and Options

- Isotech
- Rotomoulded technology
- Water condenser
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging

Weight: 45 Kg
 Dimensions (LxHxW): 567x681x772 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 4

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MG3490 LPR2*	Skin Plate	3/4 HP	78 l	36 kg	229 l/h	8	-	

*Condensatore Cu-Al/Cu-Al condenser.

15 BIG 120



*694mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 53 Kg

Dimensioni (LxAxP): 587x726x902 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 4

Specs and Options

- Isotech
- Rotomoulded technology
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 53 Kg


Dimensions (LxHxW): 587x726x902 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 4

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie Nº of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
BG34120 LPR2	Skin Plate	3/4 HP	115 l	50 kg	284 l/h	10	-	

16 MONSTER 165



*752mm (altezza con pompa)/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale

- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 60 Kg

Dimensioni (LxAxP): 562x726x992 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 1

Specs and Options

- Isotech
- Rotomoulded technology
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 60 Kg



Dimensions (LxHxW): 562x726x992 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 1

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MN1651 HPPDPR2	Skin Plate	1 HP	147 l	64 kg	392 l/h	10	-	

17 REVERSIBILE 36



Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 40 Kg

Dimensioni (LxAxP): 452x452x706 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 12

Specs and Options

- Isotech
- Rotomoulded technology
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 40 Kg



Dimensions (LxHxW): 452x452x706 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie Nº of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
REV1336 LPAR2	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	-	-	

18 REVERSIBILE 60



Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 60 Kg

Dimensioni (LxAxP): 562x726x992 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 1

Specs and Options

- Isotech
- Rotomoulded technology
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 60 Kg


Dimensions (LxHxW): 562x726x992 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 1

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
REV1260 LPAR2	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	10	-	

19 REVERSIBILE 90



Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 40 Kg
 Dimensioni (LxAxP): 452x452x706 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 12

Specs and Options



- Isotech
- Rotomoulded technology
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 40 Kg
 Dimensions (LxHxW): 452x452x706 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
REV1290 LPAR2	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	-	-	

20 REVERSIBILE 120



Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 60 Kg

Dimensioni (LxAxP): 562x726x992 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 1

Specs and Options

- Isotech
- Rotomoulded technology
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 60 Kg


Dimensions (LxHxW): 562x726x992 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 1

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
REV3490 LPAR2	Skin Plate	3/4 HP	115 l	50 kg	280 l/h	-	-	

21 FOX 20 2.0



Specifiche e Opzioni

- Carenature in acciaio inox AISI 430 Lucido
- Doppio termostato
- Anodo sacrificale in vasca, per proteggere il bulbo termostato dalle correnti galvaniche
- Cavo alimentazione estraibile con staffa di blocco removibile
- Condensatore Rame/Alluminio
- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Gas Eco-Friendly R290

Su richiesta:

- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 25 Kg

Dimensioni (LxAxP): 577x606x372 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 12



Specs and Options

- Cases in polished AISI 430 stainless steel
- Double thermostat
- Sacrificial anode in the tank, to protect the thermostat bulb from galvanic currents
- Removable power cable with removable locking bracket
- Copper/Aluminum condenser
- Isotech
- Rotomoulded technology
- Condenser
- With Eco-Friendly R290 Gas

Available upon request:

- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 25 Kg


Dimensions (LxHxW): 577x606x372 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
FX1420LP 2TCA	Acciaio Inox Stainless steel	1/4 HP	20 l	12 kg	75 l/h	-	-	

2.2 | IGLOO 28 2.0



*702mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Carenature in acciaio inox AISI 430 Lucido
- Doppio termostato
- Anodo sacrificale in vasca, per proteggere il bulbo termostato dalle correnti galvaniche
- Cavo alimentazione estraibile con staffa di blocco removibile
- Condensatore Rame/Alluminio
- Glicole
- Isotech
- Vasca in rotazionale

Su richiesta:

- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 26 Kg

Dimensioni (LxAxP): 417x751x417 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 12

Specs and Options

- Cases in polished AISI 430 stainless steel
- Double thermostat
- Sacrificial anode in the tank, to protect the thermostat bulb from galvanic currents
- Removable power cable with removable locking bracket
- Copper/Aluminum condenser
- Glycole
- Isotech
- Rotomoulded technology

Available upon request:

- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 26 Kg


Dimensions (LxHxW): 417x751x417 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
IGL28 14PCA	Acciaio Inox Stainless steel	1/4 HP	24 l	12 kg	75 l/h	-	-	

23 SMART 36 VERTICALE 2.0



*690mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Carenature in acciaio inox AISI 430 Lucido
- Doppio termostato
- Anodo sacrificale in vasca, per proteggere il bulbo termostato dalle correnti galvaniche
- Cavo alimentazione estraibile con staffa di blocco removibile
- Condensatore Rame/Alluminio
- Glicole
- Isotech
- Vasca in rotazionale
- Doppio termostato

Su richiesta:

- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 31 Kg

Dimensioni (LxAxP): 452x452x706 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 12

Specs and Options

- Cases in polished AISI 430 stainless steel
- Double thermostat
- Sacrificial anode in the tank, to protect the thermostat bulb from galvanic currents
- Removable power cable with removable locking bracket
- Copper/Aluminum condenser
- Glycole
- Isotech
- Rotomoulded technology
- Double thermostat

Available upon request:

- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 31 Kg


Dimensions (LxHxW): 452x452x706 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
ECO13 36V2-0	Acciaio Inox Stainless steel	1/3 HP	23 l	17 kg	106 l/h	-	-	

24 MIGNOLO 60 2.0



*617mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Carenature in acciaio inox AISI 430 Lucido
- Doppio termostato
- Anodo sacrificale in vasca, per proteggere il bulbo termostato dalle correnti galvaniche
- Cavo alimentazione estraibile con staffa di blocco removibile
- Condensatore Rame/Alluminio
- Glycole
- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Doppio termostato

Su richiesta:

- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 40 Kg

Dimensioni (LxAxP): 662x666x462 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 8

Specs and Options

- Cases in polished AISI 430 stainless steel
- Double thermostat
- Sacrificial anode in the tank, to protect the thermostat bulb from galvanic currents
- Removable power cable with removable locking bracket
- Copper/Aluminum condenser
- Glycole
- Isotech
- Rotomoulded technology
- Water condenser
- Double thermostat

Available upon request:

- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 40 Kg


Dimensions (LxHxW): 662x666x462 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MIG1260 LP2TCA	Acciaio Inox Stainless steel	1/2 HP	54 l	25 kg	150 l/h	-	-	

25 MAGO 90 2.0



*625mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Carenature in acciaio inox AISI 430 Lucido
- Doppio termostato
- Anodo sacrificale in vasca, per proteggere il bulbo termostato dalle correnti galvaniche
- Cavo alimentazione estraibile con staffa di blocco removibile
- Condensatore Rame/Alluminio
- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Doppio termostato

Su richiesta:

- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 40 Kg

Dimensioni (LxAxP): 567x681x772 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 4

Specs and Options

- Cases in polished AISI 430 stainless steel
- Double thermostat
- Sacrificial anode in the tank, to protect the thermostat bulb from galvanic currents
- Removable power cable with removable locking bracket
- Copper/Aluminum condenser
- Isotech
- Rotomoulded technology
- Water condenser
- Double thermostat

Available upon request:

- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 40 Kg

Dimensions (LxHxW): 567x681x772 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 4

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MG1290 LP2TCA	Acciaio Inox Stainless steel	1/2 HP	78 l	36 kg	206 l/h	-	-	




**REFRIGERATORI
MOBILI**

**MOBILE
COUNTER
COOLERS**



**LED
ILLUMINATION**

01 PARTY 60 E 90



Specifiche e Opzioni

- Carenatura in Skin Plate
- Con Gas Eco-Friendly R290

Kit per Party 60:

- KTPAR1260L1V-1 Via
- KTPAR1260L2V-2 Vie
- KTPAR1260L3V-3 Vie
- KTPAR1260L4V-4 Vie

Imballo singolo

Peso: 54 Kg

Dimensioni (LxAxP): 452x452x1061 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 2

Kit per Party 90:

- KTPAR3490L1V-1 Via
- KTPAR3490L2V-2 Vie
- KTPAR3490L3V-3 Vie
- KTPAR3490L4V-4 Vie

Imballo singolo

Peso: 61 Kg

Dimensioni (LxAxP): 562x562x1206 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 4

Kit raccordi, serpentine, colonna e riduttore non inclusi

Specs and Options

- Cases in Skin Plate
- With Eco-Friendly R290 Gas

Kit for Party 60:

- KTPAR1260L1V-1 Line
- KTPAR1260L2V-2 Lines
- KTPAR1260L3V-3 Lines
- KTPAR1260L4V-4 Lines

Single packaging

Weight: 54 Kg

Dimensions (LxHxW): 452x452x1061 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 2

Kit for Party 90:

- KTPAR3490L1V-1 Line
- KTPAR3490L2V-2 Lines
- KTPAR3490L3V-3 Lines
- KTPAR3490L4V-4 Lines

Single packaging

Weight: 61 Kg

Dimensions (LxHxW): 562x562x1206 mm

Size of pallet: 800x1200 mm



No. of units per pallet: 4

Fittings kit, coils, tower and CO2 regulator not included

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max		Pompa ricircolo Recirculation pump	Prezzi Prices
					Performance Max	N° Vie N° of coils		
PAR1260 LR2*	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	4	✓	
PAR190 LPR2*	Skin Plate	1HP	78 l	36 kg	228 l/h	4	✓	

*Pompa di ricircolo da 8m inclusa/Recirculation pump model riv. 8 included


02 UNITA' BANCO



Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Sistema raffreddamento Cooling system	Capacità erogazione Dispensing capability	Prezzi Prices
30.18388*	Ferro Zincato Galvanized iron	1/4 HP	18 l	Banco ghiaccio Ice bank	40 l/h	

*Serpentine non include/Coils not included.

03 LUX




N11986 N11988

L	122	140
---	------------	------------

Codice Code	Materiale piano Top material	Materiale pannelli Side panel material	Materiale base Base material	Carrozzeria Housing	Prezzi Prices
N11986	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	
N11988	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	

04 BANCO CICO




Codice Code	Materiale piano Top material	Materiale pannelli Side panel material	Materiale base Base material	Carrozzeria Housing	Prezzi Prices
14646	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	

05 MOBILE BASE




Codice Code	Materiale Material	Descrizione Description	Prezzi Prices
N27776	Acciaio Inox Stainless steel	Mobile base per dispenser cm 50x65x95h (con ruote cm 103h) Base mobile dispenser cm 50x65x95h (with wheels cm 103h)	
N700406		Kit ruote Wheel kit	
N28534	Acciaio Inox Stainless steel	Mobile base per dispenser cm 50x65x80h (compreso di ruote) Base mobile dispenser cm 50x65x80h (wheels included)	

06 ELEGANCE LEGNO



Codice Code	Materiale piano Top material	Materiale pannelli Side panel material	Materiale base Base material	Prezzi Prices
040694	Acciaio Inox Stainless steel	Legno Wood	Alluminio Aluminium	






REFRIGERATORI SOPRABANCO

OVER COUNTER COOLERS



LED
ILLUMINATION

01 JIMMY



Specifiche e Opzioni

- Evaporatore in inox (optional in rame)

Imballo singolo

Peso: 25 Kg

Dimensioni (LxAxP): 486x486x836 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 4

Specs and Options

- Stainless steel evaporator (in copper as optional)

Single packaging

Weight: 25 Kg


Dimensions (LxHxW): 486x486x836 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 4

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Prezzi Prices
30.18389	Acciaio Inox/Plastica Stainless steel/plastic	1/8 HP	6 l	3 kg	18 l/h	1	
30.18390	Acciaio Inox/Plastica Stainless steel/plastic	1/8 HP	6 l	3 kg	18 l/h	2	

02 NEPTUN BIRRA



**Rubinetti, kit raccorderia e serpentine non inclusi/
Taps, fittings and coils not included**

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Gas Eco-Friendly R290

- Evaporatore in inox (optional in rame)
- Vasca stampata con tecnologia in rotazionale
- Isolamento della vasca in ISOTECH PLUS
- Termostato meccanico
- Sistema di raffreddamento a banco ghiaccio
- Rubinetti frontali o laterali

Kit raccorderia e serpentine

- Cod. 041792 - kit 1 via frontale
- Cod. 041853 - kit 1 via laterale
- Cod. 041791 - kit 2 vie frontale
- Cod. 041738 - kit 2 vie laterale
- Cod. 041764 - kit 3 vie frontale
- Cod. 041891 - kit 3 vie laterale

Specs and Options


- Isotech
- Rotomoulded technology
- With Eco-Friendly R290 Gas
- Evaporator in stainless steel (or in copper)
- Water bank realized with roto moulded plastic technology
- Tank insulated with ISOTECH PLUS
- Mechanical thermostat
- Ice bank cooling system
- Frontal or lateral taps

Fittings and coils kit

- Cod. 041792 - 1 Frontal line kit
- Cod. 041853 - 1 Lateral line kit
- Cod. 041791 - 2 Frontal lines kit
- Cod. 041738 - 2 Lateral lines kit
- Cod. 041764 - 3 Frontal lines kit
- Cod. 041891 - 3 Lateral lines kit

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Prezzi Prices
NPTB 1414PR2	Acciaio Inox Stainless steel	1/4 HP	14 l	8 kg	60 l/h	3	

03 SILVER



Rubinetti non inclusi/Taps not included

Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Gas Eco-Friendly R290**
- Vasca stampata con tecnologia in rotazionale
- Isolamento della vasca in ISOTECH PLUS
- Termostato meccanico
- Sistema di raffreddamento a banco ghiaccio

Kit serpentine e raccogligocce

- Cod. 041870 - kit serpentine 1 via
 Cod. 041871 - kit serpentine 2 vie
 Cod. 041872 - kit serpentine 3 vie

Specs and Options


- **Isotech**
- **Rotomoulded technology**
- **With Eco-Friendly R290 Gas**
- Water bank realized with roto moulded plastic technology
- Tank insulated with ISOTECH PLUS
- Mechanical thermostat
- Ice bank cooling system

Coils and drip tray kit

- Cod. 041870 - Drip tray kit 1 line
 Cod. 041871 - Drip tray kit 2 lines
 Cod. 041872 - Drip tray kit 3 lines

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Prezzi Prices
SIL1330 LP	Skin Plate	1/3 HP	26 l	14 kg	84 l/h	3	

04 DRY EASY



Dry 25 Dry 40 Dry 70

L	270	300	300
L2	480	530	530
H	340	450	450

Rubinetti e raccogligocce inclusi. Riduttore di pressione integrato/Taps and drip tray included. Integrated pressure regulator.

Specifiche e Opzioni


- **Gas Eco-Friendly R290**
- Termostato meccanico
- Sistema di raffreddamento a secco
- Riduttore di pressione integrato

Specs and Options

- **With Eco-Friendly R290 Gas**
- Mechanical thermostat
- Dry cooling system
- Integrated pressure regulator

Codice Code	Materiale Material	Compressore Compressor	Fusione in alluminio Die-cast aluminium	Prestazione Max Performance Max	N° Vie N° of coils	Prezzi Prices
N27630	Acciaio Inox Stainless steel	1/6 HP	✓	25 l/h	1	
N27600	Acciaio Inox Stainless steel	1/5 HP	✓	40 l/h	1	
N27603	Acciaio Inox Stainless steel	1/3 HP	✓	70 l/h	2	

05 ARTIC MINI



Colonna e kit raccorderia non inclusi/Tower fittings and coils not included.

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Gas Eco-Friendly R290

Kit raccorderia e serpentine

Cod. 042206 - kit 1 via
Cod. 042202 - kit 2 vie

Specs and Options


- Isotech
- Rotomoulded technology
- With Eco-Friendly R290 Gas

Fittings and coils kit

Cod. 042206 - Kit 1 line
Cod. 042202 - Kit 2 lines

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Prezzi Prices
ARCM 1518LSL	Acciaio Inox Stainless steel	1/5 HP	18 l	5 kg	65 l/h	2	

06 DRY TOP



	Dry Top 20	Dry Top 30	Dry Top 60
L	182	225	245
H	200	275	288
H1	340	426	438
H2	384	470	482

Rubinetti e raccogligocce inclusi
Taps and drip tray included

Specifiche e Opzioni

• Gas Eco-Friendly R290


- Termostato meccanico
- Sistema di raffreddamento a secco
- Compressore aria a secco integrato

Specs and Options

• With Eco-Friendly R290 Gas

- Mechanical thermostat
- Dry cooling system
- Integrated dry air compressor

Codice Code	Materiale Material	Compressore Compressor	Fusione in alluminio Die-cast aluminium	Prestazione Max Performance Max	N° Vie N° of coils	Prezzi Prices
CNDR 18KR2	Acciaio Inox Stainless steel	1/8 HP	✓	20 l/h	1	
CNDR 15KR2	Acciaio Inox Stainless steel	1/5 HP	✓	30 l/h	2	
CNDR 13KR2	Acciaio Inox Stainless steel	1/3 HP	✓	60 l/h	2	





**IMPIANTI
GLICOLE
BIRRA**
**GLYCOLE
COOLERS**



**LED
ILLUMINATION**

EVOLUTION ICE**PRINCESS ICE****SETA ICE****VIPER ICE****FENICE ICE****GRIFONE ICE**

Codice Code	Descrizione Description	Prezzi Prices
EV1CR588ICE	Colonna Evolution Ice Tower Evolution Ice	
PRS1CR588ICE	Colonna Princess Ice Tower Princess Ice	
ST1CR588ICE	Colonna Seta Ice Tower Seta Ice	
008625/010396	Colonna Viper Ice Tower Viper Ice	
008414/008420	Colonna Fenice Ice Tower Fenice Ice	
014035	Colonna Grifone Ice Tower Grifone Ice	

FOX

Codice
Code

IGLOO

Materiale
Material

SMART 36

Cap.
vasca
Tank cap.Banco
ghiaccio
Ice bankPrestazione
Max
Performance
Max

MIG60 Subzero

Rif.
Ref.Prezzi
PricesFX1420LP
R2ICE**Refrigeratore**
Fox Ice
Cooler Fox Ice**Skin Plate** 1/4 HP

23 l 12 kg

75 l/h

p. 80

IGL2814PR2
ICE**Refrigeratore**
Igloo Ice
Cooler Igloo
Ice**Skin Plate** 1/4 HP

24 l 12 kg

75 l/h

p. 82

ECO1336LPR2
ICE**Refrigeratore**
Smart Ice
Cooler Smart
Ice**Skin Plate** 1/3 HP

32 l 17 kg

106 l/h

p. 84

9541*


Refrigeratore
MIG 60 Subzero
Cooler MIG 60
Subzero**Skin Plate** 1/2 HP


60 l 12 kg

200 l/h

p. 90

*Include 2 serpentine/2 coils included.





**CONDIZIONI GENERALI DI VENDITA E GARANZIA**

Per consultare le condizioni generali di vendita e garanzia si rinvia all'informatica contenuta nell'apposita sezione del sito web:
www.bevco.eu

Per maggior informazioni potete contattarci a: info@bevco.it

TERMS AND CONDITIONS

For the general conditions of sale and warranty, please refer to the informatios in the section of the website: www.bevco.eu
For further informations you can contact us at: info@bevco.it

**Bevco S.r.l. | Alessandria Plant**

Loc. Fontanone Z.I. D1, S.S 31, KM 47,300
15040 Castelletto Monferrato (Alessandria) Italy
Tel +39 0131 233130
www.bevco.eu | info@bevco.it

Bevco S.r.l. | Prato Plant

Via Albano Laziale, 39/43
59100 - Prato (PO) Italy
Tel. +39 0574 189041
www.bevco.eu | info@bevco.it

Bevco S.r.l. | Tavullia Plant

Via Pirano, 8
61010 Tavullia (PU) Italy
Tel +39 0721 476736
www.bevco.eu | info@bevco.it

Bevco
is a Company of
SOLIDO GROUP

