



10 BIRRA BEER



COLONNE PREMIX PREMIX TOWERS

22

	VIA/LINES				GLICOLE GLYCOLE	
	1	2	3	MULTIVIA		
01 VORTICE	◆				23	
02 AGGRESSIVE	◆				24	
03 FENICE	◆				25	
04 SGANG LUMINOSA	◆				26	
05 SETA	◆				27	
SETA LUMINOSA	◆				28	
06 QUADRA	◆				29	
07 TEXAS	◆				30	
08 BABY VIPER	◆				31	
09 BABY PRINCESS	◆				32	
10 MINI TWICE	◆				33	
11 TWICE	◆				34	
12 ZEN	◆				35	
13 RAMSES	◆				36	
14 NELSON	◆				37	
15 WINDSOR	◆				38	
16 SAX	◆				39	
17 ALLEGRA		◆			41	
18 GRIFONE		◆			42	
19 POINT		◆			43	
20 ZAR		◆			44	
21 SKY			◆		47	
22 VIPER			◆		48	
23 VIPER PLUS			◆		49	
24 PRINCESS			◆		50	
PRINCESS ILLUMINATA			◆		51	
25 EVOLUTION			◆		52	
26 FLAME			◆		53	
27 ARKO			◆		54	
28 BOTTICELLA			◆		55	
29 C²				◆	57	
30 MULTIVIPER				◆	58	
31 MONSTER EVOLUTION				◆	59	
32 NEW ECO				◆	60	
NEW ECO LUMINOSA				◆	61	
33 BRAMANTE				◆	62	
34 ECLIPSE				◆	63	
38 BRIDGE				◆	64	
36 W&R GATE				◆	65	
37 DRESDA				◆	66	
38 PERUGINO				◆	67	
39 PIGALLE				◆	68	
PIGALLE LUMINOSA				◆	69	
40 ATHENA				◆	70	
41 TIMONE				◆	71	
42 EVOLUTION ICE					◆	73
43 PRINCESS ICE					◆	74
44 SETA ICE					◆	75
45 VIPER ICE					◆	76
46 FENICE ICE					◆	77
47 GRIFONE ICE					◆	78
48 FIESTA M					◆	79

REFRIGERATORI SOTTOBANCO UNDER COUNTER COOLERS

80

01 MIG 13	81
02 FOX 20	82
03 JET 30	83
04 IGLOO 28	84
05 SMART 36 ORIZZONTALE	85
06 SMART 36 VERTICALE	86
07 JET 55	87
08 V100 (FISSE)	88
09 BETA 60	89
10 MIGNOLO 60	90
11 TROPICAL 60	91
12 MIG 60 SUBZERO	92
13 MAGO 90	93
14 TROPICAL 90	94
15 BIG 120	95
16 MONSTER 165	96
17 REVERSIBILE 36	97
18 REVERSIBILE 60	98
19 REVERSIBILE 90	99
20 REVERSIBILE 120	100
21 FOX 20 2.0	101
22 IGLOO 28 2.0	102
23 SMART 36 VERTICALE 2.0	103
24 MIGNOLO 60 2.0	104
25 MAGO 90 2.0	105

REFRIGERATORI MOBILI MOBILE COUNTER COOLERS

106

01 PARTY 60 E 90	107
02 UNITA' BANCO	108
03 LUX	109
04 BANCO CICO	110
05 MOBILE BASE	111
06 ELEGANCE LEGNO	112

REFRIGERATORI SOPRABANCO OVER COUNTER COOLERS

114

01 JIMMY	115
02 NEPTUN BIRRA	116
03 SILVER	117
04 DRY EASY	118
05 ARTIC MINI	119
06 DRY TOP	120

IMPIANTI GLICOLE BIRRA GLYCOLIC COOLERS

122



**1 VIE
1 LINES**


**COLONNE
PREMIX**

**PREMIX
TOWERS**



**LED
ILLUMINATION**

01 VORTICE



Medaglioni per Vortice/Badge Holders for Vortice:
MCCR180G
MCCR190G

Medaglioni per Vortice Luminosa/Badge Holders for Vortice Luminated:
MELU82ST (Lente 3D e placche termoformate escluse/
3D lens and lens with flat thermoformed plate excluded)


Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox.
Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
VRT1CR 128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
VRT1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
VRT1CR 588L	Ottone Cromato Lucido Polished chrome plated brass	✓	1	5/8"	8	



Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, su richiesta tubi prodotti in acciaio inox in differenti diametri. Medaglione luminoso monofacciale LED integrato. Versione condensata su richiesta. Colori e personalizzazioni (anche per pomello) disponibili su richiesta (lotto minimo 50 pz.). Lente 3D/placca termoformata esclusa.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination included. Available as condensate. Different colours and customization (also for handle) on request (min. order quantity 50 pcs.). 3D Lens/Lens with flat thermoformed plate excluded.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
AGG1W 588	Vitreus		1	5/8"	8	

03 FENICE

**Specifiche e Opzioni**


Tubo e ricircolo in plastica inclusi. Possibilità di personalizzazione logo. Disponibile in diversi colori su richiesta. Lente e trasformatore inclusi.

Specs and Options

Plastic tube and recirculation included. Available also with branded logo. Colored versions available upon request. Lens and transformer included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
12304	Alluminio nero Black aluminium	✓	1	5/8"	8	

04 SGANG LUMINOSA



Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, su richiesta tubi prodotti in acciaio inox in differenti diametri. Medaglione luminoso monofacciale LED integrato. Versione condensata su richiesta. Colori e personalizzazioni (anche per pomello) disponibili su richiesta (lotto minimo 50 pz.). Lente 3D/placca termoformata esclusa.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination included. Available as condensate. Different colours and customization (also for handle) on request (min. order quantity 50 pcs.). 3D Lens/Lens with flat thermoformed plate excluded.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
SGN1CE 588	Vitreus		1	5/8"	8	

05 SETA



Medaglioni/Badge Holders:

MDCR5880
MDCR5890
MDACR5890

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ST1CR128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
ST1CR588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	

SETA LUMINOSA



Medaglioni/Badge Holders:
MELU82ST

(Lente 3D e placche termoformate escluse/
3D lens and lens with flat thermoformed plate
excluded)

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ST1CR588 LM	Ottone Cromato Lucido Polished chrome plated brass	✓	1	5/8"	8	

06 QUADRA



Accessori/Accessories:
011030 (Tappo cromato/Chromed cap)


Specifiche e Opzioni

Illuminazione a LED. Ricircolo in plastica incluso.
Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta.

Specs and Options

LED illumination. Plastic recirculation included.
Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
QDR1IN 588P	Acciaio inox lucido Polished stainless steel	✓	1	5/8"	8	



Medaglioni/Badge Holders:
MECR80D
MECR90D

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Illuminazione LED su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination available upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
MTX1INST 128 (S)	Acciaio inox satinato Satin-finished stainless steel		1	1/2"	8	
MTX1INST 588 (S)	Acciaio inox satinato Satin-finished stainless steel		1	5/8"	8	
TX1INST 128 (M)	Acciaio inox satinato Satin-finished stainless steel		1	1/2"	8	
TX1INST 588 (M)	Acciaio inox satinato Satin-finished stainless steel		1	5/8"	8	
MXTX1INST 128 (Max)	Acciaio inox satinato Satin-finished stainless steel		1	1/2"	8	
MXTX1INST 588 (Max)	Acciaio inox satinato Satin-finished stainless steel		1	5/8"	8	

08 BABY VIPER



Specifiche e Opzioni


Tubi alimentazione in plastica inclusi. No ricircolo.
Possibilità di personalizzazione logo.

Specs and Options

Plastic tubes included. No recirculation.
Branded logo upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
9067	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	

09 BABY PRINCESS

**Specifiche e Opzioni**


Tubi e ricircoli in plastica inclusi.

Specs and Options

Plastic tubes and recirculation included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
11433	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	

10 MINI TWICE



Medaglioni e morsetti/Badge holders and clamps:

MDCR5880

MDCR5890 - MDG5880

MDG5890

MDACR5890

MDADR5890 - MRSTCR

MRSTDR

Specifiche e Opzioni


Tubo ricircolo non incluso. Tubi prodotto in acciaio inox in differenti diametri su richiesta.

Specs and Options

Recirculation tube not included. Recirculation pipe not included. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
MTW1CR 128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
MTW1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
MTW1OT 128	Ottone Dorato Gold plated brass		1	1/2"	8	
MTW1OT 588	Ottone Dorato Gold plated brass		1	5/8"	8	

11 TWICE



MDCR5880
MDCR5890
MDG5880
MDG5890
MDACR5890
MDADR5890

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
TW1CR 128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
TW1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
TW1OT 128	Ottone Dorato Gold plated brass		1	1/2"	8	
TW1OT 588	Ottone Dorato Gold plated brass		1	5/8"	8	

12 ZEN



Medaglioni/Badge holders:

MDCR5880
MDCR5890
MDG5880
MDG5890
MDACR5890
MDADR5890

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, tubi prodotto in acciaio inox in differenti diametri su richiesta.


Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ZN1CR 128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
ZN1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
ZN1ST 128	Ottone Dorato Gold plated brass		1	1/2"	8	
ZN1ST 588	Ottone Dorato Gold plated brass		1	5/8"	8	

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.



13 RAMSES



Medaglioni e morsetti/Badge holders and clamps:
 MDCR5880
 MDCR5890 - MDG5880
 MDG5890
 MDACR5890
 MDADR5890 - MRSTCR
 MRSTD

Specifiche e Opzioni


Tubo ricircolo non incluso. Tubi prodotto in plastica e tubi prodotto acciaio inox in differenti diametri su richiesta.

Specs and Options

Recirculation pipe not included. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
RM1CR 128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
RM1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
RM1OT 128	Ottone Dorato Gold plated brass		1	1/2"	8	
RM1OT 588	Ottone Dorato Gold plated brass		1	5/8"	8	

14 NELSON



Trasformatori/Transformers:
010163 (15W)
010164 (30W)

Specifiche e Opzioni


Illuminazione a led. Tubo ricircolo non incluso. Tubi prodotto in acciaio inox in differenti diametri su richiesta.

Specs and Options

Led illumination. Recirculation tube not included. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
NL1OTG 12L8	Ottone Dorato Gold plated brass	✓	1	1/2"	8	

15 WINSOR



Specifiche e Opzioni

Raccogliogocce in plastica incluso e pomello in ceramica nero. Fissaggio a morsetto. Manopola in differenti colori su richiesta.

Specs and Options

Plastic drip tray and black porcelain handle included. Clamp on. Handle in different colours upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Ricircolo Recirculation	Prezzi Prices
010662	Ottone Dorato Gold plated brass		1			
010662 W	Ottone Dorato Gold plated brass		1		✓	
0106621	Ottone Cromato Chrome plated brass		1			
0106621 W	Ottone Cromato Chrome plated brass		1		✓	

16 SAX



Specifiche e Opzioni

Tubo e ricircolo in plastica inclusi. Rubinetto dorato incluso.

Specs and Options

Plastic tube and recirculation included. Golden tap included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
3959	Ottone Dorato Gold plated brass		1	5/8"	9,5	



**2 VIE
2 LINES**


**COLONNE
PREMIX**

**PREMIX
TOWERS**



**LED
ILLUMINATION**

17 ALLEGRA



Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o in acciaio inox. Tubi prodotti in plastica, su richiesta tubi prodotti in acciaio inox in differenti diametri. Versione condensata, colori e personalizzazioni (anche per pomello) su richiesta (lotto minimo 50 pz.) Allegra luminosa: medaglione luminoso monofacciale LED integrato (Lente 3D/placca termoformata esclusa).

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation upon request. Product line in plastic, stainless steel in various diameters upon request. Condensation, colours and customization (also for handle) available upon request (min. order quantity 50 pcs.) Allegra illuminated: LED illuminated badge included (3D Lens/Lens with flat thermoformed plate excluded).

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ALL1VTM 588	Vitreous	✓	1	5/8"	8	
ALL1VT 588	Vitreous		1	5/8"	8	
ALL2VT 588	Vitreous		2	5/8"	8	

18 GRIFONE



Specifiche e Opzioni


Tubi e ricircoli in plastica inclusi. Possibilità di personalizzazione logo e illuminazione a LED. Disponibile versione dorata e nera su richiesta.

Specs and Options

Plastic tubes and recirculation included. Branded and LED illuminated logo upon request. Golden and black version available upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
12868	Ottone Cromato Lucido Polished chrome plated brass	✓	1	5/8"	8	
12940	Ottone Cromato Lucido Polished chrome plated brass	✓	2	5/8"	8	

19 POINT



Trasformatore per Point luminosa/Transformer for Point illuminated: 010710

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica e tubi prodotto in acciaio inox in differenti diametri su richiesta. Point luminosa: illuminazione a LED integrata.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. Point illuminated: Led integrated.

Codice Code	Materiale Material	D ø (mm) D ø (mm)	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
PN1CR12808	Acciaio inox lucido Polished stainless steel	80		1	1/2"	8	
PN1CR58808	Acciaio inox lucido Polished stainless steel	80		1	5/8"	8	
PN1CR1280L8	Acciaio inox lucido Polished stainless steel	80	✓	1	1/2"	8	
PN1CR5880L8	Acciaio inox lucido Polished stainless steel	80	✓	1	5/8"	8	
PN2CR12808	Acciaio inox lucido Polished stainless steel	80		2	1/2"	8	
PN2CR58808	Acciaio inox lucido Polished stainless steel	80		2	5/8"	8	
PN2CR1280L8	Acciaio inox lucido Polished stainless steel	80	✓	2	1/2"	8	
PN2CR5880L8	Acciaio inox lucido Polished stainless steel	80	✓	2	5/8"	8	
PN1ST12808	Acciaio inox satinato Satin-finished stainless steel	80		1	1/2"	8	
PN1ST58808	Acciaio inox satinato Satin-finished stainless steel	80		1	5/8"	8	
PN1ST1280L8	Acciaio inox satinato Satin-finished stainless steel	80	✓	1	1/2"	8	
PN1ST5880L8	Acciaio inox satinato Satin-finished stainless steel	80	✓	1	5/8"	8	
PN2ST12808	Acciaio inox satinato Satin-finished stainless steel	80		2	1/2"	8	
PN2ST58808	Acciaio inox satinato Satin-finished stainless steel	80		2	5/8"	8	
PN2ST1280L8	Acciaio inox satinato Satin-finished stainless steel	80	✓	2	1/2"	8	
PN2ST5880L8	Acciaio inox satinato Satin-finished stainless steel	80	✓	2	5/8"	8	

20 ZAR



	1 Via 1 Line	2 Vie 2 Lines
L	105	140

Medaglione monofacciale incluso
Badge Holders included

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica e tubi prodotto in acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	N° vie N° lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
ZR1CR128M	Ottone cromato lucido Polished Chrome plated brass	1	1/2"	8	
ZR1CR588M	Ottone cromato lucido Polished Chrome plated brass	1	5/8"	8	
ZR2CR128M	Ottone cromato lucido Polished Chrome plated brass	2	1/2"	8	
ZR2CR588M	Ottone cromato lucido Polished Chrome plated brass	2	5/8"	8	
ZR1OT128M	Ottone dorato Polished plated brass	1	1/2"	8	
ZR1OT588M	Ottone dorato Polished plated brass	1	5/8"	8	
ZR2OT128M	Ottone dorato Polished plated brass	2	1/2"	8	
ZR2OT588M	Ottone dorato Polished plated brass	2	5/8"	8	





**3 VIE
3 LINES**


**COLONNE
PREMIX**

**PREMIX
TOWERS**



**LED
ILLUMINATION**

21 SKY



Medaglioni/Badge Holders:
MCCR180 - MCCR190

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica e tubi prodotto in acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
SKY3128	Acciaio inox satinato Satin-finished stainless steel		3	1/2"	8	
SKY3588	Acciaio inox satinato Satin-finished stainless steel		3	5/8"	8	

22 VIPER



Specifiche e Opzioni

Tubi e ricircoli in plastica inclusi. Possibilità di personalizzazione logo.


Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
8622	Ottone Cromato Chrome plated brass		1	5/8"	8	
8623	Ottone Dorato Gold plated brass		1	5/8"	8	
8629*	Ottone Cromato Chrome plated brass	✓	1	5/8"	8	
8632*	Ottone Dorato Gold plated brass	✓	1	5/8"	8	
10486	Ottone Cromato Chrome plated brass	✓	1	5/8"	8	
8616	Ottone Cromato Chrome plated brass		2	5/8"	8	
8617	Ottone Dorato Gold plated brass		2	5/8"	8	
10487	Ottone Dorato Gold plated brass	✓	2	5/8"	8	
8618	Ottone Cromato Chrome plated brass		3	5/8"	8	
8624	Ottone Dorato Gold plated brass		3	5/8"	8	
10488	Ottone Cromato Chrome plated brass	✓	3	5/8"	8	

*Con cladding luminoso/With luminous cladding.

Specs and Options

Plastic tubes and recirculation included. Branded logo upon request.

23 VIPER PLUS



2 Vie 3 Vie
2 Lines 3 Lines

IN 118 165

Specifiche e Opzioni

Tubi e ricircoli in plastica inclusi. Possibilità di personalizzazione logo.

Specs and Options

Plastic tubes and recirculation included. Branded logo upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
13577	Alluminio Cromato Chrome aluminium		1	5/8"	8	
13215	Alluminio Cromato Chrome aluminium	✓	1	5/8"	8	
13578	Alluminio Cromato Chrome aluminium		2	5/8"	8	
13216	Alluminio Cromato Chrome aluminium	✓	2	5/8"	8	
13579	Alluminio Cromato Chrome aluminium		3	5/8"	8	
13217	Alluminio Cromato Chrome aluminium	✓	3	5/8"	8	



24 PRINCESS




Medaglioni/Badge holders:

MDCR5880
MDCR5890
MDG5880
MDG5890
MDACR5880
MDACR5890

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.









Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
PRS1CR 128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
PRS1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
PRS2CR 128	Ottone Cromato Lucido Polished chrome plated brass		2	1/2"	8	
PRS2CR 588	Ottone Cromato Lucido Polished chrome plated brass		2	5/8"	8	
PRS3CR 128	Ottone Cromato Lucido Polished chrome plated brass		3	1/2"	8	
PRS3CR 588	Ottone Cromato Lucido Polished chrome plated brass		3	5/8"	8	
PRS1G 128	Ottone Dorato Gold plated brass		1	1/2"	8	
PRS1G 588	Ottone Dorato Gold plated brass		1	5/8"	8	
PRS2G 128	Ottone Dorato Gold plated brass		2	1/2"	8	
PRS2G 588	Ottone Dorato Gold plated brass		2	5/8"	8	
PRS3G 128	Ottone Dorato Gold plated brass		3	1/2"	8	
PRS3G 588	Ottone Dorato Gold plated brass		3	5/8"	8	

PRINCESS LUMINOSA



Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Medaglione luminoso bifacciale LED Integrato - Lente 3D/Placche termoformate escluse.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. Integrated LED double-sided illuminated badges (3D lenses / Thermoformed plates not included).

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim Ø (mm) Prod. line Ø (mm)	Prezzi Prices
PRS1CR 128L	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
PRS1CR 588L	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
PRS2CR 128L	Ottone Cromato Lucido Polished chrome plated brass		2	1/2"	8	
PRS2CR 588L	Ottone Cromato Lucido Polished chrome plated brass		2	5/8"	8	
PRS3CR 128L	Ottone Cromato Lucido Polished chrome plated brass		3	1/2"	8	
PRS3CR 588L	Ottone Cromato Lucido Polished chrome plated brass		3	5/8"	8	
PRS1G 128L	Ottone Dorato Gold plated brass		1	1/2"	8	
PRS1G 588L	Ottone Dorato Gold plated brass		1	5/8"	8	
PRS2G 128L	Ottone Dorato Gold plated brass		2	1/2"	8	
PRS2G 588L	Ottone Dorato Gold plated brass		2	5/8"	8	
PRS3G 128L	Ottone Dorato Gold plated brass		3	1/2"	8	
PRS3G 588L	Ottone Dorato Gold plated brass		3	5/8"	8	

25 EVOLUTION



	1 Via 1 Line	2 Vie 2 Lines	3 Vie 3 Lines
L	65	65	106
L1	88	88	106
LL	83	93	137
LL1	83	83	87
LLIN	68	69	75
H	372	372	393

Tappo cromo/Chrome cap:
010089

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Medaglione luminoso LED opzionale. Finitura ottone dorato lucido su richiesta.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
EV1CR 128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
EV1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
EV2CR 128	Ottone Cromato Lucido Polished chrome plated brass		2	1/2"	8	
EV2CR 588	Ottone Cromato Lucido Polished chrome plated brass		2	5/8"	8	
EV3CR 128	Ottone Cromato Lucido Polished chrome plated brass		3	1/2"	8	
EV3CR 588	Ottone Cromato Lucido Polished chrome plated brass		3	5/8"	8	

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional. Polished gold plated brass finish on request.

26 FLAME



	1 Via 1 Line	2 Vie 2 Lines	3 Vie 3 Lines
L	65	65	106
L1	88	88	106
LL	83	93	137
LL1	83	83	87
LLIN	68	69	75
H	372	372	393





Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Badge luminoso LED integrato. Finitura ottone dorato lucido su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination included. Polished gold plated brass finish on request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
FLM1CR 128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
FLM1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
FLM2CR 128	Ottone Cromato Lucido Polished chrome plated brass		2	1/2"	8	
FLM2CR 588	Ottone Cromato Lucido Polished chrome plated brass		2	5/8"	8	
FLM3CR 128	Ottone Cromato Lucido Polished chrome plated brass		3	1/2"	8	
FLM3CR 588	Ottone Cromato Lucido Polished chrome plated brass		3	5/8"	8	



Specifiche e Opzioni

Colonna erogazione birra in acciaio inox spazzolato.

Specs and Options

Font dispensing beer in polished chrome plated brass.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ARK2ST 128	Acciaio Inox Spazzolato Brushed stainless steel		2	1/2"	8	
ARK2ST 588	Acciaio Inox Spazzolato Brushed stainless steel		2	5/8"	8	
ARK3ST 128	Acciaio Inox Spazzolato Brushed stainless steel		3	1/2"	8	
ARK3ST 588	Acciaio Inox Spazzolato Brushed stainless steel		3	5/8"	8	
ARK4ST 128	Acciaio Inox Spazzolato Brushed stainless steel		4	1/2"	8	
ARK4ST 588	Acciaio Inox Spazzolato Brushed stainless steel		4	5/8"	8	

28 BOTTICELLA




Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Raccogliocce opzionale.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. Drip tray on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
N11947	Legno chiaro Light wood		2	5/8"	8	
N11948	Legno chiaro Light wood		2	5/8"	8	
N28015	Legno chiaro Light wood		2	5/8"	8	




**MULTIVIA
MULTILINES**

**COLONNE
PREMIX**

**PREMIX
TOWERS**



**LED
ILLUMINATION**



	2 Vie 2 Lines	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L	276	376	476	576	676

Medaglioni/Badge Holders:
MELU82ST (Medaglione bifacciale luminoso
ottone cromato ø90 mm/Double-sided illuminated
polished chrome plated brass badge ø90 mm)

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo
in rame o acciaio inox. Tubi prodotto in plastica,
acciaio inox in differenti diametri su richiesta.
Versione 1 e 2 Vie luminosa con medaglioni
luminosi bifacciali LED integrati (Lenti 3D/Placche
termoformate escluse). Versione 3, 4, 5, 6 Vie
luminosa con medaglioni luminosi e lenti esclusi.
Finitura in ottone cromato satinato su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless
steel recirculation on demand. Product lines in
plastic or stainless steel in different diameters on
demand. 1 and 2 lines - illuminated version with
integrated LED double-sided illuminated badges
(3D lenses / Thermoformed plates not included). 3,
4, 5, 6 lines - illuminated version with illuminated
badges and lens not included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
CQD1CR 588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
CQD1CR 588L	Ottone Cromato Lucido Polished chrome plated brass	✓	1	5/8"	8	
CQD2CR 588	Ottone Cromato Lucido Polished chrome plated brass		2	5/8"	8	
CQD2CR 588L	Ottone Cromato Lucido Polished chrome plated brass	✓	2	5/8"	8	
CQD3CR 588L	Ottone Cromato Lucido Polished chrome plated brass	✓	3	5/8"	8	
CQD4CR 588L	Ottone Cromato Lucido Polished chrome plated brass	✓	4	5/8"	8	
CQD5CR 588L	Ottone Cromato Lucido Polished chrome plated brass	✓	5	5/8"	8	
CQD6CR 588L	Ottone Cromato Lucido Polished chrome plated brass	✓	6	5/8"	8	

30 MULTIVIPER



Specifiche e Opzioni



Tubi e ricircoli in plastica inclusi. Medaglioni luminosi bifacciali inclusi. Possibilità di personalizzazione logo.

Specs and Options

Plastic tubes and recirculation included. Two-sided luminous medallions included. Branded logo upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
12335	Ottone Cromato Chrome plated brass	✓	3	5/8"	8	
12336	Ottone Cromato Chrome plated brass	✓	5	5/8"	8	

31 MONSTER EVOLUTION

**Specifiche e Opzioni**


Tubi e ricircoli in plastica inclusi.
In fase di ordine specificare lato rubinetti.

Specs and Options

Plastic tubes and recirculation included. Indicate tap side when ordering this font.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
5263	Acciaio inox Stainless steel		4	5/8"	9,5	

32 NEW ECO



	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L	375	375	470	565
H	509	509	509	509
IN	127,5	95	95	95

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o in acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Medaglioni inclusi.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. Medallions included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
NECO3IN 128M	Acciaio Inox Lucido Polished stainless steel		3	1/2"	8	
NECO3IN 588M	Acciaio Inox Lucido Polished stainless steel		3	5/8"	8	
NECO4IN 128M	Acciaio Inox Lucido Polished stainless steel		4	1/2"	8	
NECO4IN 588M	Acciaio Inox Lucido Polished stainless steel		4	5/8"	8	
NECO5IN 128M	Acciaio Inox Lucido Polished stainless steel		5	1/2"	8	
NECO5IN 588M	Acciaio Inox Lucido Polished stainless steel		5	5/8"	8	
NECO6IN 128M	Acciaio Inox Lucido Polished stainless steel		6	1/2"	8	
NECO6IN 588M	Acciaio Inox Lucido Polished stainless steel		6	5/8"	8	

NEW ECO LUMINOSA



	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L	375	375	470	565
H	509	509	509	509
IN	127,5	95	95	95

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o in acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Medaglioni luminosi bifacciali LED integrati (Lenti 3D/Placche termoformate escluse).

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. Integrated LED double-sided illuminated badges (3D lenses / Thermoformed plates not included).

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
NECO3IN 128L	Acciaio Inox Lucido Polished stainless steel	✓	3	1/2"	8	
NECO3IN 588L	Acciaio Inox Lucido Polished stainless steel	✓	3	5/8"	8	
NECO4IN 128L	Acciaio Inox Lucido Polished stainless steel	✓	4	1/2"	8	
NECO4IN 588L	Acciaio Inox Lucido Polished stainless steel	✓	4	5/8"	8	
NECO5IN 128L	Acciaio Inox Lucido Polished stainless steel	✓	5	1/2"	8	
NECO5IN 588L	Acciaio Inox Lucido Polished stainless steel	✓	5	5/8"	8	
NECO6IN 128L	Acciaio Inox Lucido Polished stainless steel	✓	6	1/2"	8	
NECO6IN 588L	Acciaio Inox Lucido Polished stainless steel	✓	6	5/8"	8	

33 BRAMANTE



	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L	378	968	978
L1	608	718	828

Medaglioni/Badge Holders:
MECR80D
MECR90D
MEG80D
MEG90D

Specifiche e Opzioni


Disponibile piede a destra o piede a sinistra.
Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.
Medaglione luminoso LED opzionale. Finiture in acciaio inox lucido e in acciaio inox ramato antico su richiesta.

Specs and Options

Available with right or left leg, to be specified at the moment of order. Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination upon request. Polished stainless steel and old copper stainless steel finishes on request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. Ø (mm) Prod. line Ø (mm)	Prezzi Prices
BRM4128	Acciaio Inox Satinato Satin-finished stainless steel		4	1/2"	8	
BRM4588	Acciaio Inox Satinato Satin-finished stainless steel		4	5/8"	8	
BRM5128	Acciaio Inox Satinato Satin-finished stainless steel		5	1/2"	8	
BRM5588	Acciaio Inox Satinato Satin-finished stainless steel		5	5/8"	8	
BRM6128	Acciaio Inox Satinato Satin-finished stainless steel		6	1/2"	8	
BRM6588	Acciaio Inox Satinato Satin-finished stainless steel		6	5/8"	8	
BRM4RA 128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		4	1/2"	8	
BRM4RA 588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		4	5/8"	8	
BRM5RA 128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		5	1/2"	8	
BRM5RA 588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		5	5/8"	8	
BRM6RA 128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		6	1/2"	8	
BRM6RA 588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		6	5/8"	8	

34 ECLIPSE



	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines
IN	165	140	113
IN1	110	90	90
IN2	107	90	70

Medaglioni/Badge Holders:

MECR80D

MECR90D

MEG80D

MEG90D

Specifiche e Opzioni


Disponibile con piede a destra o a sinistra.
Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Medaglioni luminosi LED opzionali. Finitura in acciaio inox ramato antico su richiesta.

Specs and Options

Available with right or left leg, to be specified at the moment of order. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional. Antique copper plated stainless steel finishes upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ϕ (mm) Prod. line ϕ (mm)	Prezzi Prices
EC3INST 128	Acciaio Inox Satinato Satin-finished stainless steel	✓	3	1/2"	8	
EC3INST 588	Acciaio Inox Satinato Satin-finished stainless steel	✓	3	5/8"	8	
EC4INST 128	Acciaio Inox Satinato Satin-finished stainless steel	✓	4	1/2"	8	
EC4INST 588	Acciaio Inox Satinato Satin-finished stainless steel	✓	4	5/8"	8	
EC3INRM 128	Acciaio Inox Ramato Copper plated stainless steel	✓	3	1/2"	8	
EC3INRM 588	Acciaio Inox Ramato Copper plated stainless steel	✓	3	5/8"	8	
EC4INRM 128	Acciaio Inox Ramato Copper plated stainless steel	✓	4	1/2"	8	
EC4INRM 588	Acciaio Inox Ramato Copper plated stainless steel	✓	4	5/8"	8	

35 BRIDGE



	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
IN	100	90	72
L	400	450	450
L2	400	450	450
L3	700	750	750

Medaglioni/Badge Holders:
 MCCR180G
 MCCR190G
 MCG180G
 MCG190G

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Medaglioni luminosi LED opzionali.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
BD4CR128	Ottone Cromo Lucido Polished chrome plated brass	✓	4	1/2"	8	
BD4CR588	Ottone Cromo Lucido Polished chrome plated brass	✓	4	5/8"	8	
BD5CR128	Ottone Cromo Lucido Polished chrome plated brass	✓	5	1/2"	8	
BD5CR588	Ottone Cromo Lucido Polished chrome plated brass	✓	5	5/8"	8	
BD6CR128	Ottone Cromo Lucido Polished chrome plated brass	✓	6	1/2"	8	
BD6CR588	Ottone Cromo Lucido Polished chrome plated brass	✓	6	5/8"	8	
BD4ST128	Ottone Cromo Satinato Satin-finished chrome plated brass	✓	4	1/2"	8	
BD4ST588	Ottone Cromo Satinato Satin-finished chrome plated brass	✓	4	5/8"	8	
BD5ST128	Ottone Cromo Satinato Satin-finished chrome plated brass	✓	5	1/2"	8	
BD5ST588	Ottone Cromo Satinato Satin-finished chrome plated brass	✓	5	5/8"	8	
BD6ST128	Ottone Cromo Satinato Satin-finished chrome plated brass	✓	6	1/2"	8	
BD6ST588	Ottone Cromo Satinato Satin-finished chrome plated brass	✓	6	5/8"	8	

36 W&R GATE



	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L	795	900	1010
L1	575	680	790


Medaglioni/Badge Holders:

MECR80D

MECR90D

MEG80D

MEG90D



Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o in acciaio inox. Tubi prodotto in plastica, su richiesta tubi prodotto in acciaio inox in differenti diametri. Medaglione luminoso LED opzionale. Finiture in acciaio inox lucido e in acciaio inox ramato antico su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional. Polished stainless steel and old copper stainless steel finishes on request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. Ø (mm) Prod. line Ø (mm)	Prezzi Prices
WGT4128	Acciaio Inox Satinato Satin-finished stainless steel		4	1/2"	8	
WGT4588	Acciaio Inox Satinato Satin-finished stainless steel		4	5/8"	8	
WGT5128	Acciaio Inox Satinato Satin-finished stainless steel		5	1/2"	8	
WGT5588	Acciaio Inox Satinato Satin-finished stainless steel		5	5/8"	8	
WGT6128	Acciaio Inox Satinato Satin-finished stainless steel		6	1/2"	8	
WGT6588	Acciaio Inox Satinato Satin-finished stainless steel		6	5/8"	8	
RGT4128	Acciaio Inox Ramato Copper plated stainless steel		4	1/2"	8	
RGT4588	Acciaio Inox Ramato Copper plated stainless steel		4	5/8"	8	
RGT5128	Acciaio Inox Ramato Copper plated stainless steel		5	1/2"	8	
RGT5588	Acciaio Inox Ramato Copper plated stainless steel		5	5/8"	8	
RGT6128	Acciaio Inox Ramato Copper plated stainless steel		6	1/2"	8	
RGT6588	Acciaio Inox Ramato Copper plated stainless steel		6	5/8"	8	

37 DRESDA



	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines	7 Vie 7 Lines
IN	120	120	90	90
IN1	163	163	133	133
IN2	240	120	180	90

Medaglioni/Badge Holders:

MECR80D

MECR90D

MEG80D

MEG90D

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Medaglioni luminosi LED opzionali. Finiture in acciaio inox lucido e in acciaio inox ramato antico su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional. Polished stainless steel and old copper stainless steel finishes on request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
DR4INST 128	Acciaio Inox Satinato Satin-finished stainless steel		4	1/2"	8	
DR4INST 588	Acciaio Inox Satinato Satin-finished stainless steel		4	5/8"	8	
DR5INST 128	Acciaio Inox Satinato Satin-finished stainless steel		5	1/2"	8	
DR5INST 588	Acciaio Inox Satinato Satin-finished stainless steel		5	5/8"	8	
DR6INST 128	Acciaio Inox Satinato Satin-finished stainless steel		6	1/2"	8	
DR6INST 588	Acciaio Inox Satinato Satin-finished stainless steel		6	5/8"	8	
DR7INST 128	Acciaio Inox Satinato Satin-finished stainless steel		7	1/2"	8	
DR7INST 588	Acciaio Inox Satinato Satin-finished stainless steel		7	5/8"	8	
DR4INRM 128	Acciaio Inox Ramato Copper plated stainless steel		4	1/2"	8	
DR4INRM 588	Acciaio Inox Ramato Copper plated stainless steel		4	5/8"	8	
DR5INRM 128	Acciaio Inox Ramato Copper plated stainless steel		5	1/2"	8	
DR5INRM 588	Acciaio Inox Ramato Copper plated stainless steel		5	5/8"	8	
DR6INRM 128	Acciaio Inox Ramato Copper plated stainless steel		6	1/2"	8	
DR6INRM 588	Acciaio Inox Ramato Copper plated stainless steel		6	5/8"	8	
DR7INRM 128	Acciaio Inox Ramato Copper plated stainless steel		7	1/2"	8	
DR7INRM 588	Acciaio Inox Ramato Copper plated stainless steel		7	5/8"	8	

38 PERUGINO



Medaglioni/Badge Holders:

MECR80D

MECR90D

MEG80D

MEG90D

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Medaglione luminoso LED opzionale. Finiture in acciaio inox lucido e in acciaio inox ramato antico su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. Optional LED illumination. Polished stainless steel and old copper stainless steel finishes upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
PER4128	Acciaio Inox Satinato Satin-finished stainless steel		4	1/2"	8	
PER4588	Acciaio Inox Satinato Satin-finished stainless steel		4	5/8"	8	
PER5128	Acciaio Inox Satinato Satin-finished stainless steel		5	1/2"	8	
PER5588	Acciaio Inox Satinato Satin-finished stainless steel		5	5/8"	8	
PER6128	Acciaio Inox Satinato Satin-finished stainless steel		6	1/2"	8	
PER6588	Acciaio Inox Satinato Satin-finished stainless steel		6	5/8"	8	
PER4RA 128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		4	1/2"	8	
PER4RA 588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		4	5/8"	8	
PER5RA 128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		5	1/2"	8	
PER5RA 588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		5	5/8"	8	
PER6RA 128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		6	1/2"	8	
PER6RA 588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		6	5/8"	8	

39 PIGALLE



	3 Vie 3 Lines	5 Vie 5 Lines	7 Vie 7 Lines
L	445	600	680
IN	165	100	102.5
IN1	-	135	90

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.

Medaglioni/Badge Holders:


MECR80D
MECR90D
MEG80D
MEG90D

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	N° Piedi N° Piedi	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
PG1CR128	Ottone Cromato Lucido Polished chrome plated brass	1	1	1/2"	8	
PG1CR588	Ottone Cromato Lucido Polished chrome plated brass	1	1	5/8"	8	
PG3CR128	Ottone Cromato Lucido Polished chrome plated brass	1	3	1/2"	8	
PG3CR588	Ottone Cromato Lucido Polished chrome plated brass	1	3	5/8"	8	
PG5CR128	Ottone Cromato Lucido Polished chrome plated brass	1	5	1/2"	8	
PG5CR588	Ottone Cromato Lucido Polished chrome plated brass	1	5	5/8"	8	
PG7CR128	Ottone Cromato Lucido Polished chrome plated brass	2	7	1/2"	8	
PG7CR588	Ottone Cromato Lucido Polished chrome plated brass	2	7	5/8"	8	
PG1OT128	Ottone Dorato Gold plated brass	1	1	1/2"	8	
PG1OT588	Ottone Dorato Gold plated brass	1	1	5/8"	8	
PG3OT128	Ottone Dorato Gold plated brass	1	3	1/2"	8	
PG3OT588	Ottone Dorato Gold plated brass	1	3	5/8"	8	
PG5OT128	Ottone Dorato Gold plated brass	1	5	1/2"	8	
PG5OT588	Ottone Dorato Gold plated brass	1	5	5/8"	8	
PG7OT128	Ottone Dorato Gold plated brass	2	7	1/2"	8	
PG7OT588	Ottone Dorato Gold plated brass	2	7	5/8"	8	

PIGALLE LUMINOSA



Medaglioni/Badge Holders:

MECR80D

MECR90D

MEG80D

MEG90D

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.

Medaglioni luminosi bifacciali LED integrati (Lenti 3D/ Placche termoformate escluse).





	3 Vie 3 Lines	5 Vie 5 Lines	7 Vie 7 Lines
L	445	600	680
IN	165	100	102.5
IN1	-	135	90


Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination included. (3D Lens/Lens with flat thermoformed plate on demand).

Codice Code	Materiale Material	N° Piedi N° Piedi	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
PG1CR 128L	Ottone Cromato Lucido Polished chrome plated brass	1	1	1/2"	8	
PG1CR 588L	Ottone Cromato Lucido Polished chrome plated brass	1	1	5/8"	8	
PG3CR 128L	Ottone Cromato Lucido Polished chrome plated brass	1	3	1/2"	8	
PG3CR 588L	Ottone Cromato Lucido Polished chrome plated brass	1	3	5/8"	8	
PG5CR 128L	Ottone Cromato Lucido Polished chrome plated brass	1	5	1/2"	8	
PG5CR 588L	Ottone Cromato Lucido Polished chrome plated brass	1	5	5/8"	8	
PG7CR 128L	Ottone Cromato Lucido Polished chrome plated brass	2	7	1/2"	8	
PG7CR 588L	Ottone Cromato Lucido Polished chrome plated brass	2	7	5/8"	8	
PG1OT 128L	Ottone Dorato Gold plated brass	1	1	1/2"	8	
PG1OT 588L	Ottone Dorato Gold plated brass	1	1	5/8"	8	
PG3OT 128L	Ottone Dorato Gold plated brass	1	3	1/2"	8	
PG3OT 588L	Ottone Dorato Gold plated brass	1	3	5/8"	8	
PG5OT 128L	Ottone Dorato Gold plated brass	1	5	1/2"	8	
PG5OT 588L	Ottone Dorato Gold plated brass	1	5	5/8"	8	
PG7OT 128L	Ottone Dorato Gold plated brass	2	7	1/2"	8	
PG7OT 588L	Ottone Dorato Gold plated brass	2	7	5/8"	8	

BEVCO | **CATALOGUE** 2022/23 | **BIRRA** BEER

41 TIMONE



Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Medaglioni in ottone cromato diametro 80 mm inclusi. Medaglioni luminosi LED optional.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation available upon request. Product lines in plastic or stainless steel in different diameters on demand. 80 mm Chrome badge holders included. LED illumination optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
CTBS128	Acciaio Inox Lucido e Satinato/Alluminio Polished and Satin-finished stainless steel/Aluminium		5	1/2"	8	
CTBS588	Acciaio Inox Lucido e Satinato/Alluminio Polished and Satin-finished stainless steel/Aluminium		5	5/8"	8	



**GLICOLE
GLYCOLE**


**COLONNE
PREMIX**

**PREMIX
TOWERS**



**LED
ILLUMINATION**

42 EVOLUTION ICE



Medaglioni/Badge Holders:

MEVCR180

MEVCR190

Specifiche e Opzioni


Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Medaglione luminoso LED opzionale.

Specs and Options

Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. Ø (mm) Prod. line Ø (mm)	Prezzi Prices
EV1CR 588ICE	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	

43 PRINCESS ICE



Medaglioni/Badge Holders:
 MDCR5880
 MDCR5890
 MDACR5890

Specifiche e Opzioni


Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Medaglione luminoso LED optional.

Specs and Options

Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
PR51CR 588ICE	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	

44 SETA ICE



Medaglioni/Badge Holders:
MCCR180
MCCR190

Specifiche e Opzioni


Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Medaglione luminoso opzionale.

Specs and Options

Product lines in plastic or stainless steel in different diameters on demand. LED illumination optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ST1CR	Ottone Cromato Lucido		1	5/8"	8	
588ICE	Polished chrome plated brass					

45 VIPER ICE



Specifiche e Opzioni

Tubi prodotto in plastica.


Specs and Options

Product lines in plastic.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
008625	Ottone Cromato Chrome plated brass		1	5/8"	8	
010396*	Ottone Cromato Chrome plated brass	✓	1	5/8"	8	

*Include medaglione luminoso, kit inondazione e alimentatore/Double-sided luminous medallion+flooding kit included+power adaptor included.

46 FENICE ICE



Specifiche e Opzioni

Tubo prodotto in plastica. Placca luminosa opzionale.


Specs and Options

Product lines in plastic. Luminous plate optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
COL00 8414	Alluminio Lucido Polished aluminium		1	5/8"	8	
COL00 8420*	Alluminio Lucido Polished aluminium	✓	1	5/8"	8	

*Include medaglione luminoso, kit inondazione e alimentatore/Double-sided luminous medallion+flooding kit included+power adaptor included.

47 GRIFONE ICE



Specifiche e Opzioni

Tubo prodotto in plastica. Placche luminose incluse.

Specs and Options

Product lines in plastic. Luminous plates included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
014035*	Ottone Cromato Chrome plated brass	✓	1	5/8"	8	

*Include medaglione luminoso, kit inondazione e alimentatore/Double-sided luminous medallion+flood kit included+power adaptor included.

48 FIESTA M



Escluso erogatore girevole.
Turning dispenser excluded.

Specifiche e Opzioni

Dispenser da tavolo. Capacità: 2L.
Altezza: 74cm.

Specs and Options

Table dispenser. Capacity: 2L.
Height: 74cm.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
010436	Plastica Plastic		1			



**REFRIGERATORI
SOTTOBANCO**

**UNDER
COUNTER
COOLERS**



**LED
ILLUMINATION**

01 MIG 13



Specifiche e Opzioni

Su richiesta:

- Tensione a 115V per lotti minimi di 50 pz.
- In acciaio inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 23 Kg

Dimensioni (LxAxP): 330x550x500 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 15

Specs and Options

Available upon request:

- 115V voltage version for minimum lots of 50 pcs.
- In stain less steel for minimum lots of 50 pcs.

Single packaging

Weight: 23 Kg


Dimensions (LxHxW): 330x550x500 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 15

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
30.18370	Skin Plate	1/8 HP	13 l	5 kg	27 l/h	-	✓	
30.18371	Skin Plate	1/8 HP	13 l	5 kg	27 l/h	1	✓	
30.18372	Skin Plate	1/8 HP	13 l	5 kg	27 l/h	2	✓	
3.183730	Skin Plate	1/8 HP	13 l	5 kg	27 l/h	3	✓	

02 FOX 20



Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Condensatore ad acqua**
- **Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 25 Kg
 Dimensioni (LxAxP): 577x606x372 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 12

Specs and Options

- **Isotech**
- **Rotomoulded technology**
- **Condenser**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging

Weight: 25 Kg
 Dimensions (LxHxW): 577x606x372 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
FX1420 LPR2	Skin Plate	1/4 HP	23 l	12 kg	75 l/h	-	-	
FX1420L PR21V	Skin Plate	1/4 HP	23 l	12 kg	75 l/h	1	✓	
FX1420L PR22V	Skin Plate	1/4 HP	23 l	12 kg	75 l/h	2	✓	
FX1420L PR23V	Skin Plate	1/4 HP	23 l	12 kg	75 l/h	3	✓	
FX1420L PH2OJGR2*	Skin Plate	1/4 HP	23 l	12 kg	75 l/h	-	✓	

*Con condensazione ad acqua/With water condenser.

03 JET 30



Specifiche e Opzioni

Su richiesta:

- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 37 Kg

Dimensioni (LxAxP): 411x721x411 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 12



Specs and Options

Available upon request:

- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 37 Kg


Dimensions (LxHxW): 411x721x411 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
30.18374	Skin Plate	1/4 HP	28 l	12 kg	57 l/h	-	✓	
30.18375	Skin Plate	1/4 HP	28 l	12 kg	57 l/h	1	✓	
30.18376	Skin Plate	1/4 HP	28 l	12 kg	57 l/h	2	✓	
30.18377	Skin Plate	1/4 HP	28 l	12 kg	57 l/h	3	✓	
30.18378	Skin Plate	1/4 HP	28 l	12 kg	57 l/h	4	✓	

04 IGL0028



*702mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 26 Kg
 Dimensioni (LxAxP): 417x751x417 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 12

Specs and Options


- **Isotech**
- **Rotomoulded technology**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 26 Kg
 Dimensions (LxHxW): 417x751x417 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
IGL2814 PR2	Skin Plate	1/4 HP	24 l	12 kg	75 l/h	-	-	
IGL2814 PR21V	Skin Plate	1/4 HP	24 l	12 kg	75 l/h	1	✓	
IGL2814 PR22V	Skin Plate	1/4 HP	24 l	12 kg	75 l/h	2	✓	
IGL2814 PR23V	Skin Plate	1/4 HP	24 l	12 kg	75 l/h	3	✓	
IGL2814 PR24V	Skin Plate	1/4 HP	24 l	12 kg	75 l/h	4	✓	

05 SMART 36 ORIZZONTALE



*540mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Doppio termostato**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 31 Kg
 Dimensioni (LxAxP): 462x662x636 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 8

Specs and Options


- **Isotech**
- **Rotomoulded technology**
- **Double thermostat**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 31 Kg
 Dimensions (LxHxW): 462x662x636 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
ECO1336 LORPR2	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	-	-	
ECO1336 LORPR21V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	1	✓	
ECO1336 LORPR22V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	2	✓	
ECO1336 LORPR23V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	3	✓	
ECO1336 LORPR24V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	4	✓	
ECO1336 LORPR25V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	5	✓	
ECO1336 LORPR26V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	6	✓	

06 SMART 36 VERTICALE



*690mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 31 Kg
 Dimensioni (LxAxP): 452x452x706 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 12

Specs and Options


- Isotech
- Rotomoulded technology
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 31 Kg
 Dimensions (LxHxW): 452x452x706 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
ECO1336 LPR2	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	-	-	
ECO1336 LPR21V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	1	✓	
ECO1336 LPR22V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	2	✓	
ECO1336 LPR23V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	3	✓	
ECO1336 LPR24V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	4	✓	
ECO1336 LPR25V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	5	✓	
ECO1336 LPR26V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	6	✓	

07 JET 55



Specifiche e Opzioni

• Con Gas Eco-Friendly R290

Su richiesta:

- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 50 Kg

Dimensioni (LxAxP): 531x906x531 mm

Dimensioni pallet: 800x1100 mm

Quantità per pallet: 8

Specs and Options

• With Eco-Friendly R290 Gas

Available upon request:

- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 50 Kg


Dimensions (LxHxW): 531x906x531 mm

Size of pallet: 800x1100 mm

No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
30.18379	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	-	✓	
30.18380	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	1	✓	
30.18381	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	2	✓	
30.18382	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	3	✓	
30.18383	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	5	✓	
30.18384	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	6	✓	
30.18385	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	7	✓	
30.18386	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	8	✓	

08 V100 (FISSO)



Specifiche e Opzioni

- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox

Imballo singolo

Peso: 45 Kg
 Dimensioni (LxAxP): 487x796x487 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 8

Specs and Options


- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets

Single packaging

Weight: 45 Kg
 Dimensions (LxHxW): 487x796x487 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
V100F PR2	Acciaio Inox Stainless steel	1/2 HP	50 l	22 kg	150 l/h	4	-	

09 BETA 60



Specifiche e Opzioni

• Con Gas Eco-Friendly R290

- Tensione a 115V per lotti minimi di 50 pz.

Imballo singolo

Peso: 40 Kg

Dimensioni (LxAxP): 462x666x662 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 8

Specs and Options

• With Eco-Friendly R290 Gas

- 115V voltage version for minimum lots of 50 pcs.

Single packaging

Weight: 40 Kg


Dimensions (LxHxW): 462x666x662 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
BT1260 LPRR2	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	-	-	
BT1260 LPRR21V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	1	✓	
BT1260 LPRR22V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	2	✓	
BT1260 LPRR23V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	3	✓	
BT1260 LPRR24V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	4	✓	
BT1260 LPRR25V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	5	✓	
BT1260 LPRR26V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	6	✓	

10 MIGNOLO 60



*617mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 40 Kg
 Dimensioni (LxAxP): 662x666x462 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 8

Specs and Options

- Isotech
- Rotomoulded technology
- Water condenser
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging

Weight: 40 Kg
 Dimensions (LxHxW): 662x666x462 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MG1260 LPR2	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	-	-	
MG1260 LPR21V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	1	✓	
MG1260 LPR22V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	2	✓	
MG1260 LPR23V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	3	✓	
MG1260 LPR24V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	4	✓	
MG1260 LPR25V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	5	✓	
MG1260 LPR26V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	6	✓	
MG1260LP R2OJGR2*	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	-	-	

*Versione condensata ad acqua/Water condenser version.

11 TROPICAL 60



*670mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 42 Kg
 Dimensioni (LxAxP): 462x726x662 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 8

Specs and Options

- Isotech
- Rotomoulded technology
- Water condenser
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging

Weight: 42 Kg
 Dimensions (LxHxW): 462x726x662 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MIG5860 LPCUR2*	Skin Plate	5/8 HP	54 l	25 kg	162 l/h	6	-	

*Condensatore Cu-Al/Cu-Al condenser.

12 MIG 60 SUBZERO



Specifiche e Opzioni

- Glicole
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 52 Kg
 Dimensioni (LxAxP): 480x750x680 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 4

Specs and Options


- Glycole
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 52 Kg
 Dimensions (LxHxW): 480x750x680 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 4

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
30.18387	Skin Plate	1/2 HP	60 l	12 kg	200 l/h	2	✓	

13 MAGGO 90



*625mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 40 Kg
Dimensioni (LxAxP): 567x681x772 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 4

Specs and Options

- Isotech
- Rotomoulded technology
- Water condenser
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging

Weight: 40 Kg
Dimensions (LxHxW): 567x681x772 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 4

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MG1290 LPR2	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	-	-	
MG1290 LPR21V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	1	✓	
MG1290 LPR22V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	2	✓	
MG1290 LPR23V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	3	✓	
MG1290 LPR24V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	4	✓	
MG1290 LPR25V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	5	✓	
MG1290 LPR26V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	6	✓	
MG1290 LPR27V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	7	✓	
MIG1260 LPR28V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	8	✓	
MIG1260 LP2OJGR2*	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	-	-	

*Versione condensata ad acqua/Water condenser version.

14 TROPICAL 90



*625mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 45 Kg
 Dimensioni (LxPxP): 567x681x772 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 4

Specs and Options

- Isotech
- Rotomoulded technology
- Water condenser
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging

Weight: 45 Kg
 Dimensions (LxHxW): 567x681x772 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 4

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MG3490 LPR2*	Skin Plate	3/4 HP	78 l	36 kg	229 l/h	8	-	

*Condensatore Cu-Al/Cu-Al condenser.

15 BIG 120



*694mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 53 Kg
 Dimensioni (LxAxP): 587x726x902 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 4

Specs and Options


- Isotech
- Rotomoulded technology
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 53 Kg
 Dimensions (LxHxW): 587x726x902 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 4

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
BG34120 LPR2	Skin Plate	3/4 HP	115 l	50 kg	284 l/h	10	-	

16 MONSTER 165



*752mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 60 Kg
 Dimensioni (LxAxP): 562x726x992 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 1

Specs and Options



- **Isotech**
- **Rotomoulded technology**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 60 Kg
 Dimensions (LxHxW): 562x726x992 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 1

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MN1651 HPPDPR2	Skin Plate	1 HP	147 l	64 kg	392 l/h	10	-	

17 REVERSIBILE 36



Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 40 Kg
 Dimensioni (LxAxP): 452x452x706 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 12

Specs and Options


- Isotech
- Rotomoulded technology
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 40 Kg
 Dimensions (LxHxW): 452x452x706 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
REV1336 LPA2	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	-	-	

18 REVERSIBILE 60



Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 60 Kg
 Dimensioni (LxAxP): 562x726x992 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 1

Specs and Options


- **Isotech**
- **Rotomoulded technology**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 60 Kg
 Dimensions (LxHxW): 562x726x992 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 1

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
REV1260 LPA2	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	10	-	

19 REVERSIBILE 90



Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 40 Kg
 Dimensioni (LxAxP): 452x452x706 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 12

Specs and Options


- **Isotech**
- **Rotomoulded technology**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 40 Kg
 Dimensions (LxHxW): 452x452x706 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
REV1290 LPA2	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	-	-	

20 REVERSIBILE 120



Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 60 Kg
 Dimensioni (LxAxP): 562x726x992 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 1

Specs and Options


- **Isotech**
- **Rotomoulded technology**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 60 Kg
 Dimensions (LxHxW): 562x726x992 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 1

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
REV3490 LPA2	Skin Plate	3/4 HP	115 l	50 kg	280 l/h	-	-	

21 FOX 20 2.0



Specifiche e Opzioni

- Carenature in acciaio inox AISI 430 Lucido
- Doppio termostato
- Anodo sacrificale in vasca, per proteggere il bulbo termostato dalle correnti galvaniche
- Cavo alimentazione estraibile con staffa di blocco removibile
- Condensatore Rame/Alluminio
- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Gas Eco-Friendly R290

Su richiesta:

- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 25 Kg

Dimensioni (LxAxP): 577x606x372 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 12

Specs and Options

- Cases in polished AISI 430 stainless steel
- Double thermostat
- Sacrificial anode in the tank, to protect the thermostat bulb from galvanic currents
- Removable power cable with removable locking bracket
- Copper/Aluminum condenser
- Isotech
- Rotomoulded technology
- Condenser
- With Eco-Friendly R290 Gas

Available upon request:

- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 25 Kg


Dimensions (LxHxW): 577x606x372 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
FX1420LP 2TCA	Acciaio Inox Stainless steel	1/4 HP	20 l	12 kg	75 l/h	-	-	

22 IGL00 28 2.0



*702mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Carenature in acciaio inox AISI 430 Lucido
- Doppio termostato
- Anodo sacrificale in vasca, per proteggere il bulbo termostato dalle correnti galvaniche
- Cavo alimentazione estraibile con staffa di blocco removibile
- Condensatore Rame/Alluminio
- Glicole
- Isotech
- Vasca in rotazionale

Su richiesta:

- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 26 Kg
 Dimensioni (LxAxP): 417x751x417 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 12

Specs and Options

- Cases in polished AISI 430 stainless steel
- Double thermostat
- Sacrificial anode in the tank, to protect the thermostat bulb from galvanic currents
- Removable power cable with removable locking bracket
- Copper/Aluminum condenser
- Glycole
- Isotech
- Rotomoulded technology

Available upon request:


- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 26 Kg
 Dimensions (LxHxW): 417x751x417 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
IGL28 14PCA	Acciaio Inox Stainless steel	1/4 HP	24 l	12 kg	75 l/h	-	-	

23 SMART 36 VERTICALE 2.0



*690mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Carenature in acciaio inox AISI 430 Lucido
- Doppio termostato
- Anodo sacrificale in vasca, per proteggere il bulbo termostato dalle correnti galvaniche
- Cavo alimentazione estraibile con staffa di blocco removibile
- Condensatore Rame/Alluminio
- Glicole
- Isotech
- Vasca in rotazionale
- Doppio termostato

Su richiesta:

- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 31 Kg

Dimensioni (LxAxP): 452x452x706 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 12

Specs and Options

- Cases in polished AISI 430 stainless steel
- Double thermostat
- Sacrificial anode in the tank, to protect the thermostat bulb from galvanic currents
- Removable power cable with removable locking bracket
- Copper/Aluminum condenser
- Glycole
- Isotech
- Rotomoulded technology
- Double thermostat

Available upon request:

- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 31 Kg


Dimensions (LxHxW): 452x452x706 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
ECO13 36V2-0	Acciaio Inox Stainless steel	1/3 HP	23 l	17 kg	106 l/h	-	-	

24 MIGNOLO 60 2.0



*617mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Carenature in acciaio inox AISI 430 Lucido
- Doppio termostato
- Anodo sacrificale in vasca, per proteggere il bulbo termostato dalle correnti galvaniche
- Cavo alimentazione estraibile con staffa di blocco removibile
- Condensatore Rame/Alluminio
- Glicole
- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Doppio termostato

Su richiesta:

- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 40 Kg

Dimensioni (LxPx): 662x666x462 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 8

Specs and Options

- Cases in polished AISI 430 stainless steel
- Double thermostat
- Sacrificial anode in the tank, to protect the thermostat bulb from galvanic currents
- Removable power cable with removable locking bracket
- Copper/Aluminum condenser
- Glycole
- Isotech
- Rotomoulded technology
- Water condenser
- Double thermostat

Available upon request:

- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 40 Kg


Dimensions (LxHxW): 662x666x462 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MIG1260 LP2TCA	Acciaio Inox Stainless steel	1/2 HP	54 l	25 kg	150 l/h	-	-	

25 MAGO 90 2.0



*625mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Carenature in acciaio inox AISI 430 Lucido
- Doppio termostato
- Anodo sacrificale in vasca, per proteggere il bulbo termostato dalle correnti galvaniche
- Cavo alimentazione estraibile con staffa di blocco removibile
- Condensatore Rame/Alluminio
- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Doppio termostato

Su richiesta:

- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 40 Kg

Dimensioni (LxAxP): 567x681x772 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 4

Specs and Options

- Cases in polished AISI 430 stainless steel
- Double thermostat
- Sacrificial anode in the tank, to protect the thermostat bulb from galvanic currents
- Removable power cable with removable locking bracket
- Copper/Aluminum condenser
- Isotech
- Rotomoulded technology
- Water condenser
- Double thermostat

Available upon request:

- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 40 Kg

Dimensions (LxHxW): 567x681x772 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 4

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MG1290 LP2TCA	Acciaio Inox Stainless steel	1/2 HP	78 l	36 kg	206 l/h	-	-	




**REFRIGERATORI
MOBILI**

**MOBILE
COUNTER
COOLERS**




**LED
ILLUMINATION**

01 PARTY 60 E 90



Party 60



Party 90

Specifiche e Opzioni

- Carenatura in Skin Plate
- Con Gas Eco-Friendly R290

Kit per Party 60:

- KTPAR1260L1V-1 Vie
- KTPAR1260L2V-2 Vie
- KTPAR1260L3V-3 Vie
- KTPAR1260L4V-4 Vie

Imballo singolo

Peso: 54 Kg
 Dimensioni (LxAxP): 452x452x1061 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 2

Kit per Party 90:

- KTPAR3490L1V-1 Vie
- KTPAR3490L2V-2 Vie
- KTPAR3490L3V-3 Vie
- KTPAR3490L4V-4 Vie

Imballo singolo

Peso: 61 Kg
 Dimensioni (LxAxP): 562x562x1206 mm
 Dimensioni pallet: 800x1200 mm
 Quantità per pallet: 4
 Kit raccordi, serpentine, colonna e riduttore non inclusi

Specs and Options

- Cases in Skin Plate
- With Eco-Friendly R290 Gas

Kit for Party 60:

- KTPAR1260L1V-1 Line
- KTPAR1260L2V-2 Lines
- KTPAR1260L3V-3 Lines
- KTPAR1260L4V-4 Lines

Single packaging

Weight: 54 Kg
 Dimensions (LxHxW): 452x452x1061 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 2

Kit for Party 90:

- KTPAR3490L1V-1 Line
- KTPAR3490L2V-2 Lines
- KTPAR3490L3V-3 Lines
- KTPAR3490L4V-4 Lines



Single packaging

Weight: 61 Kg
 Dimensions (LxHxW): 562x562x1206 mm
 Size of pallet: 800x1200 mm
 No. of units per pallet: 4
 Fittings kit, coils, tower and CO2 regulator not included

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
PAR1260 LR2*	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	4	✓	
PAR190 LPR2*	Skin Plate	1HP	78 l	36 kg	228 l/h	4	✓	

*Pompa di ricircolo da 8m inclusa/Recirculation pump model riv. 8 included


02 UNITA' BANCO



Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Sistema raffreddamento Cooling system	Capacità erogazione Dispensing capability	Prezzi Prices
30.18388*	Ferro Zincato Galvanized iron	1/4 HP	18 l	Banco ghiaccio Ice bank	40 l/h	

*Serpentine non incluse/Coils not included.

03 LUX



N11986 N11988

L	122	140
---	-----	-----

Codice Code	Materiale piano Top material	Materiale pannelli Side panel material	Materiale base Base material	Carrozzeria Housing	Prezzi Prices
N11986	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	
N11988	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	

04 BANCO CICO




Codice Code	Materiale piano Top material	Materiale pannelli Side panel material	Materiale base Base material	Carrozzeria Housing	Prezzi Prices
14646	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	

05 MOBILE BASE



Codice Code	Materiale Material	Descrizione Description	Prezzi Prices
N27776	Acciaio Inox Stainless steel	Mobile base per dispenser cm 50x65x95h (con ruote cm 103h) Base mobile dispenser cm 50x65x95h (with wheels cm 103h)	
N700406		Kit ruote Wheel kit	
N28534	Acciaio Inox Stainless steel	Mobile base per dispenser cm 50x65x80h (compreso di ruote) Base mobile dispenser cm 50x65x80h (wheels included)	

06 ELEGANCE LEGNO



Codice Code	Materiale piano Top material	Materiale pannelli Side panel material	Materiale base Base material	Prezzi Prices
040694	Acciaio Inox Stainless steel	Legno Wood	Alluminio Aluminium	






REFRIGERATORI SOPRABANCO

OVER COUNTER COOLERS



LED
ILLUMINATION

01 JIMMY



Specifiche e Opzioni

- Evaporatore in inox (optional in rame)

Imballo singolo

Peso: 25 Kg

Dimensioni (LxAxP): 486x486x836 mm

Dimensioni pallet: 800x1200 mm

Quantità per pallet: 4

Specs and Options

- Stainless steel evaporator (in copper as optional)

Single packaging

Weight: 25 Kg


Dimensions (LxHxW): 486x486x836 mm

Size of pallet: 800x1200 mm

No. of units per pallet: 4

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Prezzi Prices
30.18389	Acciaio Inox/Plastica Stainless steel/plastic	1/8 HP	6 l	3 kg	18 l/h	1	
30.18390	Acciaio Inox/Plastica Stainless steel/plastic	1/8 HP	6 l	3 kg	18 l/h	2	

02 NEPTUN BIRRA



Rubinetti, kit raccorderia e serpentine non inclusi/
Taps, fittings and coils not included

Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Gas Eco-Friendly R290**
- Evaporatore in inox (optional in rame)
- Vasca stampata con tecnologia in rotazionale
- Isolamento della vasca in ISOTECH PLUS
- Termostato meccanico
- Sistema di raffreddamento a banco ghiaccio
- Rubinetti frontali o laterali

Kit raccorderia e serpentine

Cod. 041792 - kit 1 via frontale
Cod. 041853 - kit 1 via laterale
Cod. 041791 - kit 2 vie frontale
Cod. 041738 - kit 2 vie laterale
Cod. 041764 - kit 3 vie frontale
Cod. 041891 - kit 3 vie laterale

Specs and Options


- **Isotech**
- **Rotomoulded technology**
- **With Eco-Friendly R290 Gas**
- Evaporator in stainless steel (or in copper)
- Water bank realized with roto moulded plastic technology
- Tank insulated with ISOTECH PLUS
- Mechanical thermostat
- Ice bank cooling system
- Frontal or lateral taps

Fittings and coils kit

Cod. 041792 - 1 Frontal line kit
Cod. 041853 - 1 Lateral line kit
Cod. 041791 - 2 Frontal lines kit
Cod. 041738 - 2 Lateral lines kit
Cod. 041764 - 3 Frontal lines kit
Cod. 041891 - 3 Lateral lines kit

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Prezzi Prices
NPTB 1414PR2	Acciaio Inox Stainless steel	1/4 HP	14 l	8 kg	60 l/h	3	

03 SILVER



Rubinetti non inclusi/Taps not included

Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Gas Eco-Friendly R290**
- Vasca stampata con tecnologia in rotazionale
- Isolamento della vasca in ISOTECH PLUS
- Termostato meccanico
- Sistema di raffreddamento a banco ghiaccio

Kit serpentine e raccogli gocce

Cod. 041870 - kit serpentine 1 via

Cod. 041871 - kit serpentine 2 vie

Cod. 041872 - kit serpentine 3 vie

Specs and Options

- **Isotech**
- **Rotomoulded technology**
- **With Eco-Friendly R290 Gas**
- Water bank realized with roto moulded plastic technology
- Tank insulated with ISOTECH PLUS
- Mechanical thermostat
- Ice bank cooling system

Coils and drip tray kit


Cod. 041870 - Drip tray kit 1 line

Cod. 041871 - Drip tray kit 2 lines

Cod. 041872 - Drip tray kit 3 lines

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Prezzi Prices
SIL1330 LP	Skin Plate	1/3 HP	26 l	14 kg	84 l/h	3	

04 DRY EASY



	Dry 25	Dry 40	Dry 70
L	270	300	300
L2	480	530	530
H	340	450	450

Rubinetti e raccogli gocce inclusi. Riduttore di pressione integrato/Taps and drip trays included. Integrated pressure regulator.

Specifiche e Opzioni


- **Gas Eco-Friendly R290**
- Termostato meccanico
- Sistema di raffreddamento a secco
- Riduttore di pressione integrato

Specs and Options

- **With Eco-Friendly R290 Gas**
- Mechanical thermostat
- Dry cooling system
- Integrated pressure regulator

Codice Code	Materiale Material	Compressore Compressor	Fusione in alluminio Die-cast aluminium	Prestazione Max Performance Max	N° Vie N° of coils	Prezzi Prices
N27630	Acciaio Inox Stainless steel	1/6 HP	✓	25 l/h	1	
N27600	Acciaio Inox Stainless steel	1/5 HP	✓	40 l/h	1	
N27603	Acciaio Inox Stainless steel	1/3 HP	✓	70 l/h	2	

05 ARTIC MINI



Colonna e kit raccorderia non inclusi/Tower fittings and coils not included.

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Gas Eco-Friendly R290

Kit raccorderia e serpentine

Cod. 042206 - kit 1 via
Cod. 042202 - kit 2 vie

Specs and Options


- Isotech
- Rotomoulded technology
- With Eco-Friendly R290 Gas

Fittings and coils kit

Cod. 042206 - Kit 1 line
Cod. 042202 - Kit 2 lines

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Prezzi Prices
ARCM 1518LSL	Acciaio Inox Stainless steel	1/5 HP	18 l	5 kg	65 l/h	2	

06 DRY TOP



	Dry Top 20	Dry Top 30	Dry Top 60
L	182	225	245
H	200	275	288
H1	340	426	438
H2	384	470	482

Rubinetti e raccogli gocce inclusi
Taps and drip tray included

Specifiche e Opzioni

- **Gas Eco-Friendly R290**
- Termostato meccanico
- Sistema di raffreddamento a secco
- Compressore aria a secco integrato

Specs and Options

- **With Eco-Friendly R290 Gas**
- Mechanical thermostat
- Dry cooling system
- Integrated dry air compressor

Codice Code	Materiale Material	Compressore Compressor	Fusione in alluminio Die-cast aluminium	Prestazione Max Performance Max	N° Vie N° of coils	Prezzi Prices
CNDR 18KR2	Acciaio Inox Stainless steel	1/8 HP	✓	20 l/h	1	
CNDR 15KR2	Acciaio Inox Stainless steel	1/5 HP	✓	30 l/h	2	
CNDR 13KR2	Acciaio Inox Stainless steel	1/3 HP	✓	60 l/h	2	





**IMPIANTI
GLICOLE
BIRRA**

**GLYCOLE
COOLERS**



**LED
ILLUMINATION**

EVOLUTION ICE



PRINCESS ICE



SETA ICE



VIPER ICE



FENICE ICE



GRIFONE ICE



Codice Code	Descrizione Description	Prezzi Prices
EV1CR588ICE	Colonna Evolution Ice Tower Evolution Ice	
PRS1CR588ICE	Colonna Princess Ice Tower Princess Ice	
ST1CR588ICE	Colonna Seta Ice Tower Seta Ice	
008625/010396	Colonna Viper Ice Tower Viper Ice	
008414/008420	Colonna Fenice Ice Tower Fenice Ice	
014035	Colonna Grifone Ice Tower Grifone Ice	



*Include 2 serpentine/2 coils included.



