1.0
BIRRA BEER

COLONNE PREMIX
PREMIX TOWERS 22

		VIA/LINES 1	2	3	MULTIVIA	GLICOLE GLYCOLE	
01	AGGRESSIVE	◆					23
02	FENICE	◆					24
03	SGANG LUMINOSA	◆					25
04	SETA	◆					26
04	SETA LUMINOSA	◆					27
05	QUADRA	◆					28
06	TEXAS	◆					29
07	BABY VIPER	◆					30
08	BABY PRINCESS	◆					31
09	MINI TWICE	◆					32
10	TWICE	◆					33
11	ZEN	◆					34
12	RAMSES	◆					35
13	NELSON	◆					36
14	WINDSOR	◆					37
15	SAX	◆					38
16	SOLO WOOD **NEW**	◆					39
17	ALLEGRA		◆				43
18	GRIFONE		◆				44
19	SKY			◆			47
20	VIPER			◆			46
21	FLAME	◆					47
22	PRINCESS	◆					48
23	PRINCESS LUMINOSA	◆					49
24	EVOLUTION	◆					50
25	NEW ECO				◆		53
26	NEW ECO LUMINOSA				◆		54
27	BRIDGE				◆		55
28	BRAMANTE				◆		56
29	PERUGINO				◆		57
30	PIGALLE				◆		58
31	PIGALLE LUMINOSA				◆		59
32	TIMONE				◆		60
33	OAKLIN **NEW**				◆		61
34	AXIS **NEW**				◆		62
35	KAIA **NEW**				◆		63
36	NEXA **NEW**				◆		64
37	PINTURICCHIO **NEW**				◆		65
38	EVOLUTION ICE					◆	67
39	PRINCESS ICE					◆	68
40	SETA ICE					◆	69
41	VIPER ICE					◆	70
42	FIESTA M					◆	71

BIRRA BEER

REFRIGERATORI SOTTOBANCO
UNDER COUNTER COOLERS 72

01	FOX 20	73
02	IGLOO 28	74
03	SMART 36 LT RIBASSATO	75
04	SMART 36 VERTICALE	76
05	JET 55	77
06	BETA 60	78
07	MIGNOLO 60	79
08	TROPICAL 60	80
09	MAGO 90	81
10	TROPICAL 90	82
11	BIG 120	83
12	MONSTER 165	84
13	REVERSIBILE 36	85
14	REVERSIBILE 60	86
15	REVERSIBILE 90	87
16	REVERSIBILE 120	88

REFRIGERATORI MOBILI
MOBILE COUNTER COOLERS 90

01	PARTY 60 E 90	91
02	UNITA' BANCO	92
03	BANCO CICO	93
04	MOBILE BASE	94
05	ELEGANCE LEGNO	95

REFRIGERATORI SOPRABANCO
OVER COUNTER COOLERS 98

01	NEPTUN BIRRA	99
02	DRY EASY	100
03	ARTIC MINI	101

IMPIANTI GLICOLE BIRRA
GLYCOLE COOLERS 102

	EVOLUTION ICE/ PRINCESS ICE/ SETA ICE/ GRIFONE ICE	103
	FOX/ IGLOO/ SMART 36	104




1 VIE
1 LINES
COLONNE PREMIX
PREMIX TOWERS

Led

LED ILLUMINATION

01 AGGRESSIVE

Led





Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, su richiesta tubi prodotti in acciaio inox in differenti diametri. Medaglione luminoso monofacciale LED integrato. Versione condensata su richiesta. Colori e personalizzazioni (anche per pomello) disponibili su richiesta (lotto minimo 50 pz.). Lente 3D/placca termoformata esclusa.

Specs and Options


Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination included. Available as condensate. Different colours and customization (also for handle) on request (min. order quantity 50 pcs.). 3D Lens/ Lens with flat thermoformed plate excluded.

Codice Code	**Materiale** Material	**Luminosa** Illuminated	**N° vie** N° lines	**Filetto** Thread size	**Tubo alim. ø (mm)** Prod. line ø (mm)	**Prezzi** Prices
AGG1W 588	**Vitreus**	✓	1	5/8"	8	

02 FENICE



Led



Specifiche e Opzioni

Tubo e ricircolo in plastica inclusi.
Possibilità di personalizzazione logo.
Disponibile in diversi colori su richiesta.
Lente e trasformatore inclusi.


Specs and Options

Plastic tube and recirculation included.
Available also with branded logo.
Colored versions available upon request.
Lens and transformer included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
12304	**Alluminio nero** Black alluminium	✓	1	5/8”	8	

03 SGANG LUMINOSA

Led





Specifiche e Opzioni


Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotto in plastica, su richiesta tubi prodotti in acciaio inox in differenti diametri.
Medaglione luminoso monofacciale LED integrato.
Versione condensata su richiesta.
Colori e personalizzazioni (anche per pomello) disponibili su richiesta (lotto minimo 50 pz.).
Lente 3D/placca termoformata esclusa.

Specs and Options

Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.
LED illumination included.
Available as condensate. Different colours and customization (also for handle) on request (min. order quantity 50 pcs.).
3D Lens/Lens with flat thermoformed plate excluded.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
SGN1CE 588	**Vitreus**	✓	1	5/8”	8	





Medaglioni/Badge Holders:
MDCR5880
MDCR5890
MDACR5890

Specifiche e Opzioni


Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ST1CR128	**Ottone Cromato Lucido** Polished chrome plated brass		1	1/2"	8	
ST1CR588	**Ottone Cromato Lucido** Polished chrome plated brass		1	5/8"	8	

Led





Medaglioni/Badge Holders:
MELU82ST
(Lente 3D e placche termoformate escluse/
3D lens and lens with flat thermoformed plate excluded)

Specifiche e Opzioni

Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta.

Specs and Options


Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ST1CR588LM	**Ottone Cromato Lucido** Polished chrome plated brass	✓	1	5/8"	8	

05 QUADRA



Led



Accessori/Accessories:
011030 (Tappo cromato
Chromed cap)

Specifiche e Opzioni

Illuminazione a LED. Ricircolo in plastica incluso.
Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta.

Specs and Options


LED illumination. Plastic recirculation included.
Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
QDR1IN588P	**Acciaio inox lucido** Polished stainless steel	✓	1	5/8”	8	

06 TEXAS



Led



Medaglioni/Badge Holders:
MECR80D
MECR90D

Specifiche e Opzioni

Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta.
Illuminazione LED su richiesta.


Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.
LED illumination available upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
MTX1INST128 (S)	**Acciaio inox satinato** Satin-finished stailess steel		1	1/2”	8	
MTX1INST588 (S)	**Acciaio inox satinato** Satin-finished stailess steel		1	5/8”	8	
TX1INST128 (M)	**Acciaio inox satinato** Satin-finished stailess steel		1	1/2”	8	
TX1INST588 (M)	**Acciaio inox satinato** Satin-finished stailess steel		1	5/8”	8	
MXTX1INST128 (Max)	**Acciaio inox satinato** Satin-finished stailess steel		1	1/2”	8	
MXTX1INST588 (Max)	**Acciaio inox satinato** Satin-finished stailess steel		1	5/8”	8	

07 BABY VIPER





Specifiche e Opzioni


Tubi alimentazione in plastica inclusi.
No ricircolo.
Possibilità di personalizzazione logo.

Specs and Options

Plastic tubes included.
No recirculation.
Branded logo upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
9067	**Ottone Cromato Lucido** Polished chrome plated brass		1	5/8"	8	

08 BABY PRINCESS





Specifiche e Opzioni

Tubi e ricircoli in plastica inclusi.

Specs and Options


Plastic tubes and recirculation included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
11433	**Ottone Cromato Lucido** Polished chrome plated brass		1	5/8"	8	

09 MINI TWICE







Medaglioni e morsetti
Badge holders and clamps: MDCR5880
MDCR5890 - MDG5880
MDG5890
MDACR5890
MDADR5890 - MRSTCR
MRSTDR

Specifiche e Opzioni

Tubo ricircolo non incluso. Tubi prodotto in acciaio inox in differenti diametri su richiesta.


Specs and Options

Recirculation tube not included. Recirculation pipe not included. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
MTW1CR128	**Ottone Cromato Lucido** Polished chrome plated brass		1	1/2"	8	
MTW1CR588	**Ottone Cromato Lucido** Polished chrome plated brass		1	5/8"	8	
MTW1OT128	**Ottone Dorato** Gold plated brass		1	1/2"	8	
MTW1OT588	**Ottone Dorato** Gold plated brass		1	5/8"	8	

10 TWICE





Medaglioni/Badge holders:
MDCR5880
MDCR5890
MDG5880
MDG5890
MDACR5890
MDADR5890

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
TW1CR128	**Ottone Cromato Lucido** Polished chrome plated brass		1	1/2"	8	
TW1CR588	**Ottone Cromato Lucido** Polished chrome plated brass		1	5/8"	8	
TW1OT128	**Ottone Dorato** Gold plated brass		1	1/2"	8	
TW1OT588	**Ottone Dorato** Gold plated brass		1	5/8"	8	





Medaglioni/Badge holders:
MDCR5880
MDCR5890
MDG5880
MDG5890
MDACR5890
MDADR5890


Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, tubi prodotto in acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ZN1CR128	**Ottone Cromato Lucido** Polished chrome plated brass		1	1/2"	8	
ZN1CR588	**Ottone Cromato Lucido** Polished chrome plated brass		1	5/8"	8	
ZN1ST 128	**Ottone Dorato** Gold plated brass		1	1/2"	8	
ZN1ST 588	**Ottone Dorato** Gold plated brass		1	5/8"	8	



Medaglioni e morsetti/Badge holders and clamps:
MDCR5880
MDCR5890
MDG5880
MDG5890
MDACR5890
MDADR5890
MRSTCR
MRSTDR



Specifiche e Opzioni

Tubo ricircolo non incluso.
Tubi prodotto in plastica e tubi prodotto acciaio inox in differenti diametri su richiesta.

Specs and Options


Recirculation pipe not included.
Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
RM1CR128	**Ottone Cromato Lucido** Polished chrome plated brass		1	1/2"	8	
RM1CR588	**Ottone Cromato Lucido** Polished chrome plated brass		1	5/8"	8	
RM1OT128	**Ottone Dorato** Gold plated brass		1	1/2"	8	
RM1OT588	**Ottone Dorato** Gold plated brass		1	5/8"	8	

13 NELSON



Led



Trasformatori/Trasformers:
010163 (15W)
010164 (30W)

Specifiche e Opzioni

Illuminazione a led. Tubo ricircolo non incluso.
Tubi prodotto in acciaio inox in differenti diametri su richiesta.


Specs and Options

Led illumination. Recirculation tube not included.
Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
NL1OTG12L8	**Ottone Dorato** Gold plated brass	✓	1	1/2"	8	

14 WINSOR







Specifiche e Opzioni

Raccogligocce in plastica incluso e pomello in ceramica nero. Fissaggio a morsetto.
Manopola in differenti colori su richiesta.

Specs and Options

Plastic drip tray and black porcelain handle included. Clamp on.
Handle in different colours upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Ricircolo Recirculation	Prezzi Prices
010662	**Ottone Dorato** Gold plated brass		1			
010662W	**Ottone Dorato** Gold plated brass		1		✓	
0106621	**Ottone Cromato** Chrome plated brass		1			
0106621W	**Ottone Cromato** Chrome plated brass		1		✓	



Specifiche e Opzioni


Tubo e ricircolo in plastica inclusi.
Rubinetto dorato incluso.

Specs and Options

Plastic tube and recirculation included.
Golden tap included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
3959	**Ottone Dorato** Gold plated brass		1	5/8"	9,5	

Led





NEW

Specifiche e Opzioni

Ricircolo in plastica incluso diametro esterno 3/8".
Tubi prodotto in plastica.

Specs and Options

Plastic recirculation included external diameter 3/8".
Product lines in plastic.


Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
SWD1IN588L	**Acciaio rivestito legno** Steel wood covered	✓	1	5/8"	✓	
SWD1IN588	**Acciaio rivestito legno** Steel wood covered		1	5/8"	✓	




2 VIE
2 LINES
COLONNE PREMIX
PREMIX
TOWERS

LED
ILLUMINATION

Led



1 Via/Line



2 Vie/Lines



Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o in acciaio inox. Tubi prodotto in plastica, su richiesta tubi prodotti in acciaio inox in differenti diametri. Versione condensata, colori e personalizzazioni (anche per pomello) su richiesta (lotto minimo 50 pz.) **Allegra luminosa: medaglione luminoso monofacciale LED integrato** (Lente 3D/placca termoformata esclusa).

Specs and Options


Plastic recirculation included. Copper or stainless steel recirculation upon request. Product line in plastic, stainless steel in various diameters upon request. Condensation, colours and customization (also for handle) available upon request (min. order quantity 50 pcs.) **Allegra illuminated: LED illuminated badge included** (3D Lens/Lens with flat thermoformed plate excluded).

Codice Code	**Materiale** Material	**Luminosa** Illuminated	**N° vie** N° lines	**Filetto** Thread size	**Tubo alim. ø (mm)** Prod. line ø (mm)	**Prezzi** Prices
ALL1VTM588	**Vitreous**	✓	1	5/8”	8	
ALL1VT588	**Vitreous**		1	5/8”	8	
ALL2VT588	**Vitreous**		2	5/8”	8	





Led



Specifiche e Opzioni

Tubi e ricircoli in plastica inclusi.
Possibilità di personalizzazione logo e illuminazione a LED.
Disponibile versione dorata e nera su richiesta.

Specs and Options

Plastic tubes and recirculation included.
Branded and LED illuminated logo upon request.
Golden and black version available upon request.


Codice Code	**Materiale** Material	**Luminosa** Illuminated	**N° vie** N° lines	**Filetto** Thread size	**Tubo alim ø (mm)** Prod. line ø (mm)	**Prezzi** Prices
12868	**Ottone Cromato Lucido** Polished chrome plated brass	✓	1	5/8"	8	
12868DR	**Ottone Cromato Lucido** Polished chrome plated brass	✓	2	5/8"	8	



3 VIE
3 LINES
COLONNE PREMIX
PREMIX TOWERS

Led
LED ILLUMINATION

Led





Medaglioni/Badge Holders:
MCCR180 - MCCR190

Specifiche e Opzioni


Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotto in plastica e tubi prodotto in acciaio inox in differenti diametri su richiesta.
Illuminazione LED su richiesta.

Specs and Options

Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.
LED lighting on request.

Codice Code	**Materiale** Material	**Luminosa** Illuminated	**N° vie** N° lines	**Filetto** Thread size	**Tubo alim. ø (mm)** Prod. line ø (mm)	**Prezzi** Prices
SKY3128	**Acciaio inox satinato** Satin-finished stainless steel		3	1/2”	8	
SKY3588	**Acciaio inox satinato** Satin-finished stainless steel		3	5/8”	8	





Specifiche e Opzioni


Tubi e ricircoli in plastica inclusi.
Possibilità di personalizzazione logo.

Specs and Options

Plastic tubes and recirculation included.
Branded logo upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
8622	**Ottone Cromato** Chrome plated brass		1	5/8”	8	
8629*	**Ottone Cromato** Chrome plated brass	✓	1	5/8”	8	
8616	**Ottone Cromato** Chrome plated brass		2	5/8”	8	
10487	**Ottone Dorato** Gold plated brass	✓	2	5/8”	8	
8618	**Ottone Cromato** Chrome plated brass		3	5/8”	8	
10488	**Ottone Cromato** Chrome plated brass	✓	3	5/8”	8	

*Con cladding luminoso/With luminous cladding.



	1 Via 1 Line	2 Vie 2 Lines	3 Vie 3 Lines
L	**65**	**65**	**106**
L1	**88**	**88**	**106**
LL	**83**	**93**	**137**
LL1	**83**	**83**	**87**
LLIN	**68**	**69**	**75**
H	**372**	**372**	**393**



Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Badge luminoso LED integrato. Finitura ottone dorato lucido su richiesta.


Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination included.Polished gold plated brass finish on request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
FLM1CR128	**Ottone Cromato Lucido** Polished chrome plated brass	✓	1	1/2”	8	
FLM1CR588	**Ottone Cromato Lucido** Polished chrome plated brass	✓	1	5/8”	8	
FLM2CR128	**Ottone Cromato Lucido** Polished chrome plated brass	✓	2	1/2”	8	
FLM2CR588	**Ottone Cromato Lucido** Polished chrome plated brass	✓	2	5/8”	8	
FLM3CR128	**Ottone Cromato Lucido** Polished chrome plated brass	✓	3	1/2”	8	
FLM3CR588	**Ottone Cromato Lucido** Polished chrome plated brass	✓	3	5/8”	8	



Medaglioni/Badge holders:
MDCR5880
MDCR5890
MDG5880
MDG5890
MDACR5890



Specifiche e Opzioni


Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
PRS1CR128	**Ottone Cromato Lucido** Polished chrome plated brass		1	1/2”	8	
PRS1CR588	**Ottone Cromato Lucido** Polished chrome plated brass		1	5/8”	8	
PRS2CR128	**Ottone Cromato Lucido** Polished chrome plated brass		2	1/2”	8	
PRS2CR588	**Ottone Cromato Lucido** Polished chrome plated brass		2	5/8”	8	
PRS3CR128	**Ottone Cromato Lucido** Polished chrome plated brass		3	1/2”	8	
PRS3CR588	**Ottone Cromato Lucido** Polished chrome plated brass		3	5/8”	8	
PRS1G128	**Ottone Dorato** Gold plated brass		1	1/2”	8	
PRS1G588	**Ottone Dorato** Gold plated brass		1	5/8”	8	
PRS2G128	**Ottone Dorato** Gold plated brass		2	1/2”	8	
PRS2G588	**Ottone Dorato** Gold plated brass		2	5/8”	8	
PRS3G128	**Ottone Dorato** Gold plated brass		3	1/2”	8	
PRS3G588	**Ottone Dorato** Gold plated brass		3	5/8”	8	

Led





Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.
Medaglione luminoso bifacciale LED Integrato
Lente 3D/Placche termoformate escluse.


Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.
Integrated LED double-sided illuminated badges (3D lenses / Thermoformed plates not included).

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
PRS1CR128L	**Ottone Cromato Lucido** Polished chrome plated brass	✓	1	1/2”	8	
PRS1CR588L	**Ottone Cromato Lucido** Polished chrome plated brass	✓	1	5/8”	8	
PRS2CR128L	**Ottone Cromato Lucido** Polished chrome plated brass	✓	2	1/2”	8	
PRS2CR588L	**Ottone Cromato Lucido** Polished chrome plated brass	✓	2	5/8”	8	
PRS3CR128L	**Ottone Cromato Lucido** Polished chrome plated brass	✓	3	1/2”	8	
PRS3CR588L	**Ottone Cromato Lucido** Polished chrome plated brass	✓	3	5/8”	8	
PRS1G128L	**Ottone Dorato** Gold plated brass	✓	1	1/2”	8	
PRS1G588L	**Ottone Dorato** Gold plated brass	✓	1	5/8”	8	
PRS2G128L	**Ottone Dorato** Gold plated brass	✓	2	1/2”	8	
PRS2G588L	**Ottone Dorato** Gold plated brass	✓	2	5/8”	8	
PRS3G128L	**Ottone Dorato** Gold plated brass	✓	3	1/2”	8	
PRS3G588L	**Ottone Dorato** Gold plated brass	✓	3	5/8”	8	



Led



	1 Via 1 Line	2 Vie 2 Lines	3 Vie 3 Lines
L	**65**	**65**	**106**
L1	**88**	**88**	**106**
LL	**83**	**93**	**137**
LL1	**83**	**83**	**87**
LLIN	**68**	**69**	**75**
H	**372**	**372**	**393**

Tappo cromo/Chrome cap: 010089

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. **Medaglione luminoso LED opzionale.** Finitura ottone dorato lucido su richiesta.

Specs and Options


Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. **LED illumination optional.** Polished gold plated brass finish on request.

Codice Code	**Materiale** Material	**Luminosa** Illuminated	**N° vie** N° lines	**Filetto** Thread size	**Tubo alim. ø (mm)** Prod. line ⌀ (mm)	**Prezzi** Prices
EV1CR128	**Ottone Cromato Lucido** Polished chrome plated brass		1	1/2"	8	
EV1CR588	**Ottone Cromato Lucido** Polished chrome plated brass		1	5/8"	8	
EV2CR128	**Ottone Cromato Lucido** Polished chrome plated brass		2	1/2"	8	
EV2CR588	**Ottone Cromato Lucido** Polished chrome plated brass		2	5/8"	8	
EV3CR128	**Ottone Cromato Lucido** Polished chrome plated brass		3	1/2"	8	
EV3CR588	**Ottone Cromato Lucido** Polished chrome plated brass		3	5/8"	8	



MULTIVIA
MULTILINES
COLONNE PREMIX
PREMIX TOWERS

LED
ILLUMINATION





	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L	**375**	**375**	**470**	**565**
H	**509**	**509**	**509**	**509**
IN	**127,5**	**95**	**95**	**95**

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o in acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Medaglioni inclusi.

Specs and Options


Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. Medallions included.

Codice Code	**Materiale** Material	**Luminosa** Illuminated	**N° vie** N° lines	**Filetto** Thread size	**Tubo alim. ø (mm)** Prod. line ø (mm)	**Prezzi** Prices
NECO3IN128M	**Acciaio Inox Lucido** Polished stainless steel		3	1/2"	8	
NECO3IN588M	**Acciaio Inox Lucido** Polished stainless steel		3	5/8"	8	
NECO4IN128M	**Acciaio Inox Lucido** Polished stainless steel		4	1/2"	8	
NECO4IN588M	**Acciaio Inox Lucido** Polished stainless steel		4	5/8"	8	
NECO5IN128M	**Acciaio Inox Lucido** Polished stainless steel		5	1/2"	8	
NECO5IN588M	**Acciaio Inox Lucido** Polished stainless steel		5	5/8"	8	
NECO6IN128M	**Acciaio Inox Lucido** Polished stainless steel		6	1/2"	8	
NECO6IN588M	**Acciaio Inox Lucido** Polished stainless steel		6	5/8"	8	

26 NEW ECO LUMINOSA



Led



	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L	**375**	**375**	**470**	**565**
H	**509**	**509**	**509**	**509**
IN	**127,5**	**95**	**95**	**95**

Specifiche e Opzioni

Ricircolo in plastica incluso.
A richiesta ricircolo in rame o in acciaio inox.
Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.
Medaglioni luminosi bifacciali LED integrati (Lenti 3D/Placche termoformate escluse).

Specs and Options


Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.
Integrated LED double-sided illuminated badges (3D lenses/Thermoformed plates not included).

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
NECO3IN128L	**Acciaio Inox Lucido** Polished stainless steel	✓	3	1/2”	8	
NECO3IN588L	**Acciaio Inox Lucido** Polished stainless steel	✓	3	5/8”	8	
NECO4IN128L	**Acciaio Inox Lucido** Polished stainless steel	✓	4	1/2”	8	
NECO4IN588L	**Acciaio Inox Lucido** Polished stainless steel	✓	4	5/8”	8	
NECO5IN128L	**Acciaio Inox Lucido** Polished stainless steel	✓	5	1/2”	8	
NECO5IN588L	**Acciaio Inox Lucido** Polished stainless steel	✓	5	5/8”	8	
NECO6IN128L	**Acciaio Inox Lucido** Polished stainless steel	✓	6	1/2”	8	
NECO6IN588L	**Acciaio Inox Lucido** Polished stainless steel	✓	6	5/8”	8	

27 BRIDGE

Led





Medaglioni/Badge Holders:
MCCR180G
MCCR190G
MCG180G
MCG190G

	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
IN	**100**	**90**	**72**
L	**400**	**450**	**450**
L2	**400**	**450**	**450**
L3	**700**	**750**	**750**

Specifiche e Opzioni

Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotti in plastica e tubi prodotti in acciaio inox
In differenti diametri su richiesta.
Medaglioni luminosi LED opzionali.

Specs and Options

Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.
LED illumination optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
BD4CR128	**Ottone Cromo Lucido** Polished chrome plated brass		4	1/2”	8	
BD4CR588	**Ottone Cromo Lucido** Polished chrome plated brass		4	5/8”	8	
BD5CR128	**Ottone Cromo Lucido** Polished chrome plated brass		5	1/2”	8	
BD5CR588	**Ottone Cromo Lucido** Polished chrome plated brass		5	5/8”	8	
BD6CR128	**Ottone Cromo Lucido** Polished chrome plated brass		6	1/2”	8	
BD6CR588	**Ottone Cromo Lucido** Polished chrome plated brass		6	5/8”	8	
BD4ST128	**Ottone Cromo Satinato** Satin-finished chrome plated brass		4	1/2”	8	
BD4ST588	**Ottone Cromo Satinato** Satin-finished chrome plated brass		4	5/8”	8	
BD5ST128	**Ottone Cromo Satinato** Satin-finished chrome plated brass		5	1/2”	8	
BD5ST588	**Ottone Cromo Satinato** Satin-finished chrome plated brass		5	5/8”	8	
BD6ST128	**Ottone Cromo Satinato** Satin-finished chrome plated brass		6	1/2”	8	
BD6ST588	**Ottone Cromo Satinato** Satin-finished chrome plated brass		6	5/8”	8	


28 BRAMANTE



Led

	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L	**378**	**968**	**978**
L1	**608**	**718**	**828**

Medaglioni/Badge Holders:
MECR80D
MECR90D
MEG80D
MEG90D



Specifiche e Opzioni


Disponibile piede a destra o piede a sinistra.
Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.
Medaglione luminoso LED opzionale.
Finiture in acciaio inox lucido e in acciaio inox ramato antico su richiesta.

Specs and Options


Available with right or left leg, to be specified at the moment of order. Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand**.**
LED illumination upon request.
Polished stainless steel and old copper stainless steel finishes on request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
BRM4128	**Acciaio Inox Satinato** Satin-finished stainless steel		4	1/2”	8	
BRM4588	**Acciaio Inox Satinato** Satin-finished stainless steel		4	5/8”	8	
BRM5128	**Acciaio Inox Satinato** Satin-finished stainless steel		5	1/2”	8	
BRM5588	**Acciaio Inox Satinato** Satin-finished stainless steel		5	5/8”	8	
BRM6128	**Acciaio Inox Satinato** Satin-finished stainless steel		6	1/2”	8	
BRM6588	**Acciaio Inox Satinato** Satin-finished stainless steel		6	5/8”	8	
BRM4RA128	**Acciaio Inox Ramato Satinato** Satin copper plated stainless steel		4	1/2”	8	
BRM4RA588	**Acciaio Inox Ramato Satinato** Satin copper plated stainless steel		4	5/8”	8	
BRM5RA128	**Acciaio Inox Ramato Satinato** Satin copper plated stainless steel		5	1/2”	8	
BRM5RA588	**Acciaio Inox Ramato Satinato** Satin copper plated stainless steel		5	5/8”	8	
BRM6RA128	**Acciaio Inox Ramato Satinato** Satin copper plated stainless steel		6	1/2”	8	
BRM6RA588	**Acciaio Inox Ramato Satinato** Satin copper plated stainless steel		6	5/8”	8	

29 PERUGINO



Led



Medaglioni/Badge Holders:
MECR80D
MECR90D
MEG80D
MEG90D

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. **Medaglione luminoso LED opzionale.** Finiture in acciaio inox lucido e in acciaio inox ramato antico su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.
Optional LED illumination. Polished stainless steel and old copper stainless steel finishes upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
PER4128	**Acciaio Inox Satinato** Satin-finished stainless steel		4	1/2”	8	
PER4588	**Acciaio Inox Satinato** Satin-finished stainless steel		4	5/8”	8	
PER5128	**Acciaio Inox Satinato** Satin-finished stainless steel		5	1/2”	8	
PER5588	**Acciaio Inox Satinato** Satin-finished stainless steel		5	5/8”	8	
PER6128	**Acciaio Inox Satinato** Satin-finished stainless steel		6	1/2”	8	
PER6588	**Acciaio Inox Satinato** Satin-finished stainless steel		6	5/8”	8	
PER4RA128	**Acciaio Inox Ramato Satinato** Satin copper plated stainless steel		4	1/2”	8	
PER4RA588	**Acciaio Inox Ramato Satinato** Satin copper plated stainless steel		4	5/8”	8	
PER5RA128	**Acciaio Inox Ramato Satinato** Satin copper plated stainless steel		5	1/2”	8	
PER5RA588	**Acciaio Inox Ramato Satinato** Satin copper plated stainless steel		5	5/8”	8	
PER6RA128	**Acciaio Inox Ramato Satinato** Satin copper plated stainless steel		6	1/2”	8	
PER6RA588	**Acciaio Inox Ramato Satinato** Satin copper plated stainless steel		6	5/8”	8	





	3 Vie 3 Lines	5 Vie 5 Lines	7 Vie 7 Lines
L	**445**	**600**	**680**
IN	**165**	**100**	**102.5**
IN1	**-**	**135**	**90**

Medaglioni/Badge Holders:
MECR80D
MECR90D
MEG80D
MEG90D

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° Piedi N° Piedi	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
PG1CR128	**Ottone Cromato Lucido** Polished chrome plated brass		1	1	1/2”	8	
PG1CR588	**Ottone Cromato Lucido** Polished chrome plated brass		1	1	5/8”	8	
PG3CR128	**Ottone Cromato Lucido** Polished chrome plated brass		1	3	1/2”	8	
PG3CR588	**Ottone Cromato Lucido** Polished chrome plated brass		1	3	5/8”	8	
PG5CR128	**Ottone Cromato Lucido** Polished chrome plated brass		1	5	1/2”	8	
PG5CR588	**Ottone Cromato Lucido** Polished chrome plated brass		1	5	5/8”	8	
PG7CR128	**Ottone Cromato Lucido** Polished chrome plated brass		2	7	1/2”	8	
PG7CR588	**Ottone Cromato Lucido** Polished chrome plated brass		2	7	5/8”	8	
PG1OT128	**Ottone Dorato** Gold plated brass		1	1	1/2”	8	
PG1OT588	**Ottone Dorato** Gold plated brass		1	1	5/8”	8	
PG3OT128	**Ottone Dorato** Gold plated brass		1	3	1/2”	8	
PG3OT588	**Ottone Dorato** Gold plated brass		1	3	5/8”	8	
PG5OT128	**Ottone Dorato** Gold plated brass		1	5	1/2”	8	
PG5OT588	**Ottone Dorato** Gold plated brass		1	5	5/8”	8	
PG7OT128	**Ottone Dorato** Gold plated brass		2	7	1/2”	8	
PG7OT588	**Ottone Dorato** Gold plated brass		2	7	5/8”	8	





	3 Vie 3 Lines	5 Vie 5 Lines	7 Vie 7 Lines
L	**445**	**600**	**680**
IN	**165**	**100**	**102.5**
IN1	**-**	**135**	**90**

Medaglioni/Badge Holders:
MECR80D
MECR90D
MEG80D
MEG90D

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.
Medaglioni luminosi bifacciali LED integrati (Lenti 3D/ Placche termoformate escluse).

Specs and Options


Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination included. (3D Lens/Lens with flat thermoformed plate on demand).

Codice Code	Materiale Material	Luminosa Illuminated	N° Piedi N° Piedi	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
PG1CR128L	**Ottone Cromato Lucido** Polished chrome plated brass		1	1	1/2”	8	
PG1CR588L	**Ottone Cromato Lucido** Polished chrome plated brass		1	1	5/8”	8	
PG3CR128L	**Ottone Cromato Lucido** Polished chrome plated brass		1	3	1/2”	8	
PG3CR588L	**Ottone Cromato Lucido** Polished chrome plated brass		1	3	5/8”	8	
PG5CR128L	**Ottone Cromato Lucido** Polished chrome plated brass		1	5	1/2”	8	
PG5CR588L	**Ottone Cromato Lucido** Polished chrome plated brass		1	5	5/8”	8	
PG7CR128L	**Ottone Cromato Lucido** Polished chrome plated brass		2	7	1/2”	8	
PG7CR588L	**Ottone Cromato Lucido** Polished chrome plated brass		2	7	5/8”	8	
PG1OT128L	**Ottone Dorato** Gold plated brass		1	1	1/2”	8	
PG1OT588L	**Ottone Dorato** Gold plated brass		1	1	5/8”	8	
PG3OT128L	**Ottone Dorato** Gold plated brass		1	3	1/2”	8	
PG3OT588L	**Ottone Dorato** Gold plated brass		1	3	5/8”	8	
PG5OT128L	**Ottone Dorato** Gold plated brass		1	5	1/2”	8	
PG5OT588L	**Ottone Dorato** Gold plated brass		1	5	5/8”	8	
PG7OT128L	**Ottone Dorato** Gold plated brass		2	7	1/2”	8	
PG7OT588L	**Ottone Dorato** Gold plated brass		2	7	5/8”	8	

32 TIMONE



Led



Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Medaglioni in ottone cromato diametro 80 mm inclusi. **Medaglioni luminosi LED optional.**

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation available upon request. Product lines in plastic or stainless steel in different diameters on demand. 80 mm Chrome badge holders included. **LED illumination optional.**

Codice Code	**Materiale** Material	**Luminosa** Illuminated	**N° vie** N° lines	**Filetto** Thread size	**Tubo alim. ø (mm)** Prod. line ⌀ (mm)	**Prezzi** Prices
CTBS128	**Acciaio Inox Lucido e Satinato/Alluminio** Polished and Satin-finished stainless steel/Aluminium		5	1/2”	8	
CTBS588	**Acciaio Inox Lucido e Satinato/Alluminio** Polished and Satin-finished stainless steel/Aluminium		5	5/8”	8	


33 OAKLIN

NEW

Led







	3 Vie 3 Lines	**4 Vie** 4 Lines	**5 Vie** 5 Lines
L	**401**	**501**	**501**

Specifiche e Opzioni

Ricircolo in plastica incluso diametro esterno 5/16”.
Tubi prodotto in plastica.

Specs and Options

Plastic recirculation included external diameter 5/16”.
Product lines in plastic.


Codice Code	**Materiale** Material	**Luminosa** Illuminated	**N° vie** N° lines	**Filetto** Thread size	**Tubo alim. ø (mm)** Prod. line ⌀ (mm)	**Prezzi** Prices
OAK3IN588L	**Legno di quercia chiaro illuminato** Light oak illuminated	✓	3	5/8”	✓	
OAK3IN588	**Legno di quercia chiaro** Light oak		3	5/8”	✓	
OAK4IN588L	**Legno di quercia chiaro illuminato** Light oak illuminated	✓	4	5/8”	✓	
OAK4IN588	**Legno di quercia chiaro** Light oak		4	5/8”	✓	
OAK5IN588L	**Legno di quercia chiaro illuminato** Light oak illuminated	✓	5	5/8”	✓	
OAKIN588	**Legno di quercia chiaro** Light oak		5	5/8”	✓	

34 AXIS

NEW



Led



	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines
L	**455**	**595**	**640**

Specifiche e Opzioni

Ricircolo in plastica incluso diametro esterno 5/16"".
Tubi prodotto in plastica.

Specs and Options

Plastic recirculation included external diameter 5/16".
Product lines in plastic.


Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
AX3IN588L	**Acciaio Inox Spazzolato** Brushed stainless steel	✓	3	5/8"	✓	
AX3IN588	**Acciaio Inox Spazzolato** Brushed stainless steel		3	5/8"	✓	
AX4IN588L	**Acciaio Inox Spazzolato** Brushed stainless steel	✓	4	5/8"	✓	
AX4IN588	**Acciaio Inox Spazzolato** Brushed stainless steel		4	5/8"	✓	
AX5IN588L	**Acciaio Inox Spazzolato** Brushed stainless steel	✓	5	5/8"	✓	
AX5IN588	**Acciaio Inox Spazzolato** Brushed stainless steel		5	5/8"	✓	

35 KAIA

NEW



Led



	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines
L	**390**	**602**	**602**

Specifiche e Opzioni

Ricircolo in plastica incluso diametro esterno 5/16".
Tubi prodotto in plastica.

Specs and Options

Plastic recirculation included external diameter 5/16".
Product lines in plastic.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
KAI3NE588L	**Acciaio Verniciato nero antracite** Black anthracite steel painted	✓	3	5/8"	✓	
KAI3NE588	**Acciaio Verniciato nero antracite** Black anthracite steel painted		3	5/8"	✓	
KAI4NE588L	**Acciaio Verniciato nero antracite** Black anthracite steel painted	✓	4	5/8"	✓	
KAI4NE588	**Acciaio Verniciato nero antracite** Black anthracite steel painted		4	5/8"	✓	
KAI5NE588L	**Acciaio Verniciato nero antracite** Black anthracite steel painted	✓	5	5/8"	✓	
KAI5NE588	**Acciaio Verniciato nero antracite** Black anthracite steel painted		5	5/8"	✓	

36 NEXA

NEW










Led



	3 Vie 3 Lines	5 Vie 5 Lines
L	**394**	**574**

Specifiche e Opzioni

Ricircolo in plastica incluso diametro esterno 5/16".
Tubi prodotto in plastica.

Specs and Options


Plastic recirculation included external diameter 5/16".
Product lines in plastic.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
NEX3IN588L	**Acciaio Inox Lucidato** Polished stainless steel	✓	3	5/8"	✓	
NEX5IN588L	**Acciaio Inox Lucidato** Polished stainless steel	✓	5	5/8"	✓	

NEW

Led





	2 Vie 2 Lines	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L	**270**	**420**	**555**	**690**	**840**

Disponibile su richiesta
Available upon request

Specifiche e Opzioni

Ricircolo in plastica incluso diametro esterno 5/16".
Tubi prodotto in plastica.

Specs and Options

Plastic recirculation included external diameter 5/16".
Product lines in plastic.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
01.PIU2NE588	**Acciaio verniciato nero antracite** Black anthracite steel painted	✓	2	5/8"	✓	**NEW**
01.PIU3NE588	**Acciaio verniciato nero antracite** Black anthracite steel painted	✓	3	5/8"	✓	**NEW**
01.PIU4NE588	**Acciaio verniciato nero antracite** Black anthracite steel painted	✓	4	5/8"	✓	**Disponibile su richiesta** Available upon request
01.PIU5NE588	**Acciaio verniciato nero antracite** Black anthracite steel painted	✓	5	5/8"	✓	**Disponibile su richiesta** Available upon request
01.PIU6NE588	**Acciaio verniciato nero antracite** Black anthracite steel painted	✓	6	5/8"	✓	**Disponibile su richiesta** Available upon request




GLICOLE
GLYCOLE
COLONNE
PREMIX
PREMIX
TOWERS

Led

LED
ILLUMINATION

38 EVOLUTION ICE

Led





Medaglioni/Badge Holders:
MEVCR180
MEVCR190

Specifiche e Opzioni

Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.
Medaglione luminoso LED opzionale.

Specs and Options


Product lines in plastic or stainless steel in different diameters on demand.
LED illumination optional.

Codice Code	**Materiale** Material	**Luminosa** Illuminated	**N° vie** N° lines	**Filetto** Thread size	**Tubo alim. ø (mm)** Prod. line ø (mm)	**Prezzi** Prices
EV1CR588ICE	**Ottone Cromato Lucido** Polished chrome plated brass		1	5/8"	8	

39 PRINCESS ICE



Led



Medaglioni/Badge Holders:
MDCR5880
MDCR5890
MDACR5890

Specifiche e Opzioni

Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.
Medaglione luminoso LED optional.

Specs and Options


Product lines in plastic or stainless steel in different diameters on demand.
LED illumination optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ⌀ (mm)	Prezzi Prices
PRS1CR588ICE	**Ottone Cromato Lucido** Polished chrome plated brass		1	5/8"	8	

40 SETA ICE



Led



Medaglioni/Badge Holders:
MCCR180
MCCR190

Specifiche e Opzioni

Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.
Medaglione luminoso LED opzionale.


Specs and Options

Product lines in plastic or stainless steel in different diameters on demand.
LED illumination optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ⌀ (mm)	Prezzi Prices
ST1CR588ICE	**Ottone Cromato Lucido** Polished chrome plated brass		1	5/8"	8	

41 VIPER ICE





Specifiche e Opzioni

Tubi prodotto in plastica.

Specs and Options

Product lines in plastic.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
008625	**Ottone Cromato** Chrome plated brass		1	5/8”	8	
010396*	**Ottone Cromato** Chrome plated brass	✓	1	5/8”	8	

*Include medaglione luminoso, kit inondazione e alimentatore/Double-sided luminous medallion+flooding kit included+power adaptor included.

42 FIESTA M



Escluso erogatore girevole.
Turning dispenser excluded.



Specifiche e Opzioni

Dispenser da tavolo. Capacità: 2l.
Altezza: 74cm.

Specs and Options

Table dispenser. Capacity: 2l.
Height: 74cm.


Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
010436	**Plastica** Plastic		1			



REFRIGERATORI SOTTOBANCO UNDER COUNTER COOLERS

Led

LED ILLUMINATION





Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Condensatore ad acqua**
- **Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 25 Kg
Dimensioni (LxAxP): 577x606x372 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 12

Specs and Options

- **Isotech**
- **Rotomoulded technology**
- **Condenser**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging
Weight: 25 Kg
Dimensions (LxHxW): 577x606x372 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 12

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Pompa ricircolo** Recirculation pump	**Prezzi** Prices
FX1420LP2TR2	**Skin Plate**	1/4 HP	23 l	12 kg	75 l/h			
FX1420LP2TR21V	**Skin Plate**	1/4 HP	23 l	12 kg	75 l/h	1	✓	
FX1420LP2TR22V	**Skin Plate**	1/4 HP	23 l	12 kg	75 l/h	2	✓	
FX1420LP2TR23V	**Skin Plate**	1/4 HP	23 l	12 kg	75 l/h	3	✓	
FX1420LH2OJGR2*	**Skin Plate**	1/4 HP	23 l	12 kg	75 l/h		✓	

* Con condensatore ad acqua/ With water condenser

02 IGLOO 28





*702mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 26 Kg
Dimensioni (LxAxP): 417x751x417 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 12


Specs and Options

- **Isotech**
- **Rotomoulded technology**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 26 Kg
Dimensions (LxHxW): 417x751x417 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 12

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Pompa ricircolo** Recirculation pump	**Prezzi** Prices
IGL2814P2TR2	**Skin Plate**	1/4 HP	24 l	12 kg	75 l/h			
IGL2814P2TR21V	**Skin Plate**	1/4 HP	24 l	12 kg	75 l/h	1	✓	
IGL2814P2TR22V	**Skin Plate**	1/4 HP	24 l	12 kg	75 l/h	2	✓	
IGL2814P2TR23V	**Skin Plate**	1/4 HP	24 l	12 kg	75 l/h	3	✓	
IGL2814P2TR24V	**Skin Plate**	1/4 HP	24 l	12 kg	75 l/h	4	✓	

03 SMART 36 LT RIBASSATO





*540mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Doppio termostato**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 31 Kg
Dimensioni (LxAxP): 462x662x636 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 8

Specs and Options


- **Isotech**
- **Rotomoulded technology**
- **Double thermostat**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 31 Kg
Dimensions (LxHxW): 462x662x636 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 8

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Pompa ricircolo** Recirculation pump	**Prezzi** Prices
ECOB1336LORP2	**Skin Plate**	1/3 HP	36 l	17 kg	106 l/h			
ECOB1336LORP21V	**Skin Plate**	1/3 HP	36 l	17 kg	106 l/h	1	✓	
ECOB1336LORP22V	**Skin Plate**	1/3 HP	36 l	17 kg	106 l/h	2	✓	
ECOB1336LORP23V	**Skin Plate**	1/3 HP	36 l	17 kg	106 l/h	3	✓	
ECOB1336LORP24V	**Skin Plate**	1/3 HP	36 l	17 kg	106 l/h	4	✓	
ECOB1336LORP25V	**Skin Plate**	1/3 HP	36 l	17 kg	106 l/h	5	✓	
ECOB1336LORP26V	**Skin Plate**	1/3 HP	36 l	17 kg	106 l/h	6	✓	

04 SMART 36 VERTICALE





*700 mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Doppio termostato**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 31 Kg
Dimensioni (LxAxP): 452x452x706 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 12


Specs and Options

- **Isotech**
- **Rotomoulded technology**
- **Double thermostat**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 31 Kg
Dimensions (LxHxW): 452x452x706 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 12

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Pompa ricircolo** Recirculation pump	**Prezzi** Prices
ECO1336LP2TR2	**Skin Plate**	1/3 HP	32 l	17 kg	106 l/h			
ECO1336LP2TR21V	**Skin Plate**	1/3 HP	32 l	17 kg	106 l/h	1	✓	
ECO1336LP2TR22V	**Skin Plate**	1/3 HP	32 l	17 kg	106 l/h	2	✓	
ECO1336LP2TR23V	**Skin Plate**	1/3 HP	32 l	17 kg	106 l/h	3	✓	
ECO1336LP2TR24V	**Skin Plate**	1/3 HP	32 l	17 kg	106 l/h	4	✓	
ECO1336LP2TR25V	**Skin Plate**	1/3 HP	32 l	17 kg	106 l/h	5	✓	
ECO1336LP2TR26V	**Skin Plate**	1/3 HP	32 l	17 kg	106 l/h	6	✓	

05 JET 55





Specifiche e Opzioni

- **Con Gas Eco-Friendly R290**

Su richiesta:
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 50 Kg
Dimensioni (LxAxP): 531x906x531 mm
Dimensioni pallet: 800x1100 mm
Quantità per pallet: 8

Specs and Options

- **With Eco-Friendly R290 Gas**


Available upon request:
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 50 Kg
Dimensions (LxHxW): 531x906x531 mm
Size of pallet: 800x1100 mm
No. of units per pallet: 8

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Pompa ricircolo** Recirculation pump	**Prezzi** Prices
13737	**Skin Plate**	1/2 HP	50 l	22 kg	92 l/h		✓	
13738	**Skin Plate**	1/2 HP	50 l	22 kg	92 l/h	1	✓	
13739	**Skin Plate**	1/2 HP	50 l	22 kg	92 l/h	2	✓	
13696	**Skin Plate**	1/2 HP	50 l	22 kg	92 l/h	3	✓	
13740	**Skin Plate**	1/2 HP	50 l	22 kg	92 l/h	4	✓	
13698	**Skin Plate**	1/2 HP	50 l	22 kg	92 l/h	5	✓	
13818	**Skin Plate**	1/2 HP	50 l	22 kg	92 l/h	6	✓	

06 BETA 60





Specifiche e Opzioni

- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.

Imballo singolo
Peso: 40 Kg
Dimensioni (LxAxP): 462x666x662 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 8


Specs and Options

- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.

Single packaging
Weight: 40 Kg
Dimensions (LxHxW): 462x666x662 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 8

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Pompa ricircolo** Recirculation pump	**Prezzi** Prices
BT1260LPR2TR2	**Plastica** Plastic	1/2 HP	42 l	22 kg	150 l/h			
BT1260LPR2TR21V	**Plastica** Plastic	1/2 HP	42 l	22 kg	150 l/h	1	✓	
BT1260LPR2TR22V	**Plastica** Plastic	1/2 HP	42 l	22 kg	150 l/h	2	✓	
BT1260LPR2TR23V	**Plastica** Plastic	1/2 HP	42 l	22 kg	150 l/h	3	✓	
BT1260LPR2TR24V	**Plastica** Plastic	1/2 HP	42 l	22 kg	150 l/h	4	✓	
BT1260LPR2TR25V	**Plastica** Plastic	1/2 HP	42 l	22 kg	150 l/h	5	✓	
BT1260LPR2TR26V	**Plastica** Plastic	1/2 HP	42 l	22 kg	150 l/h	6	✓	

07 MIGNOLO 60



***617mm (altezza con pompa/height with pump)**



Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Condensatore ad acqua**
- **Doppio termostato**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 40 Kg
Dimensioni (LxAxP): 662x666x462 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 8

Specs and Options

- **Isotech**
- **Rotomoulded technology**
- **Water condenser**
- **Double thermostat**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging
Weight: 40 Kg
Dimensions (LxHxW): 662x666x462 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 8

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Pompa ricircolo** Recirculation pump	**Prezzi** Prices
MIG1260LP2TR2	**Skin Plate**	1/2 HP	54 l	25 kg	150 l/h			
MIG1260LP2TR21V	**Skin Plate**	1/2 HP	54 l	25 kg	150 l/h	1	✓	
MIG1260LP2TR22V	**Skin Plate**	1/2 HP	54 l	25 kg	150 l/h	2	✓	
MIG1260LP2TR23V	**Skin Plate**	1/2 HP	54 l	25 kg	150 l/h	3	✓	
MIG1260LP2TR24V	**Skin Plate**	1/2 HP	54 l	25 kg	150 l/h	4	✓	
MIG1260LP2TR25V	**Skin Plate**	1/2 HP	54 l	25 kg	150 l/h	5	✓	
MIG1260LP2TR26V	**Skin Plate**	1/2 HP	54 l	25 kg	150 l/h	6	✓	
MIG1260LPH2OJGR2*	**Skin Plate**	1/2 HP	54 l	25 kg	150 l/h	-	-	

*Versione condensata ad acqua/Water condenser version.

08 TROPICAL 60





***670mm (altezza con pompa/height with pump)**

Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Condensatore ad acqua**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 42 Kg
Dimensioni (LxAxP): 462x726x662 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 8

Specs and Options

- **Isotech**
- **Rotomoulded technology**
- **Water condenser**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging
Weight: 42 Kg
Dimensions (LxHxW): 462x726x662 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 8

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Pompa ricircolo** Recirculation pump	**Prezzi** Prices
MIG5860LPCU*	**Skin Plate**	5/8 HP	54 l	25 kg	162 l/h	6		

*Condensatore Cu-Al/Cu-Al condenser.

09 MAGO 90





***625mm (altezza con pompa/height with pump)**

Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Condensatore ad acqua**
- **Doppio termostato**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 40 Kg
Dimensioni (LxAxP): 567x681x772 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 4

Specs and Options

- **Isotech**
- **Rotomoulded technology**
- **Water condenser**
- **Double thermostat**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging
Weight: 40 Kg
Dimensions (LxHxW): 567x681x772 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 4

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Pompa ricircolo** Recirculation pump	**Prezzi** Prices
MG1290LP2TR2	**Skin Plate**	1/2 HP	78 l	36 kg	206 l/h			
MG1290LP2TR21V	**Skin Plate**	1/2 HP	78 l	36 kg	206 l/h	1	✓	
MG1290LP2TR22V	**Skin Plate**	1/2 HP	78 l	36 kg	206 l/h	2	✓	
MG1290LP2TR23V	**Skin Plate**	1/2 HP	78 l	36 kg	206 l/h	3	✓	
MG1290LP2TR24V	**Skin Plate**	1/2 HP	78 l	36 kg	206 l/h	4	✓	
MG1290LP2TR25V	**Skin Plate**	1/2 HP	78 l	36 kg	206 l/h	5	✓	
MG1290LP2TR26V	**Skin Plate**	1/2 HP	78 l	36 kg	206 l/h	6	✓	
MG1290LP2TR27V	**Skin Plate**	1/2 HP	78 l	36 kg	206 l/h	7	✓	
MG1290LP2TR28V	**Skin Plate**	1/2 HP	78 l	36 kg	206 l/h	8	✓	
MG1290LPH2OJGR2*	**Skin Plate**	1/2 HP	78 l	36 kg	206 l/h			

*Versione condensata ad acqua/Water condenser version.

10 TROPICAL 90





*625mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Condensatore ad acqua**
- **Doppio termostato**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 45 Kg
Dimensioni (LxAxP): 567x681x772 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 4

Specs and Options

- **Isotech**
- **Rotomoulded technology**
- **Water condenser**
- **Double thermostat**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging
Weight: 45 Kg
Dimensions (LxHxW): 567x681x772 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 4

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Pompa ricircolo** Recirculation pump	**Prezzi** Prices
MG3490LPR2T2*	**Skin Plate**	3/4 HP	78 l	36 kg	229 l/h	8		

*Condensatore Cu-Al/Cu-Al condenser.

11 BIG 120





*694mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Doppio termostato**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 53 Kg
Dimensioni (LxAxP): 587x726x902 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 4

Specs and Options


- **Isotech**
- **Rotomoulded technology**
- **Double thermostat**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 53 Kg
Dimensions (LxHxW): 587x726x902 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 4

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Pompa ricircolo** Recirculation pump	**Prezzi** Prices
BG34120LPR2	**Skin Plate**	3/4 HP	115 l	50 kg	284 l/h	10		

12 MONSTER 165





***752mm (altezza con pompa/height with pump)**

Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 60 Kg
Dimensioni (LxAxP): 562x726x992 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 1


Specs and Options


- **Isotech**
- **Rotomoulded technology**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 60 Kg
Dimensions (LxHxW): 562x726x992 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 1

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Pompa ricircolo** Recirculation pump	**Prezzi** Prices
MN1651HPPDP	**Skin Plate**	1 HP	147 l	64 kg	392 l/h	10		

13 REVERSIBILE 36







Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 40 Kg
Dimensioni (LxAxP): 452x452x706 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 12


Specs and Options


- **Isotech**
- **Rotomoulded technology**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 40 Kg
Dimensions (LxHxW): 452x452x706 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 12

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Pompa ricircolo** Recirculation pump	**Prezzi** Prices
REV1336LPA	**Skin Plate**	1/3 HP	32 l	17 kg	106 l/h			







Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.


Imballo singolo
Peso: 60 Kg
Dimensioni (LxAxP): 562x726x992 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 1


Specs and Options

- **Isotech**
- **Rotomoulded technology**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 60 Kg
Dimensions (LxHxW): 562x726x992 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 1

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Pompa ricircolo** Recirculation pump	**Prezzi** Prices
REV1260LPA	**Skin Plate**	1/2 HP	54 l	25 kg	150 l/h	10		







Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 40 Kg
Dimensioni (LxAxP): 452x452x706 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 12

Specs and Options


- **Isotech**
- **Rotomoulded technology**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging
Weight: 40 Kg
Dimensions (LxHxW): 452x452x706 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 12

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Pompa ricircolo** Recirculation pump	**Prezzi** Prices
REV1290LPA	**Skin Plate**	1/2 HP	78 l	36 kg	206 l/h			

16 REVERSIBILE 120







Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Con Gas Eco-Friendly R290**
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 60 Kg
Dimensioni (LxAxP): 562x726x992 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 1

Specs and Options

- **Isotech**
- **Rotomoulded technology**
- **With Eco-Friendly R290 Gas**
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging
Weight: 60 Kg
Dimensions (LxHxW): 562x726x992 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 1

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Pompa ricircolo** Recirculation pump	**Prezzi** Prices
REV34120LPA	**Skin Plate**	3/4 HP	115 l	50 kg	280 l/h			



REFRIGERATORI MOBILI
MOBILE COUNTER COOLERS

LED
ILLUMINATION





Specifiche e Opzioni

• Carenatura in Skin Plate
• Con Gas Eco-Friendly R290

Kit per Party 60:
• KTPAR1260L1V-1 Via
• KTPAR1260L2V-2 Vie
• KTPAR1260L3V-3 Vie
• KTPAR1260L4V-4 Vie

Imballo singolo
Peso: 54 Kg
Dimensioni (LxAxP): 452x452x1061 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 2

Kit per Party 90:
• KTPAR3490L1V-1 Via
• KTPAR3490L2V-2 Vie
• KTPAR3490L3V-3 Vie
• KTPAR3490L4V-4 Vie

Imballo singolo
Peso: 61 Kg
Dimensioni (LxAxP): 562x562x1206 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 4
Kit raccordi, serpentine, colonna e riduttore non inclusi

Specs and Options

• Cases in Skin Plate
• With Eco-Friendly R290 Gas


Kit for Party 60:
• KTPAR1260L1V-1 Line
• KTPAR1260L2V-2 Lines
• KTPAR1260L3V-3 Lines
• KTPAR1260L4V-4 Lines


Single packaging
Weight: 54 Kg
Dimensions (LxHxW): 452x452x1061 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 2

Kit for Party 90:
• KTPAR3490L1V-1 Line
• KTPAR3490L2V-2 Lines
• KTPAR3490L3V-3 Lines
• KTPAR3490L4V-4 Lines

Single packaging
Weight: 61 Kg
Dimensions (LxHxW): 562x562x1206 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 4
Fittings kit, coils, tower and CO2 regulator not included

Codice Code	**Materiale** Material	**Descrizione** Description	**Prezzi** Prices
V100MITAR2	**Skin Plate**	V100 1/2 HP 60LT MOBILE r290 ita db	
V200MITAR2	**Skin Plate**	V200 3/4 Hp MOBILE r290 ITA db	





Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Sistema raffreddamento Cooling system	Capacità erogazione Dispensing capability	Prezzi Prices
12613*	**Ferro Zincato** Galvanized iron	1/4 HP	18 l	**Banco ghiaccio** Ice bank	40 l/h	

*Serpentine non incluse/Coils not included.



Codice Code	Materiale piano Top material	Materiale pannelli Side panel material	Materiale base Base material	Carrozzeria Housing	Prezzi Prices
14646	**Acciaio Inox** Stainless steel	**Acciaio Inox** Stainless steel	**Acciaio Inox** Stainless steel	**Acciaio Inox** Stainless steel	


04 MOBILE BASE




Codice Code	**Materiale** Material	**Descrizione** Description	**Prezzi** Prices
N27776-1	**Acciaio Inox** Stainless steel	**Mobile base per dispenser cm 50x65x95h (con ruote cm 103h)** Base mobile dispenser cm 50x65x95h (with wheels cm 103h)	
N28534	**Acciaio Inox** Stainless steel	**Mobile base per dispenser cm 50x65x80h (compreso di ruote)** Base mobile dispenser cm 50x65x80h (wheels included)	

05 ELEGANCE LEGNO





Codice Code	**Materiale piano** Top material	**Materiale pannelli** Side panel material	**Materiale base** Base material	**Prezzi** Prices
040894	**Acciaio Inox** Stainless steel	**Legno** Wood	**Alluminio** Aluminium	






REFRIGERATORI SOPRABANCO OVER COUNTER COOLERS

Led

LED ILLUMINATION





Rubinetti, kit raccorderia e serpentine non inclusi
Taps, fittings and coils not included

Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Gas Eco-Friendly R290**
- Evaporatore in inox (optional in rame)
- Vasca stampata con tecnologia in rotazionale
- Isolamento della vasca in ISOTECH PLUS
- Termostato meccanico
- Sistema di raffreddamento a banco ghiaccio
- Rubinetti frontali o laterali

Kit raccorderia e serpentine
Cod. 041792 - kit 1 via frontale
Cod. 041853 - kit 1 via laterale
Cod. 041791 - kit 2 vie frontale
Cod. 041738 - kit 2 vie laterale
Cod. 041764 - kit 3 vie frontale
Cod. 041891 - kit 3 vie laterale

Specs and Options


- **Isotech**
- **Rotomoulded technology**
- **With Eco-Friendly R290 Gas**
- Evaporator in stainless steel (or in copper)
- Water bank realized with roto moulded plastic technology
- Tank insulated with ISOTECH PLUS
- Mechanical thermostat
- Ice bank cooling system
- Frontal or lateral taps

Fittings and coils kit
Cod. 041792 - 1 Frontal line kit
Cod. 041853 - 1 Lateral line kit
Cod. 041791 - 2 Frontal lines kit
Cod. 041738 - 2 Lateral lines kit
Cod. 041764 - 3 Frontal lines kit
Cod. 041891 - 3 Lateral lines kit

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Prezzi** Prices
NPTB1414PR2	**Acciaio Inox** Stainless steel	1/4 HP	14 l	8 kg	60 l/h	3	

02 DRY EASY





Rubinetti e raccogligocce inclusi
Taps and drip tray included

	Dry Top 20	Dry Top 30	Dry Top 60
L	**182**	**225**	**245**
H	**200**	**275**	**288**
H1	**340**	**426**	**438**
H2	**384**	**470**	**482**

Specifiche e Opzioni


- **Gas Eco-Friendly R290**
- Termostato meccanico
- Sistema di raffreddamento a secco
- Compressore aria a secco integrato

Specs and Options

- **With Eco-Friendly R290 Gas**
- Mechanical thermostat
- Dry cooling system
- Integrated dry air compressor

Codice Code	**Materiale** Material	**Compressore** Compressor	**Fusione in alluminio** Die-cast aluminium	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Prezzi** Prices
CNDR18KR2VP	**Acciaio Inox** Stainless steel	1/8 HP	✓	20 l/h	1	
CNDR15KR2VP	**Acciaio Inox** Stainless steel	1/5 HP	✓	30 l/h	2	
CNDR13KR2VP	**Acciaio Inox** Stainless steel	1/3 HP	✓	60 l/h	2	

03 ARTIC MINI





Colonna e kit raccorderia non inclusi/Tower, fittings and coils not included.

Specifiche e Opzioni

- **Isotech**
- **Vasca in rotazionale**
- **Gas Eco-Friendly R290**

Kit raccorderia e serpentine
Cod. 042206 - kit 1 via
Cod. 042202 - kit 2 vie

Specs and Options

- **Isotech**
- **Rotomoulded technology**
- **With Eco-Friendly R290 Gas**

Fittings and coils kit
Cod. 042206 - Kit 1 line
Cod. 042202 - Kit 2 lines

Codice Code	**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**N° Vie** N° of coils	**Prezzi** Prices
ARCM1518L	**Acciaio Inox** Stainless steel	1/5 HP	18 l	5 kg	65 l/h	2	



IMPIANTI GLICOLE BIRRA GLYCOLE COOLERS

Led

LED ILLUMINATION



EVOLUTION ICE



PRINCESS ICE



SETA ICE



GRIFONE ICE

Codice Code	**Descrizione** Description	**Prezzi** Prices
EV1CR588ICE	**Colonna Evolution Ice** Tower Evolution Ice	
PRS1CR588ICE	**Colonna Princess Ice** Tower Princess Ice	
ST1CR588ICE	**Colonna Seta Ice** Tower Seta Ice	
014035	**Colonna Grifone Ice** Tower Grifone Ice	



FOX



IGLOO



SMART 36

Codice Code		**Materiale** Material	**Compressore** Compressor	**Cap. vasca** Tank cap.	**Banco ghiaccio** Ice bank	**Prestazione Max** Performance Max	**Rif.** Ref.	**Prezzi** Prices
FX1420LPR2ICE	**Refrigeratore Fox Ice** Cooler Fox Ice	**Skin Plate**	1/4 HP	23 l	12 kg	75 l/h	p. 75	
IGL2814PR2ICE	**Refrigeratore Igloo Ice** Cooler Igloo Ice	**Skin Plate**	1/4 HP	24 l	12 kg	75 l/h	p. 76	
ECO1336LPR2ICE	**Refrigeratore Smart Ice** Cooler Smart Ice	**Skin Plate**	1/3 HP	32 l	17 kg	106 l/h	p. 78	

